INDEX TO VOLUME 98

*Author index**

A

Abdenour G, 972
Abraham S, 665
Abramson SJ, 800
Addiego JE Jr, 825
Adelman RD, 766
Agatucci A, 676
Agrawal BL, 931
Allison JE, 708
Alpert BS, 763
Altenburger KM, 417
Altman J, 940
Ambrosino D, 485
Ament ME, 933
Ammann AJ, 213
Anday EK, 628
Anderson AS, 922
Anderson DC, 152
Anderson L, 240
Anderson PAW, 853
Andrassy R, 91
André M, 747
Annable WL, 458
Arant BS Jr, 403
Araujo JG, 839
Armstrong BE, 853
Armstrong DL, 278
Arndorfer RC, 339
Aronstam A, 776
Arvin AM, 281, 636
Asch PS, 696
Asher MI, 506
Askin F, 429
Aston DL, 776
Aufseeser CL, 1006
August CS, 847
Auxiliadora de Souza M, 839
Aylward GP, 947
Azimi PH, 995

B

Bagnato S, 106
Baker CJ, 925
Baker L, 628
Baley JE, 458
Balfour HH Jr, 25
Balistreri WF, 399
Ballard PL, 123
Ballard RA, 123
Baluarte HJ, 702
Bannerman RM, 760
Baraldi P, 858
Barrett DJ, 213
Barrett T, 254
Barton LL, 171
Barzilay Z, 323
Bass HN, 591
Bass JW, 668
Baumgart S, 462
Beaudry PH, 506, 511
Becker LE, 278
Bejar RL, 768
Bell MJ, 820
Benawra R, 680
Benjamin D, 20, 47
Bennett FC, 63
Bennington JL, 237
Berger OG, 250
Bernard O, 742
Bernstein ML, 774
Bertino JS Jr, 508, 678
Bhat AM, 612
Biancaniello T, 828
Bilezikian JP, 247
Black SB, 65
Blanc WA, 336
Blank J, 565
Blaser MJ, 254
Bleyer WA, 825
Blumer JL, 678
Bodurtha JN, 157
Boichis H, 85
Boon AW, 812
Boose GM, 647
Borcherding W, 919
Bougnères P-F, 742
Bower RJ, 820
Boxer LA, 207
Boyer KM, 374
Bradley JS, 281
Bradley PP, 101
Bradley WG, 336
Branski D, 681
Brasch RC, 471
Braverman LE, 218
Brazy JE, 146
Brewer EJ, 194
Brickman RD, 426
Britt CW, 437
Brodeur GM, 672
Brookman RR, 981
Broome CV, 362
Broughton RA, 925
Broyer M, 503, 938
Brunell PA, 71
Bruner B, 362
Bryan AC, 278
Bucci G, 118
Buchanan GR, 723
Bucher JR, 806
Buckley JA, 315
Buckley RH, 420
Burgert EO Jr, 257
Butler IJ, 729

C

Callenbach JC, 800
Camakaris J, 97
Camfield CS, 172
Camfield PR, 172
Campos JM, 335
Canavan JW, 679
Cantwell DP, 650
Cao A, 584
Carlton GT, 449
Carmichael CW, 990
Carpentieri U, 778
Carr I, 137
Casey CE, 434
Cashore WJ, 308
Casper RC, 656
Catanzaro A, 355
Cerwin RA, 328
Chalhub EG, 73
Chambers RT, 431
Chan T-S, 665
Chandra M, 556
Charette RP, 392
Charney E, 415
Charney EB, 157
Charpentier C, 904
Chartrand SA, 1003
Chase HP, 1011
Chase PA, 995
Cheek WR, 466
Chesney RW, 919
Cheung S-SC, 385
Chiba K, 857
Chowdhry P, 617
Chrenka BA, 426
Christensen RD, 101
Chudwin DS, 213
Cifuentes RF, 673
Clarren SK, 92
Clayton GW, 573
Cles L, 65
Clyman RI, 123, 126
Cohen AR, 76
Cohen MM Jr, 664
Cohen RS, 822
Colman N, 76
Cooper BA, 275
Cooper MD, 52
Cornblath M, 936
Coudé FX, 904
Cowan MJ, 213
Crandall BF, 591
Crist WM, 207, 260
Cromwell LD, 63
Czajka PA, 491

D

Daeschner CW III, 778
Dajani AS, 315
Dalens B, 509
Dallman PR, 753, 894
Daneman D, 482
Dangman BC, 288
Daniels TE, 213
Danks DM, 97
Dau PC, 237
Daum RS, 485
David CB, 1030
David R, 85
De Virgiliis S, 584
Dearth JC, 257
Deinard A, 338
Delivoria-Papadopoulos M, 476, 628
Delke IM, 985
DeLuca HF, 919
Denny FW, 328
Desmond MM, 716
Desmonts G, 32
Deuel RK, 912
DeVivo DC, 73
Dhanireddy R, 617
Didier F, 747

*January, pp. 1-172; February, pp. 173-340; March, pp. 341-512; April, pp. 513-680; May, pp. 681-859; June, pp. 859-1032.

Dodds WJ, 339
Dodson WE, 588
Done AK, 315
Dooley T, 443
Dorchy H, 857
Dorfman LJ, 791
Dorion ME, 70
Doshi U, 622
Draznin M, 768
Driggers DA, 753, 894
Driscoll SG, 336
Droukas P, 852
Drummond WH, 603
Duc B, 662
Duck SC, 674
Dudell GG, 298
Duffy JP, 491
Duggan E, 201
Dumurgier E, 904
Durrell DC, 1001

E

Edwards BB, 540
Edwards DK, 949
Edwards MS, 925
Edwards WD, 163
Egeland B, 338
Eigenbrodt E, 830
Ekwo E, 158
Ellerstein NS, 679
Ellis RJ, 368
Ellison PH, 968
Elsea W, 362
Emami A, 338
Engle WD, 462
Epple LK, 940
Erlandson AL, 254
Esterly NB, 241
Estrada R, 627
Euler AR, 339
Evans BJ, 509
Evans H, 627
Evers J, 968

F

Farrell MK, 399
Feigin RD, 67, 73, 152
Feldhoff CM, 25
Ferguson AC, 385
Fernbach DJ, 437
Ferrari F, 858
Ferrieri P, 335
Ferro R, 118
Festa R, 851
Filice GA, 853
Finberg L, 666, 673
Findley H, 207
Fineman RM, 87
Finer NN, 112
Finkelstein J, 949
Fiore B, 311
Fisher DA, 818
Fishman MA, 466
Fitzhardinge PM, 597
Flannery DB, 851
Fleisher G, 676
Fleisher GR, 16, 335
Foley B, 818
Foley TP, 818
Foley TP Jr, 482
Fomon SJ, 540
Fonda S, 858
Fonkalsrud EW, 933
Forbes M, 79
Foreman JW, 432
Fort P, 169
Foster K, 79
Fountain KS, 257
Fox WW, 462, 476
Frand M, 323
Frank AL, 708
Franklin D, 443
Fraser D, 888
Fraser DW, 362
Frazier JJ, 379
Frazier JP, 783
Frias JL, 88
Friedman AD, 335
Friedman EG, 267
Friedman IM, 645
Fukuda K, 81
Fulcher CW, 426
Fulginiti VA, 411

G

Galanello R, 584
Galant SP, 785
Garcia H, 67, 152
Garibaldi LR, 669
Garrick MD, 265
Garson A Jr, 875
Gaull GE, 734
Gelfand EW, 161
Gelfand MJ, 172
Gentile R, 443
Giacoia GP, 691
Giannini EH, 194
Gifford K, 106
Gigliotti F, 531
Gilbert EF, 919
Gilchrist GS, 257
Gillespie JP, 578
Gillette PC, 875
Girard J, 742
Glazer JP, 1001
Glasgow L, 928
Glezen WP, 708
Glode MP, 485
Gold R, 854
Goldman AS, 334
Goldmann DA, 485
Goldstein JD, 667, 962
Gomez MR, 508
Gooding CA, 471
Gotoff SP, 374
Graham GG, 666
Graham JM Jr, 292, 644, 943
Granberg JP, 123
Greco C, 272
Green AW, 832
Green ER, 832
Green TP, 507
Greenberg SB, 379
Greene GR, 785
Greer FR, 696
Gregory GA, 603
Grimm J, 146
Griswold WR, 252
Groggins RC, 871
Grossman H, 201
Grossman M, 65
Groth O, 223
Grumet FC, 281
Gruskin AB, 702
Gryboski J, 190
Gubler M-C, 503
Guerrant RL, 839
Guiang SF, 158
Guilleminault C, 791
Gupta PR, 791
Gurwitz D, 551
Guthrie R, 265
Gutierrez F, 820

H

Habib R, 938
Hafleigh EB, 281
Haggard ME, 778
Hall DE, 415
Hall RT, 800
Halsey N, 485
Halsey NA, 368
Halverson D, 645
Hamad Z, 776
Hambidge KM, 434
Hamosh M, 617
Hamosh P, 617
Hamstra AJ, 919
Harp R, 763
Harpey J-P, 275
Harris MB, 990
Harris PP, 362
Harrod JR, 957
Hartmann AF, 820
Hatano S, 81
Haworth SG, 915
Hayden FG, 531
Hayden GF, 368
Hayes PS, 362
Hayes R, 79
Hayes RJ, 37
Haymond MW, 73
Hecht F, 334, 594
Hecox K, 830
Hegyi T, 288, 454
Heicher DA, 957
Hellerstein S, 201
Hendeles L, 158
Hendley JO, 531
Hendricks SA, 244
Henretig FM, 337
Henry CG, 820
Henson R, 645
Herbert V, 76
Herbst JJ, 859
Herzfeld S, 85
Heubi JE, 399
Heymann DL, 368
Heymann MA, 123, 126, 603
Hiatt IM, 268, 454
Higginbottom MC, 228, 292, 943
Hill A, 974
Hill HR, 59, 392
Hillemeier AC, 190
Hillman LS, 305, 311
Hilty MD, 788, 1001
Hindman B, 497
Hislop AA, 915
Hletko P, 931
Hodges IGC, 871
Hogan WJ, 339
Hogg RJ, 830
Holcombe JH, 573
Hollister JR, 581
Holmes LB, 336
Holson B, 423
Holtzman D, 645
Holzman IR, 482
Hong R, 919
Honigman R, 851
Hood L, 20
Hook EW, 839
Hopkin IE, 812
Hopper AO, 822
Horowitz S, 919
Howell RR, 729
Hoyer JR, 556
Hoyme HE, 228
Hudspeth AS, 431
Humphrey M, 313
Hyatt AC, 417

I

Indyk L, 288, 454
Ingbar SH, 218
Ingram DL, 328
Inselman LS, 1
Isacchi G, 118
Ishizaki T, 857
Issitt CH, 647
Izukawa T, 763

J

Jackson GG, 1011
Jacobs N, 625
Jacobs SG, 247
James LS, 288
Janofsky J, 842
Jaspan JB, 815
Jennings RB Jr, 426
Jhaveri R, 627
Jimenez D, 158
Johansen T, 485
Johanson A, 768
Johnson D, 449
Johnson DE, 335
Johnson DH, 426
Johnson JD, 822
Johnston RB Jr, 417
Jones KL, 228
Jubelirer DP, 1003

K

Kafka JA, 355
Kahn E, 670
Kaiser-McCaw B, 334
Kaplan EL, 509
Kaplan S, 828, 853, 1031
Kaplan SA, 244
Kaplan SL, 67, 152
Kartodihardjo W, 763
Kasting DS, 957
Kattwinkel J, 479
Katznelson D, 170
Kauffman RE, 315
Kaufman ED, 990
Kaufmann HJ, 334
Kawabori I, 443
Keating JP, 73, 429
Keenan BS, 573
Kellaway P, 437
Kelsey DS, 431
Kennon S, 313
Kerlan RK Jr, 471
Kersey JH, 585
Kerzner B, 788
Kesarwala H, 780
Kim HC, 780
Kim KS, 170
Kittaka E, 81
Klein AH, 818
Klein JO, 537
Klein JR, 987
Kleinknecht C, 938
Kliegman RM, 458, 508
Klujber L, 42
Knight PJ, 972
Knutsen AP, 420
Koch PA, 847
Koch R, 267
Kohl S, 379, 783
Kohler E, 674
Konrad JD, 491
Kooh SW, 673
Koransky JS, 241
Korval AB, 16
Kotchmar GS Jr, 71
Koukoutsakis PM, 326
Kousseff BG, 676
Koutsoyiannis ML, 247
Kramer MS, 546, 883
Krivit W, 449
Kulovich S, 272
Kvernland SJ, 152

L

La Rosa M, 512
Lafourcade J, 275
Lanc R, 832
Landaw SA, 928
Landes RD, 668
Lange B, 565
Lange R, 190
Langman CB, 462
Lanzkowsky P, 851
Lascari AD, 759
Lau SO, 585
Lauermann M, 308
Laurenti F, 118
Le Moël G, 275
Lebenthal E, 681
Lee JT, 820
Lee W-NP, 244
Lees MH, 852
Leff RD, 631
Lenoir GR, 503
Lennette ET, 16
Lenoir G, 938
Lerman SJ, 668
Lerner C, 423
Lerner M, 1006
Levin AR, 854, 1031
Levin RS, 696
Levine LS, 768
Levine MD, 1006
Levison H, 551
Levitt D, 52
Lewis HM, 511
Lewy JE, 556
Li Volti S, 512
Lifshitz F, 169
Lightner ES, 494
Limal JM, 904
Linday LA, 854, 1031
Lindsley CB, 578
Linnemann CC Jr, 981
Linshaw MA, 578
Lipnick RN, 95
Lippe B, 244
Lipson MH, 933
Litt IF, 945, 987
Little V, 146
Lo EYT, 753, 894
Loiselle EM, 152
Lonsdale D, 734
Loo L-S, 379
Loo LS, 783
Lorenzo RL, 333
Loughlin GM, 435
Loyola MA, 588
Luban NLC, 95
Ludwig S, 676
Luken J, 137
Lum GM, 434
Lusher J, 338

M

McCallum R, 190
McClung HJ, 788
McCoy EE, 223
McCracken GH Jr, 129
MacDonald HM, 818
Macfarlane A, 61
McGowan JE, 362
McKenna R, 585
McKinley K, 106
MacLeod PM, 771
MacLean WC Jr, 666
McNamara DG, 875
Mahmoodian A, 576
Mahoney DH Jr, 437
Mahony L, 469
Maisels MJ, 106, 663
Malagnina F, 118
Malluh A, 207, 260
Malone JI, 337, 674
Mandelli F, 118
Mangurten HH, 680
Mansour A, 161
March SM, 591
Marino JT, 511
Markestad T, 597
Marks KH, 663
Marks MI, 173, 505, 676, 910, 1003
Marsac C, 742, 904
Marshall TA, 479
Martin L, 311
Mason EO Jr, 152
Matalon R, 269
Mather FJ, 485
Matustik MC, 778
Mauer SM, 25
Mauray F, 126
Mellins RB, 1
Melnick CR, 269
Melton P, 899
Mendoza SA, 252
Menke JA, 946
Merrill RE, 412, 1030
Merritt TA, 949
Merten DF, 420
Mestyán J, 42
Meyer RA, 828
Miceli JN, 315
Michals KK, 269
Middleton E Jr, 832
Milam JD, 194
Miller ME, 292
Milner AD, 812, 871
Mindorff C, 551
Mintz AA, 152
Moeschler JB, 63
Moessinger AC, 336
Molla A, 835
Molla AM, 835
Mollica F, 512, 680
Moroz B, 546
Morozumi PA, 785
Moser MC, 434
Moses SW, 669
Mosman J, 990
Mouradian J, 556
Mukamel M, 583
Muntean W, 262
Murphy J, 106
Murphy JD, 962
Murphy S, 503
Murphy WM, 403
Murray M, 485

N

Nagao GI, 853, 1031
Nahata MC, 1001
Naiman JL, 774
Najarian JS, 25
Nakano J, 368
Nalin A, 858
Nanan C, 70
Naot Y, 32
Nash MA, 247
Nassif CM, 320
Nassif EG, 158, 320
Nations-Shields M, 839
Naylor EW, 265
Neff J, 170
Neff RK, 576
Neims AH, 640
Nelson SE, 540
Nelson WE, 909, 946
Nesbit M, 449
Nesbit ME, 642
Neter E, 691
New MI, 768
Newburger PE, 180
Newcomb JD, 852
Nickerson RW Jr, 194
Nikiforuk G, 888
Nishi Y, 81
Nissenkorn I, 583
Norris TN, 922
Nyhan WL, 272

O

Oberklaid F, 1006
O'Brien RT, 928
O'Connor JE, 664
Odièvre M, 742
Offer D, 656
O'Flynn ME, 729
Ogier H, 904
Ogra P, 691
Oh W, 308
O'Leary M, 642
Olesinski R, 622
Opas LM, 91
Orenstein WA, 368, 1030
Orfanos AP, 265
Orlina A, 374
O'Shea AT, 847
Ostrander CR, 822
Ostrov E, 656
Outwater KM, 95
Overturf GD, 368
Özsoylu S, 169, 671, 672

P

Pabst HF, 223, 856
Page T, 272
Pai CH, 505
Palermo D, 118
Palfrey JS, 1006
Palmer EA, 106
Panero A, 118
Papageorgiou P, 780
Pappelbaum SJ, 163
Paredes A, 708
Parmley RT, 207
Parsons WD, 640
Pascu F, 976
Pasquariello PS, 16
Passwell JH, 85
Pavone L, 512, 680
Pearlman A, 443
Pelton SI, 537
Penn D, 976
Percy AK, 466
Pérignon J-L, 503
Person DA, 194
Peter G, 308
Peters KL, 112
Petrovic M, 768
Phibbs RA, 603
Philip AGS, 795
Pickering LK, 379, 783
Pierroutsakos IN, 326
Pildes RS, 137, 625, 815
Pinnell LE, 112
Pizzo PA, 341, 513, 524
Plazker ACG, 497
Plotkin SA, 335
Plunket DC, 1003
Polin RA, 462
Polinsky MS, 702
Poncz M, 76
Post EM, 440
Powell DA, 1001
Powell KR, 854
Pramanik AK, 313
Prebis JW, 702
Preblud SR, 362, 1030
Prober CG, 281, 636
Procopis P, 97
Przyrembel H, 734
Puccia J, 949
Putnam MH, 333
Pyati SP, 625
Pysher TJ, 497

R

Rabinovitch M, 962
Radde IC, 673
Ragab AH, 207
Rahman M, 835
Ramamurthy RS, 625
Ramsay NKC, 585
Rao S, 622
Rapaport R, 768
Rauh JL, 981
Raval D, 137
Ravenscroft K, 95
Ravindranath Y, 338
Redmond GP, 83
Reed MD, 678
Reeves JD, 753, 894
Reid L, 667
Reid LM, 962
Reiner CB, 788
Remington JS, 32, 853
Reynolds JW, 852
Reznik VM, 252
Richards RT, 112
Richardson WP, 578
Richman RA, 440
Ridgway D, 825
Riley WJ, 337
Roberts KB, 415
Roberts R, 1003
Roberts RJ, 631, 806
Robertson CM, 112
Rogers L, 265
Rogers MC, 947
Roman C, 126
Romshe CA, 788
Rosenberg A, 987
Rosenberg RL, 368
Rosenblatt DS, 275
Rosenbloom AL, 337, 674
Rosenblum JL, 429
Rosenfeld W, 627
Rossen RD, 194
Roth R, 123
Rothberg AD, 106
Rothstein G, 101
Roy C, 275
Roy S III, 403
Rubecz I, 42
Rubin LG, 940
Rubio T, 426
Rudolph AM, 126
Ruiz-Castaneda N, 88
Ruley EJ, 95
Russell S, 985
Russo J, 766
Rutledge J, 20
Ryden S, 88

S

Sachis PN, 278
Sack DA, 835
Saidi P, 780
Sakai R, 335
Salazar D, 627
Saltz GR, 981
Sallan SE, 180
Sanders SW, 856
Sandor GGS, 771
Santos JI, 928
Sarker SA, 835
Satterfield BT, 650
Satterfield JH, 650
Saudubray J-M, 742, 904
Savignoni PG, 118
Sawyer M, 830
Scanlon JW, 612, 617
Schaad UB, 129
Schachter J, 65
Schaffner F, 734
Schain RJ, 171
Scheifele DS, 899
Schmidt-Sommerfeld E, 976
Schneider BK, 774
Schwartz E, 76
Schwartz HC, 936
Schwartz R, 936
Seagull E, 47
Searcy JE, 696
Seashore J, 190
Segal S, 432
Segall-Blank M, 218
Seifert WE Jr, 729
Self TW, 252
Serjeant GR, 37, 79
Serota FT, 847
Serwer GA, 853
Setzer ES, 88
Severn C, 88
Shankar H, 815
Shannon D, 158
Shahar E, 323
Shapiro DL, 949
Sharma P, 201
Shaul WL, 473
Shaywitz SE, 671
Sheehan MB, 800
Sheehan RG, 723
Shende A, 851
Sher TH, 678
Shields DS, 839
Shigeoka AO, 392
Shuja M, 171
Shulman ST, 423
Shwachman H, 218, 576
Silber DL, 569
Silver LB, 180
Silverman M, 1032
Silverman NH, 469
Simmons RL, 25
Singer JI, 250
Singh J, 815
Singsen BH, 232
Sivasubramanian KN, 617
Slaughter R, 832
Smith A, 20
Smith CM II, 585
Smith DF, 771
Smith DS, 251
Smith DW, 292, 662, 664, 943
Smithson WA, 257
Smythe AR II, 978
Snider AR, 469
Sniderman S, 123
Sonnenwirth AC, 504
Sorenson RL, 449
Sorge G, 680
Soyka LF, 83
Sparkes RS, 591
Spear GS, 785
Spear ME, 466
Spencer M, 47
Spinola SM, 328
Spitzer AR, 476
Springer J, 670
Squires RH, 429
Srinivasan G, 815
Stagno S, 260
Stanley CA, 628
Starfield B, 842
Steichen JJ, 696
Stevens MCG, 37
Stevenson DK, 822
Stevenson G, 443
Stokes GM, 871
Stonestreet B, 308
Stong WB, 763
Strauss AW, 820
Strebel L, 315
Stuard ID, 949
Suchy FJ, 399
Sullivan B, 485
Sullivan TD, 679
Sunderland CO, 852
Sutton M, 990
Sweetman L, 272

T

Taber LH, 708, 925
Tallan HH, 734
Tancer LM, 985
Tate DY, 449
Teele DW, 70, 537
Teramoto R, 91
Ternberg JL, 429
Thalji A, 137
Thanopoulos B, 326
Theeravuthichai J, 374
Thomas ML, 129
Thomas SR, 172
Thompson T, 449
Thompson TR, 335
Threlkeld N, 129
Tiruvury A, 815
Trauner DA, 272
Tsang RC, 696
Tunnessen WW Jr, 506
Tuomanen E, 854
Turner HD, 16
Tyrrell DAJ, 511

U

Uchiyama N, 785
Udall L, 987
Usui T, 81

V

Vagenakis AG, 218
Vaidya S, 37
Valdes-Cruz LM, 298
Valman HB, 511
Van Allen MI, 662
Van Vliet G, 857
Vannucci RC, 106
Varga P, 42
Varsano I, 583
Vaughn B, 338
Veridiano NP, 985
Victorica BE, 435
Vidyasagar D, 622
Vigneron J, 747
Vogel LC, 374
Volpe JJ, 974
von Bassewitz DB, 734

W

Wait RB, 716
Waldman JD, 163
Waldman RJ, 254
Walpole IR, 333
Wara DW, 213
Warren BJ, 785
Warren WS, 16
Warrier RP, 338
Wassef M, 776
Weber FT, 337
Weil WB, 47
Weinberger M, 678
Weinberger MM, 158
Weissbluth M, 423, 509
Weissfeld AS, 504
Weisskopf B, 948
Weitz R, 583
Welborn C, 485
Welchert E, 201
Weil WB Jr, 336
Weinberger MM, 320
Werlin SL, 339
Wertelecki W, 664
Whitchelo V, 899
Whitcher JP, 213
White C, 482
White J, 449
Wigglesworth JS, 667
Wilkins J, 335
Willard JE, 485
Williams WT, 531
Wilimas JA, 672
Wilson ER, 260
Wilson GS, 716
Wilson T, 768
Winkelstein JA, 417
Winter JSD, 494
Witte JJ, 368
Wong KY, 647
Wood B, 949
Woods WG, 642
Woodward WT Jr, 847
Wyman ML, 392
Wynne JW, 435

Y

Yang L, 432
Yassur I, 583
Yeager AS, 281, 636
Yeh TF, 137, 815
Yen SSC, 990
Yip R, 922
Yolken RH, 940
Younoszai MK, 320
Yudkoff M, 432
Yunis JJ, 677

Z

Zavod WS, 16
Zeis PM, 326
Zelkowitz L, 931
Zeller WP, 936
Ziegler EE, 540
Ziter FA, 240

*Subject index**

A

AB blood group and group B streptococcus type III antigens induced by pneumococcal vaccine—antibody response to (Boyer et al), 374
Abdominal tumor—interstitial pneumonitis and pleural effusion in a one-year-old child with (Platzker et al), 497
Abscess, splenic, and hepatic dysfunction caused by *Shigella flexneri* (Squires et al) (BCLO), 429
Absorption characteristics of sustained release theophylline capsules administered in applesauce (Green et al) (BCLO), 832
Abstracts: Midwest Pediatric Research Society, 1014
Acetaminophen, parent's knowledge about (Flannery) (Letter), 851
Acid, epsilon aminocaproic, and Factor IX concentrate—acute myocardial infarction in young hemophiliac patient during therapy with (Agrawal et al) (BCLO), 931
uric, in essential hypertension (Prebis et al), 702
valproic: Possible cause of proximal tubular renal syndrome (Lenoir et al) (Letter), 503
teratogenicity of (Gomez) (Letter), 508; (Dalens) (Reply), 509
Acidosis, renal tubular—copper deficiency associated with alkali therapy in patient with (Nishi et al) (BCLO), 81
Acites, roentgen findings in (Lorenzo) (Letter), 333
Acrofacial dysostosis syndrome postaxial—recurrence in sibship: Implications for genetic counseling (Fineman) (BCLO), 87
Acromegaly, juvenile, treated with bromocriptine (Lightner and Winter) (BCLO), 494
Activity and attention patterns, observed, in preschool children—analysis of (Palfrey et al), 1006
Adenosyltransferase, methionine, deficiency—hypermethioninemia associated with: Clinical, morphologic, and biochemical observations on four patients (Gaull et al), 734
Adolescent(s)—abnormal cervical cytology in (Delke et al) (BCLO), 985
—effect of aspirin on dysmenorrhea in (Klein et al) (BCLO), 987
epileptic—saliva phenobarbital and phenytoin concentrations in (Friedman et al) (BCLO), 645
female—*Chlamydia trachomatis* cervical infection in (Saltz et al), 981
obese—characterization of estrogen and androgen levels and gondotropic release patterns in (Kaufman et al) (BCLO), 990

*January, pp. 1-172; February, pp. 173-340; March, pp. 341-512; April, pp. 513-680; May, pp. 681-859; June, pp. 859-1032.

Adolescent(s)—Cont'd
with acute anorexia nervosa—self-image of (Casper et al), 656
severe hemophilia A, identification of high-risk elbow hemorrhages in (Aronstam et al) (BCLO), 776
Adrenal hyperplasia, congenital—plasma 17α-hydroxyprogesterone and aldosterone concentrations with: Role of salt-losing hormones in salt wasting (Holcombe et al) (BCLO), 573
Age, chronologic—effect on serum concentrations of amikacin in sick term and premature infants (Prober et al), 636
relationship to: Variation in plasma ketone bodies during 24-hour fast in normal and hypoglycemic children (Saudubray et al), 904
sex, ethnic group, and maternal antibody level—risk of respiratory syncytial virus infection for infants from low-income families in relationship to (Glezen et al), 708
small for gestational, and premature infants—serial serum copper concentrations during the first 3 months of life (Hillman) (BCLO), 305
Agenesis, phrenic nerve, with pulmonary hypoplasia (Wigglesworth) (Letter), 667; (Goldstein and Reid) (Reply), 667
Aggregation, defective platelet, in congenital aggammaglobulinemia (Kim et al) (BCLO), 780
Alcohol syndrome, fetal—cardiac malformation in (Sandor et al) (BCLO), 771
Alcoholic mothers, attention deficit syndrome in children born to (Spranger) (Letter), 670; (Kahn) (Letter), 670; (Shaywitz) (Reply), 671
Aldosterone and plasma 17α-hydroxyprogesterone concentrations with congenital adrenal hyperplasia—role of salt-losing hormones in salt wasting (Holcombe et al) (BCLO), 573
renin system in cystic fibrosis (Rapaport et al) (BCLO), 768
Alkali therapy associated with copper deficiency in patient with renal tubular acidosis (Nishi et al) (BCLO), 81
Amino acid pattern in Reye syndrome: Comparison with clinically similar entities (Romshe et al) (BCLO), 788
Aminocaproic acid, epsilon and Factor IX concentrate—acute myocardial infarction in young hemophiliac patient during therapy with (Agrawal et al) (BCLO), 931
Amnion rupture, early—compression-related defects from: Evidence for mechanical teratogenesis (Miller et al), 292
preaxial polydactly of foot associated with: Evidence for mechanical teratogenesis? (Graham et al) (BCLO), 943
Androgen and estrogen levels, basal, and gonadotropic release patterns in obese adolescent female—characterization of (Kaufman et al) (BCLO), 990

Anemia associated with *Haemophilus influenzae* meningitis–pathophysiologic basis for: Preliminary observations (O'Brien et al) (BCLO), 928
erythromycin-induced hemolytic (Wong et al) (BCLO), 647
hyperleukocytosis, and metabolic abnormalities in leukemia–exchange transfusion for (Warrier et al) (Letter), 338
patients with leukemia–exchange transfusion as treatment for (Shende et al) (Letter), 851
iron deficiency, in one-year-old infants–screening for: Hemoglobin and mean corpuscular volume as predictors of response to iron treatment (Reeves et al), 894
or low-normal hemoglobin values–comparisons of results of therapeutic trial in infants with: Iron deficiency in 1-year-old infants (Driggers et al), 753
refractory acute autoimmune hemolytic–plasma exchange in (Bernstein et al) (BCLO), 774
Aneurysm, ruptured hepatic artery, and coronary artery aneurysms with myocardial infraction in 14-year-old boy: New manifestations of mucocutaneous lymph node syndrome (Lipson et al) (BCLO), 933
Aniridia–Wilms tumor association (Kousseff and Agatucci) (Letter), 676; (Yunis) (Reply), 677
Anorexia nervosa, acute–self-image of adolescents with (Casper et al), 656
Antacid(s) administration, hypermagnesemia from, in newborn infant (Humphrey et al) (BCLO), 313
enteric coating, and bile salts–comparative effects on efficacy of oral pancreatic enzyme therapy in cystic fibrosis (Nassif et al) (BCLO), 320
Antibiotic(s), broad-spectrum oxa-beta-lactam, moxalactam–clinical evaluation in neonates and infants (Schaad et al), 129
decreased use of, using neonatal sepsis screening technique (Philip), 795
orally administered, for suspected bacteremia (Friedman et al) (Letter), 335
therapy of serious *Haemophilus* infections–a continuing problem (Marks) (Editor's column), 910
treatment of cystic fibrosis (Marino) (Letter), 511; (Beaudry) (Reply), 511
Antibody(ies), anti-platelet, in idiopathic thrombocytopenic purpura–persistence of (Özsoylu) (Letter), 671; (Brodeur and Wilimas) (Reply), 762
deficiency and near-normal immunoglobulins–colonic nodular lymphoid hyperplasia with (Knutsen et al) (BCLO), 420
dependent cellular-cytotoxicity in herpes simplex virus–infected cells–normal function of neonatal polymorphonuclear leukocytes in (Kohl et al) (BCLO), 783
level, maternal, ethnic group, age, and sex–risk of respiratory syncytial virus infection for infants from low-income families in relationship to (Glezen et al), 708
response to group B streptococcus type III and AB blood group antigens induced by pneumococcal vaccine (Boyer et al), 374
test, negative antinuclear, with systemic lupus erythematosus (Gillespie et al) (BCLO), 578
Antigens, group B streptococcus type III and AB blood group, induced by pneumococcal vaccine–antibody response to (Boyer et al), 374
Antimicrobial therapy, initial–bacteriology of acute otitis media unresponsive to (Teele et al), 537
Antinuclear antibody test, negative, with systemic lupus erythematosus (Gillespie et al) (BCLO), 578
Aortic obstruction, partial, produced by thoracostomy tube (Gooding et al) (BCLO), 471
stenosis, predictor of severity of–exercise blood pressure response (Alpert et al) (BCLO), 763
thrombosis presenting as congestive heart failure: Umbilical artery catheter complication (Henry et al) (BCLO), 820
Apnea of prematurity, continuous monitoring of Po_2 during (Hiatt et al), 288
–functional residual capacity and oxygen tension in (Marshall and Kattwinkel) (BCLO), 479
sleep, as possible cause of pulmonary hypertension in Down syndrome (Loughlin et al) (BCLO), 435
Appendicitis, neonatal–clues to early diagnosis of (Shaul) (BCLO), 473
Arachnodactyly, congenital contractural, keratoconus, and probably Marfan syndrome in same pedigree (Bass et al) (BCLO), 591
Arginine vasopressin with bacterial meningitis–cerebropspinal fluid concentration of (Garcia et al) (BCLO), 67
Arteriosus, patent ductus, in fluid-restricted infants–specificity and accuracy of echocardiographic and clinical criteria for diagnosis of (Valdes-Cruz and Dudell), 298
–prenatal administration of betamethasone for prevention of (Clyman et al) (BCLO), 123
Artery aneurysm, ruptured hepatic, and coronary artery aneurysms with myocardial infraction in 14-year-old boy: New manifestations of mucocutaneous lymph node syndrome (Lipson et al) (BCLO), 933
catheter(s) complication, umbilical: Aortic thrombosis presenting as congestive heart failure (Henry et al) (BCLO), 820
umbilical, below diaphragm–evaluation of graphs for insertion of (Rosenfeld et al) (BCLO), 627
omphalomesenteric–intrauterine interruption of: Vascular pathogenesis of gastroschisis (Hoyme et al), 228
Arthritis, juvenile rheumatoid–delay in motor development as presentation of (Hollister) (BCLO), 581
–plasma exchange in selected patients with (Brewer et al), 194
Ascites, fetal, and bladder dilation with resulting prune belly–ultrasonic detection of (Smythe) (BCLO), 978
Asphyxia, intracranial hemorrhage, and delayed maturation–indicator of: Transcephalic impedance in neonate (Ellison and Evers), 968
Aspirate cytology, newborn tracheal: Classification during respiratory distress syndrome and bronchopulmonary dysplasia (Merritt et al), 949
Aspirin–effect on dysmenorrhea in adolescents (Klein et al) (BCLO), 987
Assay test, IgM enzyme-linked immunosorbent, for diagnosis of congenital *Toxoplasma* infection (Naot et al), 32
Asthma, risks of theophylline therapy in (Sher et al) (Letter), 678; (Weinberger) (Letter) 678; (Canavan et al) (Reply), 679
Atresia, choanal, with Down syndrome (Graham et al) (Letter), 664

Atrioventricular block, complete, associated with propranolol therapy (Zeis et al) (BCLO), 326
Attention and activity patterns, observed, in preschool children—analysis of (Palfrey et al), 1006
deficit disorder, learning disabilities, hyperkinesis, minimal brain dysfunction (Deuel) (Editor's column), 912
syndrome in children born to alcoholic mothers (Spranger) (Letter), 670; (Kahn) (Letter), 670; (Shaywitz) (Reply), 671
Auditory evoked potentials, brainstem, in near-miss sudden infant death syndrome (Gupta et al) (BCLO), 791
Autoimmune hemolytic anemia, refractory acute—plasma exchange in (Bernstein et al) (BCLO), 774

B

Bacteremia, oxacillin-tolerant staphylococcal (Kim) (Letter), 170
simultaneous occult pneumococcal, in identical twins (Singer and Berger) (BCLO), 250; Commentary (Smith), 251
suspected—orally administered antibiotics for (Friedman et al) (Letter), 335
Bacterial contamination and electrolyte/glucose concentration in home-prepared oral rehydration solution: Field experience in northeastern Brazil (Shields et al) (BCLO), 839
Bacterial endocarditis with flail mitral valve leaflet (Jennings et al) (BCLO), 426
meningitis—cerebrospinal fluid concentration of arginine vasopressin with (Garcia et al) (BCLO), 67
pharmacokinetics and cerebrospinal fluid penetration of moxalactam in children with (Kaplan et al), 152
suspected—is CSF lactate measurement useful in management of children with? (Rutledge et al), 20
pathogen, distinctive: *Salmonella cholera-suis* (Weissbluth et al) (BCLO), 423
Bacteriology of acute otitis media unresponsive to initial antimicrobial therapy (Teele et al), 537
Betamethasone for prevention of patent ductus arteriosus, prenatal administration of (Clyman et al) (BCLO), 123
Bicarbonate and phosphate lavage solutions, in vitro comparison of: Iron poisoning (Czajka et al) (BCLO), 491
Bile acid, secondary—elevated serum concentration in presence of hepatobiliary disease: Pathologic vs physiologic cholestasis (Balistreri et al), 399
salts, enteric coating, and antacids—comparative effects on efficacy of oral pancreatic enzyme therapy in cystic fibrosis (Nassif et al) (BCLO), 320
Bilirubin production, pulmonary excretion of carbon monoxide as index. IIa. Evidence for possible delayed clearance of bilirubin in infants of diabetic mothers (Stevenson et al) (BCLO), 822
Bilirubinometry, transcutaneous. I. Correlations in term infants (Hegyi et al), 454
Biphenyl, polybrominated—effect on infants and young children (Weil et al), 47
Bladder dilation and fetal ascites with resulting prune belly—ultrasonic detection of (Smythe) (BCLO), 978
washout test—localization of site of urinary tract infections with (Hellerstein et al), 201
Blindness, acute cortical, associated with hypoglycemia (Mukamel et al) (BCLO), 583
Blood, cord, from premature infants with and without RDS—thyroid function studies in (Klein et al) (BCLO), 818
group, AB, and group B streptococcus type III antigens induced by pneumococcal vaccine—antibody response to (Boyer et al), 374
typing, minor—diagnosis by: Fractitious hematuria (Outwater et al) (BCLO), 95
lead concentrations, elevated—iron status with (Yip et al) (BCLO), 922
liver, and lung in newborn rat and human infant, α-tocopherol (vitamin E) content of: Influence of hyperoxia (Bucher and Roberts), 806
loss, gastrointestional, and iron nutritional status: Cow milk feeding in infancy (Fomon et al), 540
pressure response, exercise—predictor of severity of aortic stenosis (Alpert et al) (BCLO), 763
screening, cord, for sickle hemoglobin: Evidence against a female preponderance of hemoglobin S (Foster et al) (BCLO), 79
simple screening test for reduced glutathione in filter paper spots of (Garrick et al) (BCLO), 265
Bone marrow transplantation, pediatric—role of child advocate in selection of donors for (Serota et al), 847
mineral content and serum 25-hydroxyvitamin D concentration in breast-fed infants with and without supplemental vitamin D (Greer et al), 696
Book reviews
Food additives and hyperactive children (Silver), 236
Controversies in child health and pediatric practice (Nelson), 946
Motherhood and mourning—perinatal death (Menke), 946
A neurodevelopmental perspective on specific learning disabilities, monographs in developmental pediatrics (Aylward), 947
Practical guide to pediatric intensive care (Rogers), 947
Child development and developmental disabilities (Weisskopf), 948
Brain dysfunction, minimal, hyperkinesis, learning disabilities, attention deficit disorder (Deuel) (Editor's column), 912
Brainstem auditory evoked potentials in near-miss sudden infant death syndrome (Gupta et al) (BCLO), 791
Breast-fed infants of mothers with cystic fibrosis—risk of hypernatremia in (Walpole) (Letter), 333
feeding and delayed introduction of solid foods—do they protect against subsequent obesity? (Kramer), 883
protection against subsequent atopic eczema? (Kramer and Moroz), 546
Bromocriptine, treatment of juvenile acromegaly with (Lightner and Winter) (BCLO), 494
Bronchial reactivity in children with history of bronchiolitis, increased incidence of (Gurwitz et al), 551
Bronchiolitis, acute—lung function abnormalities after (Stokes et al), 871
increased incidence of bronchial reactivity in children with history of (Gurwitz et al), 551
Bronchopulmonary dysplasia and respiratory distress syndrome, classification during: Newborn tracheal aspirate cytology (Merritt et al), 949

Bronchopulmonary dysplasia—Cont'd
development of, and respiratory distress syndrome, a factor in predicting recovery from—maximum diuresis (Spitzer et al) (BCLO), 476
growth and development in children recovering from (Markestad and Fitzhardinge), 597

C

Cactus spine removal, simple (Putnam) (Letter), 333
Caffeine, prolonged half-life of, in healthy term newborn infants (Parsons and Neims) (BCLO), 640
Campylobacter enteritis—outbreaks in two extended families: Evidence for person-to-person transmission (Blaser et al) (BCLO), 254
Cancer, infectious complications with. I. Pathophysiology of compromised host and initial evaluation and management of the febrile cancer patient (Pizzo), 341
II. Management of specific infectious organisms (Pizzo), 513
III. Prevention (Pizzo), 524
Candida endophthalmitis in premature infant (Baley et al), 458
Candidiasis, persistent oral—new approach to use of anti-fungal agents in infants with (Mansour and Gelfand) (BCLO), 161
Carbamazepine-induced acute tubulointerstitial nephritis (Hogg et al) (BCLO), 830
Carbohydrate metabolism—minor hemoglobins in disorders of (Zeller et al) (BCLO), 936
Carbon monoxide as index of bilirubin production, pulmonary excretion of. IIa. Evidence for possible delayed clearance of bilirubin in infants of diabetic mothers (Stevenson et al) (BCLO), 822
Cardiac failure, intractable—use of hydralazine for (Nagao) (Letter), 1031: (Kaplan) (Reply), 1031; (Linday and Levin) (Reply), 1031
intra-, thrombi complicating total parenteral nutrition—echocardiographic diagnosis of (Mahony et al) (BCLO), 469
malformation in fetal alcohol syndrome (Sandor et al) (BCLO), 771
Cardiotoxicity and chloramphenicol (Biancaniello et al) (BCLO), 828
Cardiovascular collapse in teen-age girl (Waldman et al), 163
Care, common, and uncommon children (Hecht) (Commentary), 594
Carnitine concentrations, decreased tissue, in newborn infants receiving total parenteral nutrition (Pen et al) (BCLO), 976
palmitoyl transferase deficiency, hepatic—fasting hypoglycemia resulting from (Bougnères et al), 742
Catheter(s), central, in dermatomyositis—plasmapheresis via: New method for selected pediatric patients (Anderson and Ziter) (BCLO), 240
complication, umbilical artery: Aortic thrombosis presenting as congestive heart failure (Henry et al) (BCLO), 820
umbilical artery, below diaphragm—evaluation of graphs for insertion of (Rosenfeld et al) (BCLO), 627
Cefamandole—development of *Haemophilus influenzae* meningitis in patients treated with (Chartrand et al) (BCLO), 1003
—role in treatment of *Haemophilus influenzae* infections (Azimi and Chase), 995
Celiac disease—reappraisal (Lebenthal and Branski), 681
Cell(s) disease, homozygous sickle, in early childhood—fetal hemoglobin and clinical severity of (Stevens et al), 37
herpes simplex virus infected—normal function of neonatal polymorphonuclear leukocytes in antibody-dependent cellular-cytotoxicity to (Kohl et al) (BCLO), 783
Cellulitis, management of (Marks) (Letter), 676; (Fleisher and Ludwig) (Reply), 676
Cephalic, trans-, impedance in neonate: Indicator of intracranial hemorrhage, asphyxia, and delayed maturation (Ellison and Evers), 968
Cerebellar hematomas in term neonates, successful conservative management of (Fishman et al) (BCLO), 466
Cerebral edema in diabetic ketoacidosis (Weil) (Letter), 336; (Reply) (Rosenbloom et al), 337; (Duck and Kohler) (Letter), 674; (Rosenbloom and Malone) (Reply), 674
Cerebrospinal fluid concentration of arginine vasopressin with bacterial meningitis (Garcia et al) (BCLO), 67
lactate measurement—is it useful in management of children with suspected bacterial meningitis? (Rutledge et al), 20
penetration and the pharmacokinetics of moxalactam in children with bacterial meningitis (Kaplan et al), 152
Ceruloplasmin and serum copper in concentrations in premature infants—effect of oral copper supplementation on (Hillman et al) (BCLO), 311
Cervical cytology, abnormal, in adolescents (Delke et al) (BCLO), 985
infections, *Chlamydia trachomatis*, in female adolescents (Saltz et al), 981
Cesarean section, elective and emergency lower segmental—lung volumes and lung mechanics in babies born vaginally and by (Boon et al) (BCLO), 812
Chemoprophylaxis, rifampin, for household contacts of patients with invasive infections due to *H. influenzae* type B (Daum et al), 485
Chlamydia trachomatis cervical infections in female adolescents (Saltz et al), 981
Chlamydial infection, serologic evidence of (Black et al) (BCLO), 65
Chloramphenicol and cardiotoxicity (Biancaniello et al) (BCLO), 828
chloramphenicol succinate, pharmacokinetics of (Kauffman et al), 315
phenytoin, and phenobarbital—interactions among (Powell et al) (BCLO), 1001
Chloride and sodium values: Sweat test (Shwachman et al) (BCLO), 576
Choanal atresia with Down syndrome (Graham et al) (Letter), 664
Cholestasis, pathologic vs physiologic: Elevated serum concentration of secondary bile acid in presence of hepatobiliary disease (Balistreri et al), 399

Chromosomes in familial neuroblastoma (Hecht and Kaiser-McCaw) (Letter), 334
Cilia syndrome, immotile—contributions of Dr. Kartagener to (Kaufmann) (Letter), 334; (Goldman) (Reply), 334
Cleft palate, abnormal facies, and generalized dysostosis: Lethal X-linked syndrome (André et al), 747
Clostridia colonization and clostridial toxin in neonatal necrotizing enterocolitis (Cashore et al) (BCLO), 308
Coccidioidomycosis, disseminated, in children (Kafka and Catanzaro), 355
for all of us: Commentary (Fulginiti) (Editor's column), 411
Colonic nodular lymphoid hyperplasia with antibody deficiency and near-normal immunoglobulins (Knutsen et al) (BCLO), 420
Colonization, clostridia, and clostridial toxin in neonatal necrotizing enterocolitis (Cashore et al) (BCLO), 308
Complement, second component of—increased susceptibility to severe pyogenic infections with inherited deficiency of (Hyatt et al) (BCLO), 417
Compression-related defects from early amnion rupture: Evidence for mechanical teratogenesis (Miller et al), 292
Computed tomographic scan used in medical evaluation of mentally retarded child (Moeschler et al) (BCLO), 63
Congenital adrenal hyperplasia, plasma 17α-hydroxyprogesterone and aldosterone concentrations with—role of salt-losing hormones in salt wasting (Holcombe et al) (BCLO), 573
agammaglobulinemia, defective platelet aggregation in (Kim et al) (BCLO), 780
contractural arachnodactyly, keratoconus, and probable Marfan syndrome in same pedigree (Bass et al) (BCLO), 591
folate malabsorption, therapy of (Poncz et al) (BCLO), 76
hypothyroidism—abnormal TSH secretory dynamics in (Redmond and Soyka) (BCLO), 83
infections, staphylococcal protein A in diagnosis of (Felice and Remington) (Letter), 853; (Powell and Tuomanen) (Reply), 854
pulmonary hypoplasia in maternal myasthenia gravis (Moessinger) (Letter), 336; (Holmes et al) (Reply), 336
Toxoplasma infection—IgM enzyme-linked immunosorbent assay test for diagnosis of (Naot et al), 32
Congestive heart failure, aortic thrombosis presenting as: Umbilical artery catheter complication (Henry et al) (BCLO), 820
Conjunctivitis, acute—etiology of (Gigliotti et al), 531
Contractural arachnodactyly, congenital, keratoconus, and probable Marfan syndrome in same pedigree (Bass et al) (BCLO), 591
Copper concentrations, serial serum, in premature and SGA infants during first 3 months of life (Hillman) (BCLO), 305
deficiency associated with alkali therapy in patient with renal tubular acidosis (Nishi et al) (BCLO), 81
supplementation, oral—effect on serum copper and ceruloplasmin concentrations in premature infants (Hillman et al) (BCLO), 311
zinc, and vitamin A in pediatric dialysis (Casey et al) (BCLO), 434
Cord blood from premature infants with and without RDS—thyroid function studies in (Klein et al) (BCLO), 818
screening for sickle hemoglobin: Evidence against a female preponderance of hemoglobin S (Foster et al) (BCLO), 79
Coronary artery aneurysms and ruptured hepatic artery aneurysm with myocardial infarction in 14-year-old boy: New manifestations of mucocutaneous lymph node syndrome (Lipson et al) (BCLO), 933
Corpuscular volume, mean, and hemoglobin as predictors of response to iron treatment: Screening for iron deficiency anemia in one-year-old infants (Reeves et al), 894
Cortical blindness, acute, associated with hypoglycemia (Mukamel et al) (BCLO), 583
Corticosteroid therapy and croup (Asher and Beaudry) (Letter), 506; (Tunnessen) (Reply), 506
Counseling, genetic—implications for: Recurrence of postaxial acrofacial dysostosis syndrome in sibship (Fineman) (BCLO), 87
Cranial, intra-, hemorrhage, asphyxia, and delayed maturation—indicator of: Transcephalic impedance in neonate (Ellison and Evers), 968
pressure—measurement using Ladd intracranial pressure monitor (Hill and Volpe), 974
irradiation in management of extreme leukemic leukocytosis complicating acute lymphocytic leukemia (Gilchrist et al), 257
Crescenteric glomerulonephritis, poststreptococcal: Comparison of quintuple therapy vs supportive care (Roy et al), 403
Croup and corticosteroid therapy (Asher and Beaudry) (Letter), 506; (Tunnessen) (Reply), 506
Cryoglobulins, circulating, in nephropathic cystinosis (Foreman et al) (BCLO), 432
CT scan used in medical evaluation of mentally retarded child (Moeschler et al) (BCLO), 63
Cyclopia and maternal drug ingestion (Mollica et al) (Letter), 680; (Benawra and Mangurten) (Reply), 680
Cystic fibrosis, antibiotic treatment of (Marino) (Letter), 511; (Beaudry) (Reply), 511
—comparative effects of antacids, enteric coating, and bile salts on efficacy of oral pancreatic enzyme therapy in (Nassif et al) (BCLO), 320
—pathogenesis and treatment of pulmonary infections with (Marks), 173
renin-aldosterone system in (Rapaport et al) (BCLO), 768
—risk of hypernatremia in breast-fed infants of mothers with (Walpole) (Letter), 333
—thyroid gland function and pituitary TSH reserve with (Segall-Blank et al), 218
Cystinosis, nephropathic—circulating cryoglobulins in (Foreman et al) (BCLO), 432
Cytology, abnormal cervical, in adolescents (Delke et al) (BCLO), 985
newborn tracheal aspirate: Classification during respiratory distress syndrome and bronchopulmonary dysplasia (Merritt et al), 949
Cytomegalovirus infections, transfusion-acquired, in newborn infants—prevention of (Yaeger et al), 281

Cytotoxicity, cellular-, antibody-dependent to herpes simplex virus–infected cells—normal function of neonatal polymorphonuclear leukocytes in (Kohl et al) (BCLO), 783
natural killer, in human neonates—interferon induction of (Kohl et al), 379

D

DDAVP used to terminate the 7-hour water deprivation test: Differential diagnosis of diabetes insipidus (Hendricks et al) (BCLO), 244
Death syndrome, near-miss sudden infant—brainstem auditory evoked potentials in (Gupta et al) (BCLO), 791
sudden infant, and vagus nerve: Morphometric study (Sachis et al) (BCLO), 278
Deficiency *see* specific deficiency
Dermatomyositis, plasmapheresis in (Dau and Bennington) (BCLO), 237
via central catheter in: New method for selected pediatric patients (Anderson and Ziter) (BCLO), 240
Development and growth in children recovering from bronchopulmonary dysplasia (Markestad and Fitzhardinge), 597
of the lung (Inselman and Mellins), 1
linguistic, of children with phenylketonuria and normal intelligence (Melnick et al) (BCLO), 269
motor, as presentation of juvenile rheumatoid arthritix, delay in (Hollister) (BCLO), 581
Developmental, health, and social implications: Follow-up of methadone-treated and untreated narcotic-dependent women and their infants (Wilson et al), 716
Diabetes insipidus, differential diagnosis of: Use of DDAVP to terminate the 7-hour water deprivation test (Hendricks et al) (BCLO), 244
mellitus, insulin-dependent—stress and sugar control in (Chase and Jackson) (BCLO), 1011
Diabetic ketoacidosis, cerebral edema in (Weil) (Letter), 336; (Reply) (Rosenbloom et al), 337; (Duck and Kohler) (Letter), 674; (Rosenbloom and Malone) (Reply), 674
low-dose insulin infusion for (Özsoylu) (Letter), 169; (Fort and Lifshitz) (Reply), 169
mothers, evidence for possible delayed clearance of bilirubin in infants of. IIa. Pulmonary excretion of carbon monoxide as index of bilirubin production (Stevenson et al) (BCLO), 822
Dialysis, pediatric—zinc, copper, and vitamin A in (Casey et al) (BCLO), 434
Diaphragm—evaluation of graphs for insertion of umbilical artery catheters below (Rosenfeld et al) (BCLO), 627
Diarrhea caused by rotavirus, enterotoxigenic *E. coli*, and *V. cholerae*—stool electrolyte content and purging rates in (Molla et al), 835
intractable, associated with use of sorbitol (Charney and Bodurtha) (BCLO), 157
Diathesis, hemorrhagic, from transiently acquired Factor VIII complex deficiency (Muntean) (BCLO), 262
1,25-dihydroxyvitamin D concentrations, elevated serum, in hypercalcemia of sarcoidosis: Correction by glucocorticoid therapy (Chesney et al) (BCLO), 919
Disease *see* specific disease
Diuresis, maximum—factor in predicting recovery from respiratory distress syndrome and development of bronchopulmonary dysplasia (Spitzer et al) (BCLO), 476
Diuretic phase of respiratory distress syndrome and its relationship to oxygenation (Langman et al), 462
Donors for pediatric bone marrow transplantation, role of child advocate in selection of (Serota et al), 847
Dopamine, tolazoline, and hyperventilation—independent effects on infants with persistent pulmonary hypertension (Drummond et al), 603
Doppler echocardiographic determination, pulsed, of time of ductal closure in normal newborn infants (Gentile et al), 443
ultrasonography in evaluation of PDA shunting (Lees et al) (Letter), 852; (Serwer et al) (Reply), 853
Down syndrome, choanal atresia with (Graham et al) (Letter), 664
—sleep apnea as possible cause of pulmonary hypertension in (Loughlin et al) (BCLO), 435
Drug(s) administration, intravenous—methods in pediatric patient (Leff and Roberts), 631
exposure, drug concentrations, and neonatal symptoms at time of birth, relationships among. II. Isoxsuprine in perinatal period (Brazy et al), 146
ingestion, maternal, and cyclopia (Mollica et al) (Letter), 680; (Benawra and Mangurten) (Reply), 680
investigational—availability of (Wilkins and Sakai) (Letter), 335; (Johnson et al) (Reply), 335
Ductus arteriousus, lamb—glucocorticoids alter sensitivitv to prostaglandin E_2 (Clyman et al) (BCLO), 126
persistent—intravenous indomethacin therapy in premature infants with: Double-blind controlled study (Yeh et al), 137
Dwarfism in Mauriac syndrome, cause of (Dorchy and Van Vliet) (Letter), 857
Dysautonomia in non-Jewish child (Katznelson) (Letter), 170; (Neff) (Reply), 170
Dysmenorrhea in adolescents, effect of aspirin on (Klein et al) (BCLO), 987
Dysostosis, generalized, abnormal facies, and cleft palate, Lethal X-linked syndrome (André et al), 747
Dysplasia, bronchopulmonary, and respiratory distress syndrome, classification during: Newborn tracheal aspirate cytology (Merritt et al), 949
hypohidrotic ectodermal, with hypothyroidism (Pabst et al), 223
Dysostosis syndrome, postaxial acrofacial—recurrence in a sibship: Implications for genetic counseling (Fineman) (BCLO), 87

E

Echocardiographic and clinical criteria, specificity and accuracy of, for diagnosis of patent ductus arteriosus in fluid-restricted infants (Valdes-Cruz and Dudell), 298
determination, pulsed Doppler, of time of ductal closure in normal newborn infants (Gentile et al), 443
diagnosis of intracardiac thrombi complicating total parenteral nutrition (Mahony et al) (BCLO), 469

Ectodermal dysplasia, hypohidrotic, with hypothyroidism (Pabst et al), 223
Eczema, subsequent atopic—do breast-feeding and delayed introduction of solid foods protect against? (Kramer and Moroz), 546
Edema, cerebral, in diabetic ketoacidosis (Weil) (Letter), 336; (Reply) (Rosenbloom et al), 337; (Duck and Kohler) (Letter), 674; (Rosenbloom and Malone) (Reply), 674
Education—GMENAC and alphabet soup (Silber) (Editor's column), 569
Effusion, pleural, and interstitial pneumonitis in a one-year-old child with abdominal tumor (Platzker et al), 497
Elbow hemorrhages, high-risk, identified in adolescents with severe hemophilia A (Aronstam et al) (BCLO), 776
Electroencephalographic findings at time of diagnosis, implications of: Leukemia (Mahoney et al) (BCLO), 437
Electrolyte content, stool, and purging rates in diarrhea caused by rotavirus, enterotoxigenic *E. coli,* and *V. cholerae* (Molla et al), 835
glucose concentration and bacterial contamination in home-prepared oral rehydration solution: Field experience in northeastern Brazil (Shields et al) (BCLO), 839
Enamel hypoplasia, etiology of: Unifying concept (Nikiforuk and Fraser), 888
Encephalopathy, hypoxic-ischemic, in term neonates: perinatal factors and outcome (Finer et al), 112
Endocarditis, bacterial, with flail mitral valve leaflet (Jennings et al) (BCLO), 426
Endophthalmitis, *Candida,* in premature infant (Baley et al), 458
Endotoxemia in neonates with suspected sepsis—evaluation of *Limulus* test for (Scheifele et al), 899
Energy metabolism, substrate utilization, and nitrogen balance in parenterally fed postoperative neonates and infants (Rubecz et al), 42
Enteric coating, antacids, and bile salts—comparative effects on efficacy of oral pancreatic enzyme therapy in cystic fibrosis (Nassif et al) (BCLO), 320
Enteritis, *Campylobacter*—outbreaks in two extended families: Evidence for person-to-person transmission (Blaser et al) (BCLO), 254
Enterocolitis, neonatal necrotizing—clostridia colonization and clostridial toxin in (Cashore et al) (BCLO), 308
Enzyme-linked immunosorbent assay test, IgM, for diagnosis of congenital *Toxoplasma* infection (Naot et al), 32
therapy, oral pancreatic, in cystic fibrosis—comparative effects of antacids, enteric coating, and bile salts on efficacy of (Nassif et al) (BCLO), 320
Eosinophilia in premature infants, pattern of (Bhat and Scanlon), 612
Epidemiology of pertussis, Atlanta, 1977 (Broome et al), 362
Epileptic adolescents—saliva phenobarbital and phenytoin concentrations in (Friedman et al) (BCLO), 645
Epsilon aminocaproic acid and Factor IX concentrate—acute myocardial infarction in young hemophiliac patient during therapy with (Agrawal et al) (BCLO), 931
Epstein-Barr virus-associated hemophagocytic syndrome, fatal (Wilson et al) (BCLO), 260
infections, intrafamilial transmission of (Fleisher et al), 16
Errata (Chan) (Letter), 665; (Abraham) (Reply), 665
Erythromycin-induced hemolytic anemia (Wong et al) (BCLO), 647
Escherichia coli, enterotoxigenic, rotavirus, and *V. cholerae*—stool electrolyte content and purging rates in diarrhea caused by (Molla et al), 835
Estrogen and androgen levels, basal, and gonadotropic release patterns in obese adolescent female—characterization of (Kaufman et al) (BCLO), 990
Ethnic group, age, sex, and maternal antibody level—risk of respiratory syncytial virus infection for infants from low-income families in relationship to (Glezen et al), 708
Exchange, plasma, in selected patients with juvenile rheumatoid arthritis (Brewer et al), 194
transfusion as treatment for hyperleukocytosis, anemia, and metabolic abnormalities in patients with leukemia (Shende et al) (Letter), 851
—effects on neonatal thyroid function (Daneman et al) (BCLO), 482
for hyperleukocytosis, anemia, and metabolic abnormalities in leukemia (Warrier et al) (Letter), 338
gentamicin elimination during (Green) (Letter), 507; (Kliegman and Bertino) (Reply), 508
Exercise blood pressure response—predictor of severity of aortic stenosis in children (Alpert et al) (BCLO), 763

F

Facies, abnormal, cleft palate, and generalized dysostosis: Lethal X-linked syndrome (André et al), 747
Factor VIII complex deficiency, transiently acquired—hemorrhagic diathesis from (Muntean) (BCLO), 262
IX concentrate and epsilon aminocaproic acid—acute myocardial infarction in young hemophiliac patient during therapy with (Agrawal et al) (BCLO), 931
Familial atypical mycobacteriosis—possible monocyte killing defect in (Ychiyama et al) (BCLO), 785
intra-, transmission of Epstein-Barr virus infections (Fleisher et al), 16
nephrotic syndrome and focal segmental glomerulosclerosis (Chandra et al), 556
neuroblastoma, chromosomes in (Hecht and Kaiser-McCaw) (Letter), 334
Family with selective IgA deficiency, immunoregulatory defects in (Levitt and Cooper), 52
Feeding, breast-, and delayed introduction of solid foods—do they protect against subsequest obesity? (Kramer), 883
cow milk, in infancy: Gastrointestional blood loss and iron nutritional status (Fomon et al), 540
postoperative neonates and infants parenterally—energy metabolism, substrate utilization, and nitrogen balance in (Rubecz et al), 42
Fetal alcohol syndrome, cardiac malformation in (Sandor et al) (BCLO), 771
ascites and bladder dilation with resulting prune belly—ultrasonic detection of (Smythe) (BCLO), 978
hemoglobin and clinical severity of homozygous sickle cell disease in early childhood (Stevens et al), 37

Fever of unknown origin, systemic *Haemophilus influenzae* type B infection presenting as (Broughton et al) (BCLO), 925
Fibroplasia, prematurity/idiopathic–retinopathy of (Duc) (Letter), 662
Fluid-restricted infants–specificity and accuracy of echocardiographic and clinical criteria for diagnosis of patent ductus arteriosus (Valdes-Cruz and Dudell), 298
Folate malabsorption, congenital–therapy of (Poncz et al) (BCLO), 76
Folinic acid, methionine, pyridoxine, and vitamin B_{12} therapy–case in infant responding to: Homocystinuria caused by 5,10-methylenetetrahydrofolate reductase deficiency (Harpey et al) (BCLO), 275
Foot, preaxial polydactly of, associated with early amnion rupture: Evidence for mechanical teratogenesis? (Graham et al) (BCLO), 943
Functional residual capacity and oxygen tension in apnea of prematurity (Marshall and Kattwinkel) (BCLO), 479
Fungal, anti-, agents in infants with persistent oral candidiasis–new approach to use of (Mansour and Gelfand) (BCLO), 161

G

Gastric emptying, delayed, in infants with gastroesophageal reflux (Hillemeier et al), 190
Gastroesophageal reflux (Herbst), 859
  delayed gastric emptying in infants with (Hillemeier et al), 190
  mechanisms of (Euler) (Letter), 339; (Werlin et al) (Reply), 339
  scintigraphy for detection of (Gelfand and Thomas) (Letter), 172
Gastrointestinal blood loss and iron nutritional status: Cow milk feeding in infancy (Fomon et al), 540
  or respiratory origin? Pneumoperitoneum in ventilated neonate (Knight and Abdenour) (BCLO), 972
Gastroschisis, vascular pathogeneisis of (Van Allen and Smith) (Letter), 662
  Intrauterine interruption of the omphalomesenteric artery (Hoyme et al), 228
Gentamicin elimination during exchange transfusion (Green) (Letter), 507; (Kliegman and Bertino) (Reply), 508
Genetic counseling, implications for: Recurrence of postaxial acrofacial dysostosis syndrome in sibship (Fineman), (BCLO), 87
Gland, thyroid, function and pituitary TSH reserve with cystic fibrosis (Segall-Blank et al), 218
Globulin, zoster immune–dose-response effect of: Prophylaxis of varicella in high-risk children (Orenstein et al), 368
Glomerulonephritis, poststreptococcal crescenteric: Comparison of quintuple therapy vs supportive care (Roy et al), 403
Glomerulosclerosis, focal segmental, and familial nephrotic syndrome (Chandra et al), 556
Glucocorticoid(s) alter the sensitivity of lamb ductus arteriosus to prostaglandin E_2 (Clyman et al) (BCLO), 126
  therapy, correction by: Elevated serum 1,25-dihydroxyvitamin D concentrations in hypercalcemia of sarcoidosis (Chesney et al) (BCLO), 919
Glucose/electrolyte concentration and bacterial contamination in home-prepared oral rehydration solution: Field experience in northeastern Brazil (Shields et al) (BCLO), 839
Glutathione, reduced–simple screening test in filter paper spots of blood (Garrick et al) (BCLO), 265
Glycogen storage disease IB, pathogenesis of (Garibaldi and Moses) (Letter), (Garibaldi) (Letter), 669; (Moses) (Letter), 669
Gonadotropic release patterns and basal estrogen and androgen levels in obese adolescent female–characterization of (Kaufman et al) (BCLO), 990
Gonococcal vaginitis, neonatal (Barton and Shuja) (Letter), 171
Granulocyte adherence in newborn infants (Rao et al) (BCLO), 622
Growth and development in children recovering from bronchopulmonary dysplasia (Markestad and Fitzhardinge), 597
  of lung (Inselman and Mellins), 1
  zinc in patients with sickle cell disease (Daeschner et al) (BCLO), 778
  chart for sick premature infants (Maisels and Marks) (Letter), 663

H

Haemophilus infections, serious, antibiotic therapy of–a continuing problem (Marks) (Editor's column), 910
  influenzae infections–role of cefamandole in treatment of (Azimi and Chase), 995
  meningitis–development in patients treated with cefamandole (Chartrand et al) (BCLO), 1003
  pathophysiologic basis for anemia associated with: Preliminary observations (O'Brien et al) (BCLO), 928
  type B infection, systemic, presenting as fever of unknown origin (Broughton et al) (BCLO), 925
  rifampin chemoprophylaxis for household contacts of patients with invasive infections due to (Daum et al), 485
Hair, steely, syndrome, Menkes–mild form of (Procopis et al) (BCLO), 97
Handicapped children, neurologically–phenobarbital in (Schain) (Letter), 171; (Camfield and Camfield) (Reply), 172
Heart failure, congestive–aortic thrombosis presenting as: Umbilical artery catheter complication (Henry et al) (BCLO), 820
Helmet treatment, etiology, and natural history: Plagiocephaly and torticollis (Clarren) (BCLO), 92
Hematomas, cerebellar, in term neonates, successful conservative management of (Fishman et al) (BCLO), 466
Hematuria, factitious: Diagnosis by minor blood group typing (Outwater et al) (BCLO), 95
Hemodialysis and antihypertensive medications–recovery of renal function after treatment with: Malignant hypertension (Adelman and Russo) (BCLO), 766
Hemoglobin(s) and mean corpuscular volume as predictors of response to iron treatment: Screening for iron deficiency anemia in one-year-old infants (Reeves et al), 894

Hemoglobin(s)—Cont'd
fetal, and clinical severity of homozygous sickle cell disease in early childhood (Stevens et al), 37
low-normal, or anemia values—comparison of results of therapeutic trial in infants with: Iron deficiency in 1-year-old infants (Driggers et al), 753
minor, in disorders of carbohydrate metabolism (Zeller et al) (BCLO), 936
sickle—cord blood screening for: Evidence against a female preponderance of hemoglobin S (Foster et al) (BCLO), 79
Hemolytic anemia, erythromycin-induced (Wong et al) (BCLO), 647
refractory acute autoimmune—plasma exchange in (Bernstein et al) (BCLO), 774
Hemophagocytic syndrome, fatal Epstein-Barr virus–associated (Wilson et al) (BCLO), 260
Hemophilia A, severe—identification of high-risk elbow hemorrhages in adolescents with (Aronstam et al) (BCLO), 776
Hemophiliac patient, young—acute myocardial infarction during therapy with Factor IX concentrate and epsilon aminocaproic acid (Agrawal et al) (BCLO), 931
Hemorrhage(s), high-risk elbow, identified in adolescents with severe hemophilia A (Aronstam et al) (BCLO), 776
intracranial, asphyxia, and delayed maturation—indicator of: Transcephalic impedance in neonate (Ellison and Evers), 968
Hemorrhagic diathesis from transiently acquired Factor VIII complex deficiency (Muntean) (BCLO), 262
Heparin, post-, lipolytic activity and Intralipid clearance in very LBW infants (Dhanireddy et al), 617
Hepatic artery aneurysm, ruptured, and coronary artery aneurysms with myocardial infarction in 14-year-old boy: New manifestations of mucocutaneous lymph node syndrome (Lipson et al) (BCLO), 933
carnitine palmitoyl transferase deficiency, fasting hypoglycemia resulting from (Bougnères et al), 742
dysfunction and splenic abscess caused by *Shigella flexneri* (Squires et al) (BCLO), 429
Hepatitis B–associated vasculitis (Reznik et al) (BCLO), 252
Hepatobiliary disease—elevated serum concentration of secondary bile acid in presence of: Pathologic vs physiologic cholestasis (Balistreri et al), 399
Hepatotoxicity and neuropathy, life-threatening, in infants during induction therapy for acute lymphoblastic leukemia (Woods et al) (BCLO), 642
Hereditary nephritis with associated defects in proximal renal tubular function (Passwell et al) (BCLO), 85
Hernia, umbilical: What happens after age 5 years? (Hall et al) (BCLO), 415
Herpes simplex type I infection, generalized—Reye syndrome complicated by (Chalhub et al) (BCLO), 73
virus-infected cells—normal function of neonatal polymorphonuclear leukocytes in antibody-dependent cellular-cytotoxicity to (Kohl et al) (BCLO), 783
Heterogeneity, etiologic, in oculauriculovertebral syndrome (Setzer et al) (BCLO), 88
Homocystinuria caused by 5,10-methylenetetrahydrofolate reductase deficiency: Case in infant responding to methionine, folinic acid, pyridoxine, and vitamin B_{12} therapy (Harpey et al) (BCLO), 275
Homozygous sickle cell disease in early childhood, fetal hemoglobin and clinical severity of (Stevens et al), 37
Hormone(s), salt-losing, in salt wasting, role of—plasma 17α-hydroxyprogesterone and aldosterone concentrations with congenital adrenal hyperplasia (Holcombe et al) (BCLO), 573
thyroid-stimulating—abnormal dynamics in congenital hypothyroidism (Redmond and Soyka) (BCLO), 83
Host, compromised, pathophysiology of, and initial evaluation and management of febrile cancer patient. I. Infectious complications with cancer (Pizzo), 341
Hydralazine used for intractable cardiac failure (Nagao) (Letter), 1031; (Kaplan) (Reply), 1031; (Linday and Levin) (Reply), 1031
Hydroxyprogesterone, 17α-, plasma, and aldosterone concentrations with congenital adrenal hyperplasia—role of salt-losing hormones in salt wasting (Holcombe et al) (BCLO), 573
25-Hydroxyvitamin D concentration, serum, and bone mineral content in breast-fed infants with and without supplemental vitamin D (Greer et al), 696
Hyperactive boys, 100—three-year multimodality treatment study of (Satterfield et al), 650
Hypercalcemia of sarcoidosis, elevated serum 1,25-dihydroxyvitamin D concentrations in: Correction by glucocorticoid therapy (Chesney et al) (BCLO), 919
Hyperglycinemia, nonketotic, with progressive neurodegenerative disorder (Trauner et al) (BCLO), 272
Hyperkinesis, minimal brain dysfunction, learning disabilities, attention deficit disorder (Deuel) (Editor's column), 912
Hyperleukocytosis, anemia, and metabolic abnormalities in leukemia—exchange transfusion for (Warrier et al) (Letter), 338
in patients with leukemia—exchange transfusion as treatment for (Shende et al) (Letter), 851
Hypermagnesemia from antacid administration in newborn infant (Humphrey et al) (BCLO), 313
Hypermethioninemia associated with methionine adenosyltransferase deficiency: Clinical, morphological, and biochemical observations on four patients (Gaull et al), 734
Hypernatremia—risk in breast-fed infants of mothers with cystic fibrosis (Walpole) (Letter), 333
Hyperoxia, influence of: α-Tocoperol (vitamin E) content of lung, liver, and blood in the newborn rat and human infant (Bucher and Roberts), 806
Hyperphenylalaninemia—neurotransmitter defects and treatment of disorders of (Butler et al), 729
Hyperphosphatemia with insufficient parathyroid response in renal failure (Nash et al) (BCLO), 247
Hyperplasia, colonic nodular lymphoid, with antibody deficiency and near-normal immunoglobulins (Knutsen et al) (BCLO), 420
congenital adrenal—plasma 17α-hydroxyprogesterone and aldosterone concentrations with: Role of salt-losing hormones in salt wasting (Holcombe et al) (BCLO), 573
Hypertension, essential—uric acid in (Prebis et al), 702
malignant: Recovery of renal function after treatment with antihypertensive medications and hemodialysis (Adelman and Russo) (BCLO), 766

Hypertension—Cont'd
persistent pulmonary—independent effects of hyperventilation, tolazoline, and dopamine on infants with (Drummond et al), 603
—structural basis in newborn infant (Murphy et al), 962
pulmonary, in Down syndrome—sleep apnea as possible cause of (Loughlin et al) (BCLO), 435
Hyperventilation, tolazoline, and dopamine—independent effects on infants with persistent pulmonary hypertension (Drummond et al), 603
Hypoglycemia associated with acute cortical blindness (Mukamel et al) (BCLO), 583
fasting, resulting from hepatic carnitine palmitoyl transferase deficiency (Bougnères et al), 742
Hypoglycemic and normal children—variation in plasma ketone bodies during a 24-hour fast in: Relationship to age (Saudubray et al), 904
Hypohidrotic ectodermal dysplasia with hypothyroidism (Pabst et al), 223
Hypoplasia, congenital pulmonary, in neonatal myasthenia gravis (Moessinger and Blanc) (Letter), 336; (Holmes et al) (Reply), 336
enamel—etiology of: Unifying concept (Nikiforuk and Fraser), 888
pulmonary, with phrenic nerve agenesis (Wigglesworth) (Letter), 667; (Goldstein and Reid) (Reply), 667
Hypothyroidism, congenital—abnormal TSH secretory dynamics in (Redmond and Soyka) (BCLO), 83
—hypohidrotic ectodermal dysplasia with (Pabst et al), 223
Hypoxic-ischemic encephalopathy in term neonates: Perinatal factors and outcome (Finer et al), 112

I

IgA deficiency, selective—immunoregulatory defects in family with (Levitt and Cooper), 52
IgM enzyme-linked immunosorbent assay test for diagnosis of congenital *Toxoplasma* infection (Naot et al), 32
Immotile cilia syndrome—contributions of Dr. Kartagener to (Kaufmann) (Letter), 334; (Goldman) (Reply), 334
Immune globulin, zoster—dose-response effect of: Prophylaxis of varicella in high-risk children (Orenstein et al), 368
response as diagnostic aid: Respiratory infections in infants on mechanical ventilation (Giacoia et al), 691
to meningococcal vaccines (Gold) (Letter), 854; (Pabst) (Reply), 855
thrombocytopenia in severe neonatal infections (Tate et al), 449
Immunization, maternal—neonatal rubella following (Lerman) (Letter), 668; (Bass and Landes) (Reply), 668
rubella, post partum (Preblud and Orenstein) (Letter), 1030
Immunoglobulin(s) M and G synthesis by monocytes and T lymphocytes in the newborn infant, modulation of (Ferguson and Cheung), 385
near-normal, and antibody deficiency—colonic nodular lymphoid hyperplasia with (Knutsen et al) (BCLO), 420
Immunologic abnormalities in Schwartz-Jampel syndrome (Pavone et al) (Letter), 512
basis for childhood neoplasms (Murphy) (Letter), 503
Immunoregulatory defects in family with selective IgA deficiency (Levitt and Cooper), 52
Immunosorbent assay test, IgM enzyme-linked, for diagnosis of congenital *Toxoplasma* infection (Naot et al), 32
Impedance, transcephalic, in neonate: Indicator of intracranial hemorrhage, asphyxia, and delayed maturation (Ellison and Evers), 968
Indomethacin therapy, intravenous, in premature infants with persistent ductus arteriosus—double-blind controlled study (Yeh et al), 137
Infarction, acute myocardial, in young hemophiliac patient during therapy with Factor IX concentrate and epsilon aminocaproic acid (Agrawal et al) (BCLO), 931
myocardial, in 14-year-old boy—ruptured hepatic artery aneurysm and coronary artery aneurysms with: New manifestations of mucocutaneous lymph node syndrome (Lipson et al) (BCLO), 933
Infections *see* specific infections
Infectious complications with cancer. I. Pathophysiology of compromised host and initial evaluation and management of the febrile cancer patient (Pizzo), 341
Infusion, low-dose insulin, for diabetic ketoacidosis (Özsoylu) (Letter), 169; (Fort and Lifshitz) (Reply), 169
Inherited deficiency of second component of complement—increased susceptibility to severe pyogenic infections with (Hyatt et al) (BCLO), 417
Inspiratory time, short, and rapid rate vs slow rate and long respiratory time: Prospective clinical comparison of two methods for mechanical ventilation of neonates (Heicher et al), 957
Insulin-dependent diabetes mellitus—stress and sugar control in (Chase and Jackson) (BCLO), 1011
infusion, low-dose, for diabetic ketoacidosis (Ooylu) (Letter), 169; (Fort and Lifshitz) (Reply), 169
Intelligence, normal, and phenylketonuria—linguistic development of children with (Melnick et al) (BCLO), 269
Interferon induction of natural killer cytotoxicity in human neonates (Kohl et al), 379
Interstitial pneumonitis and pleural effusion in a one-year-old child with abdominal tumor (Platzker et al), 497
Intracranial pressure—measurement using Ladd intracranial pressure monitor (Hill and Volpe), 974
Intralipid clearance and postheparin lipolytic activity in very LBW infants (Dhanireddy et al), 617
Intravenous drug administration, methods in pediatric patient (Leff and Roberts), 631
Iron deficiency anemia in one-year-old infants, screening for: Hemoglobin and mean corpuscular volume as predictors of response to iron treatment (Reeves et al), 894
in 1-year-old infants: Comparison of results of therapeutic trial in infants with anemia or low-normal hemoglobin values (Driggers et al), 753
malabsorption and defective utilization of, in three siblings (Buchanan and Sheehan), 723
nutritional status and gastrointestinal blood loss: Cow milk feeding in infancy (Fomon et al), 540
poisoning: In vitro comparison of bicarbonate and phosphate lavage solutions (Czajka et al) (BCLO), 491
status with elevated blood lead concentrations (Yip et al) (BCLO), 922
Irradiation, cranial, in management of extreme leukemic leukocytosis complicating acute lymphocytic leukemia (Gilchrist et al), 257

Ischemic-hypoxic encephalopathy in term neonates: Perinatal factors and outcome (Finer et al), 112
Isoxsuprine in perinatal period. II. Relationships between neonatal symptoms, drug exposure, and drug concentration at time at birth (Brazy et al), 146

K

Keratoconus, congenital contractural arachnodactyly, and probably Marfan syndrome in same pedigree (Bass et al) (BCLO), 591
Ketoacidosis, diabetic–cerebral edema in (Weil) (Letter), 336; (Reply) (Rosenbloom et al), 337; (Duck and Kohler) (Letter), 674; (Rosenbloom and Malone) (Reply), 674
–low-dose insulin infusion for (Özsoylu) (Letter), 169; (Fort and Lifshitz) (Reply), 169
Ketone(s) bodies, plasma, during 24-hour fast in normal and in hypoglycemic children–variation in: Relationship to age (Saudubray et al), 904
plasma, in newborn infants: Absence of suckling ketosis (Anday et al) (BCLO), 628
Ketosis, suckling–absence of: Plasma ketones in newborn infants (Anday et al) (BCLO), 628
Ketotic, non-, hyperglycinemia with progressive neurodegenerative disorder (Trauner et al) (BCLO), 272
Killing defect, possible monocyte, in familial atypical mycobacteriosis (Uchiyama et al) (BCLO), 785

L

Lactate measurement, CSF–is it useful in management of children with suspected bacterial meningitis? (Rutledge et al), 20
Ladd intracranial pressure monitor–measurement of intracranial pressure using (Hill and Volpe) (BCLO), 974
Lamb ductus arteriosus–glucocorticoids alter sensitivity to prostaglandin E_2 (Clyman et al) (BCLO), 126
Lavage solutions, in vitro comparison of phosphate and bicarbonate: Iron poisoning (Czajka et al) (BCLO), 491
Lead concentrations, elevated blood–iron status with (Yip et al) (BCLO), 922
Leaflet, flial mitral valve–bacterial endocarditis with (Jennings et al) (BCLO), 426
Learning disabilities, attention deficit disorder, hyperkinesis, minimal brain dysfunction (Dewel) (Editor's column), 912
Leukemia, acute lymphoblastic–life-threatening neuropathy and hepatotoxicity in infants during induction therapy for (Woods et al) (BCLO), 642
lymphocytic–cranial irradiation in management of extreme leukemic leukocytosis complicating (Gilchrist et al), 257
exchange transfusion as treatment for hyperleukocytosis, anemia, and metabolic abnormalities in patients with (Shende et al) (Letter), 851
hyperleukocytosis, anemia, and metabolic abnormalities in (Warrier et al) (Letter), 338
Implications of EEG findings at time of diagnosis (Mahoney et al) (BCLO), 437
Leukemia–Cont'd
pre- (Blank and Lange), 565
Leukocyte(s) left shift in clinical and experimental neonatal sepsis (Christensen et al), 101
neonatal polymorphonuclear–normal function in antibody-dependent cellular-cytotoxicity to herpes simplex virus–infected cells (Kohl et al) (BCLO), 783
transfusion, polymorphonuclear, for treatment of sepsis in newborn infant (Laurenti et al), 118
Leukocytosis, extreme leukemic, complicating acute lymphocytic leukemia–cranial irradiation in management of (Gilchrist et al), 257
hyper-, anemia, and metabolic abnormalities in patients with leukemia–exchange transfusion as treatment for (Shende et al) (Letter), 846
Limulus test for endotoxemia in neonates which suspected sepsis, evaluation of (Scheifele et al), 899
Linguistic development of children with phenylketonuria and normal intelligence (Melnick et al) (BCLO), 269
Lipolytic activity, postheparin, and Intralipid clearance in very LBW infants (Dhanireddy et al), 617
Liver, lung, and blood in newborn rat and human infant, α-tocoperol (vitamin E) content of: Influence of hyperoxia (Bucher and Roberts), 806
Lung function abnormalities after acute bronchiolitis (Stokes et al), 871
growth and development of (Inselman and Mellins), 1
liver, and blood in newborn rat and human infant, α-tocoperol (vitamin E) content of: Influence of hyperoxia (Bucher and Roberts), 806
volumes and lung mechanics in babies born vaginally and by elective and emergency lower segmental cesarean section (Boon et al) (BCLO), 812
Lupus erythematosus, systemic, with negative antinuclear antibody test (Gillespie et al) (BCLO), 578
panniculitis (profundus) (Koransky and Esterly) (BCLO), 241
Lymph node syndrome, mucocutaneous–new manifestations of: Ruptured hepatic artery aneurysm and coronary artery aneurysms with myocardial infarction in 14-year-old boy (Lipson et al) (BCLO), 933
Lymphoblastic leukemia, acute–life-threatening neuropathy and hepatotoxicity in infants during induction therapy for (Woods et al) (BCLO), 642
Lymphocytes, T, and monocytes in newborn infants–modulation of immunoglobulin M and G synthesis by (Ferguson and Cheung), 385
Lymphocytic leukemia, acute–cranial irradiation in management of extreme leukemic leukocytosis complicating (Gilchrist et al), 257
Lymphoid hyperplasia, colonic nodular, with antibody deficiency and near-normal immunoglobulins (Knutsen et al) (BCLO), 420

M

Macrophages, marrow–phagocytosis of neutrophils in chronic benign neutropenia (Parmley et al), 207
Malabsorption and defective utilization of iron in three siblings (Buchanan and Sheehan), 723

Malabsorption—Cont'd
congenital folate—therapy of (Poncz et al) (BCLO), 76
Malaria, *Plasmodium malariae* transfusion, in splenectomized patients with thalassemia major (De Virgiliis et al) (BCLO), 584
Malformation, cardiac, in fetal alcohol syndrome (Sandor et al) (BCLO), 771
Malignant hypertension: Recovery of renal function after treatment with antihypertensive medications and hemodialysis (Adelman and Russo) (BCLO), 766
Marfan syndrome, probably, keratoconus, and congenital contractural arachnodactyly in same pedigree (Bass et al) (BCLO), 591
Marrow macrophages, phagocytosis of neutrophils by, in chronic benign neutropenia (Parmley et al), 207
Maturation, delayed, intracranial hemorrhage, and asphyxia—indicator of: Transcephalic impedance in neonate (Ellison and Evers), 968
Mauriac syndrome, cause of dwarfism in (Dorchy and Van Vliet) (Letter), 858
Mediastinal mass, nontuberculous mycobacterial infection presenting as (Kelsey et al) (BCLO), 431
Meningitis, bacterial—cerebrospinal fluid concentration of arginine vasopressin with (Garcia et al) (BCLO), 67
pharmacokinetics and cerebrospinal fluid penetration of moxalactam in children with (Kaplan et al), 152
Haemophilus influenzae—development in patients treated with cefamandole (Chartrand et al) (BCLO), 1003
pathophysiologic basis for anemia associated with: Preliminary observations (O'Brien et al) (BCLO), 928
suspected bacterial—is CSF lactate measurement useful in management of children with? (Rutledge et al), 20
Vibrio cholerae, in neonate (Rubin et al) (BCLO), 940
Meningococcal vaccines, immune response to (Gold) (Letter), 854; (Pabst) (Reply), 855
Menkes steely hair syndrome, mild form of (Procopis et al) (BCLO), 97
Mentally retarded child—use of CT scan in medical evaluation of (Moeschler et al) (BCLO), 63
Metabolic abnormalities, anemia, and hyperleukocytosis in leukemia—exchange transfusion for (Warrier et al) (Letter), 338
patients with leukemia—exchange transfusion as treatment for (Shende et al) (Letter), 851
consequences of trichopoliodystrophy (Loyola and Dodson) (BCLO), 588
effects of theophylline in preterm infants (Srinivasan et al) (BCLO), 815
responses, defective oxidative, of neutrophils from stressed neonates (Shigeoka et al), 392
Metabolism, carbohydrate—minor hemoglobins in disorders of (Zeller et al) (BCLO), 936
energy, substrate utilization, and nitrogen balance in parenterally fed postoperative neonates and infants (Rubecz et al), 42
Methadone-treated and untreated narcotic-dependent women and their infants, follow-up of: Health, developmental, and social implications (Wilson et al), 716
Methionine adenosyltransferase deficiency, hypermethioninemia associated with: Clinical, morphologic, and biochemical observations on four patients (Gaull et al), 734
Methionine—Cont'd
folinic acid, pyridoxine, and vitamin B_{12} therapy—case in infant responding to: Homocystinuria caused by 5,10-methylenetetrahydrofolate reductase deficiency (Harpey et al) (BCLO), 275
Methotrexate overdose, intrathecal—acute management of: Pharmacologic rationale and guidelines (Addiego et al) (BCLO), 825
5, 10-Methylenetetrahydrofolate reductase deficiency—homocystinuria caused by 5,10-methylenetetrahydrofolate reductase deficiency: Case in infant responding to methionine, folinic acid, pyridoxine, and vitamin B_{12} therapy (Harpey et al) (BCLO), 275
Microcytes and mice and men, of (Bannerman) (Editor's column), 760
Milk feeding, cow, in infancy: Gastrointestinal blood loss and iron nutritional status (Fomon et al), 540
Mineral content, bone, and serum 25-hydroxyvitamin D concentration in breast-fed infants with and without supplemental vitamin D (Greer et al), 696
Mitral valve leaflet, flail—bacterial endocarditis with (Jennings et al) (BCLO), 426
Monitoring, continuous, of Po_2 during apnea of prematurity (Hiatt et al), 288
Monocytes and T lymphocytes in newborn infant, modulation of immunoglobulin M and G synthesis by (Ferguson and Cheung), 385
killing defect, possible, in familial atypical mycobacteriosis (Uchiyama et al) (BCLO), 785
Mortality, decreasing, in neonates with early-onset group B streptococcal infection: Reality or artifact (Pyati et al) (BCLO), 625
rates, neonatal and perinatal—derivation and uses of (Macfarlane) (Editor's column), 61
Motor development, delay in, as presentation of juvenile rheumatoid arthritis (Hollister) (BCLO), 581
Moxalactam, broad-spectrum oxa-beta-lactam antibiotic—clinical evaluation in neonates and infants (Schaad et al), 129
in children with bacterial meningitis—pharmacokinetics and cerebrospinal fluid penetration of (Kaplan et al), 152
Mucocutaneous lymph node syndrome, new manifestations of: Ruptured hepatic artery aneurysm and coronary artery aneurysms with myocardial infarction in 14-year-old boy (Lipson et al) (BCLO), 933
Myasthenia gravis, neonatal—congenital pulmonary hypoplasia in (Moessinger and Blanc) (Letter), 336; (Holmes et al) (Reply), 336
Mycobacterial infection, nontuberculous, presenting as mediastinal mass (Kelsey et al) (BCLO), 431
Mycobacteriosis, familial atypical—possible monocyte killing defect in (Uchiyama et al) (BCLO), 785
Myelofibrosis, severe—spontaneous resolution of (Lau et al) (BCLO), 585
Myocardial infarction, acute, in young hemophiliac patient during therapy with Factor IX concentrate and epsilon aminocaproic acid (Agrawal et al) (BCLO), 931
in 14-year-old boy—ruptured hepatic artery aneurysm and coronary artery aneurysms with: New manifestations of mucocutaneous lymph node syndrome (Lipson et al) (BCLO), 933

N

Narcotic-dependent women and their infants, methadone-treated and untreated, follow-up of: Health, developmental, and social implications (Wilson et al), 716
Natremia, hyper-, risk in breast-fed infants of mothers with cystic fibrosis (Walpole) (Letter), 333
Necrotizing enterocolitis, neonatal—clostridia colonization and clostridial toxin in (Cashore et al) (BCLO), 308
Neoplasms, childhood—immunologic basis for (Murphy) (Letter), 503
Nephritis, hereditary, with associated defects in proximal renal tubular function (Passwell et al) (BCLO), 85
Nephropathic cystinosis—circulating cryoglobulins in (Foreman et al) (BCLO), 432
Nephrotic syndrome—coexistence of antenatal, infantile, and juvenile in a single family (Kleinknecht et al) (BCLO), 938
  familial, and focal segmental glomerulosclerosis (Chandra et al), 556
  primary. Identification of patients with minimal change nephrotic syndrome from initial response to prednisone (International Study of Kidney Disease), 561
Nerve agenesis, phrenic, with pulmonary hypoplasia (Wigglesworth) (Letter), 667; (Goldstein and Reid) (Reply), 667
  vagus, and sudden infant death syndrome: Morphometric study (Sachis et al) (BCLO), 278
Neuroblastoma, familial—chromosomes in (Hecht and Kaiser-McCaw) (Letter), 334
Neurodegenerative disorder, progressive, with nonketotic hyperglycinemia (Trauner et al) (BCLO), 272
Neurologically handicapped children—phenobarbital in (Schain) (Letter), 171; (Camfield and Camfield) (Reply), 172
Neuropathy and hepatotoxicity, life-threatening, in infants during induction therapy for acute lymphoblastic leukemia (Woods et al) (BCLO), 642
Neurotransmitter defects and treatment of disorders of hyperphenylalaninemia (Butler et al), 729
Neutropenia, chronic benign—phagocytosis of neutrophils by marrow macrophages in (Parmley et al), 207
Neutrophils from stressed neonates, defective oxidative metabolic responses of (Shigeoka et al), 392
  phagocytosis of, by marrow macrophages in chronic benign neutropenia (Parmley et al), 207
New books received, 100, 180, 414, 596, 994
Nitroben balance, energy metabolism, and substrate utilization in parenterally fed postoperative neonates and infants (Rubecz et al), 42
Nodular lymphoid hyperplasia, colonic, with antibody deficiency and near-normal immunoglobulins (Knutsen et al) (BCLO), 420
Nutrition, human—role of vegetable protein in (Grahma and MacLean) (Letter), 666; (Finberg) (Reply), 666
  total parenteral—decreased tissue carnitine concentrations in newborn infants receiving (Penn et al) (BCLO), 976
  echocardiographic diagnosis of intracardiac thrombi complicating (Mahony et al) (BCLO), 469
Nutritional iron status and gastrointestinal blood loss: Cow milk feeding in infancy (Fomon et al), 540

O

Obese adolescent female—characterization of estrogen and androgen levels and gondotropic release patterns in (Kaufman et al) (BCLO), 990
Obesity—do breast-feeding and delayed introcution of solid food protect against subsequent? (Kramer), 883
Oculoauriculovertebral syndrome—etiologic heterogeneity in (Setzer et al) (BCLO), 88
Omphalomesenteric artery, intrauterine interruption of: Vascular pathogenesis of gastroschisis (Hoyme et al), 228
Otitis media, acute, unresponsive to initial antimicrobial therapy—bacteriology of (Teele et al), 537
Oxa-beta-lactam antibiotic, broad-spectrum, moxalactam—clinical evaluation of neonates and infants (Schaad et al), 129
Oxacillin-tolerant staphylococcal bacteremia (Kim) (Letter), 170
Oxidative metabolic responses, defective, of neutrophils from stressed neonates (Shigeoka et al), 392
Oxygen tension and functional residual capacity in apnea of prematurity (Marshall and Kattwinkel) (BCLO), 479
Oxygenation—diuretic phase of respiratory distress syndrome and its relationship to (Langman et al), 462

P

Pain, chronic: Principles of management (Newburger and Sallan), 180
Palate, cleft, abnormal facies, and generalized dysostosis: Lethal X-linked syndrome (André et al), 747
Pancreatic enzyme therapy, oral, in cystic fibrosis—comparative effects of antacids, enteric coating, and bile salts on efficacy of (Nassif et al) (BCLO), 320
Parathyroid response, insufficient, in renal failure—hyperphosphatemia with (Nash et al) (BCLO), 247
Parenteral nutrition, total—decreased tissue carnitine concentrations in newborn infants receiving (Penn et al) (BCLO), 976
  —echocardiographic diagnosis of intracardiac thrombi complicating (Mahony et al) (BCLO), 469
Parenterally fed postoperative neonates and infants—energy metabolism, substrate utilization, and nitrogen balance in (Rubecz et al), 42
Patent ductus arteriosus in fluid-restricted infants—specificity and accuracy of echocardiographic and clinical criteria for diagnosis of (Valdes-Cruz and Dudell), 298
  —prenatal administration of betamethasone for prevention of (Clyman et al) (BCLO), 123
Pathogenesis and treatment of pulmonary infections in patients with cystic fibrosis (Marks), 173
  vascular, of gastroschisis: Intrauterine interruption of omphalomesenteric artery (Hoyme et al), 228
Pathophysiology of compromised host and initial evaluation and management of febrile cancer patient. I. Infectious complications in child with cancer (Pizzo), 341
PDA shunting, Doppler ultrasonography in evaluation of (Lees et al) (Letter), 847; (Serwer et al) (Reply), 848
Pertussis, epidemiology of, Atlanta, 1977 (Broome et al), 362

Phagocyte transfusion—ultimate therapy of neonatal disease? (Hill) (Editor's column), 59
Phagocytosis of neutrophils by marrow macrophages in chronic benign neutropenia (Parmley et al), 207
Pharmacokinetics and cerebrospinal fluid penetration of moxalactam in children with bacterial meningitis (Kaplan et al), 152
of chloramphenicol and chloramphenicol succinate (Kauffman et al), 315
Pharmacologic rationale and guidelines: Acute management of intrathecal methotrexate overdose (Addiego et al) (BCLO), 825
Pharyngitis, streptococcal—management of (Weissbluth) (Letter), 509; (Evans) (Letter), 509; (Kaplan) (Reply), 510
Phenobarbital and phenytoin concentrations, saliva, in epileptic adolescents (Friedman et al) (BCLO), 645
chloramphenicol, and phenytoin—interactions among (Powell et al) (BCLO), 1001
in neurologically handicapped children (Schain) (Letter), 171; (Camfield and Camfield) (Reply), 172
Phenylketonuria—accuracy of newborn screening programs for (Koch and Friedman) (BCLO), 267
and normal intelligence—linguistic development of children with (Melnick et al) (BCLO), 269
Phenytoin and phenobarbital concentrations, saliva, in epileptic adolescents (Friedman et al) (BCLO), 645
chloramphenicol, and phenobarbital—interactions among (Powell et al) (BCLO), 1001
dosage requirements, prediction of (Sanders) (Letter), 856; (Chiba and Ishizaki) (Reply), 856
Phosphate and bicarbonate lavage solutions, in vitro comparison of: Iron poisoning (Czajka et al) (BCLO), 491
Phosphatemia, hyper-, with insufficient parathyroid response in renal failure (Nash et al) (BCLO), 247
Phrenic nerve agenesis with pulmonary hypoplasia (Wigglesworth) (Letter), 667; (Goldstein and Reid) (Reply), 667
Pituitary TSH reserve and thyroid gland function with cystic fibrosis (Segall-Blank et al), 218
Plagiocephaly and torticollis: Etiology, natural history, and helmet treatment (Clarren) (BCLO), 92
Plasma exchange in refractory acute autoimmune hemolytic anemia (Bernstein et al) (BCLO), 774
selected patients with juvenile rheumatoid arthritis (Brewer et al), 194
ketones in newborn infants: Absence of suckling ketosis (Anday et al) (BCLO), 628
17α-hydroxyprogesterone and aldosterone concentrations with congenital adrenal hyperplasia—role of the salt-losing hormones in salt wasting (Holcombe et al) (BCLO), 573
Plasmapheresis in dermatomyositis (Dau and Bennington) (BCLO), 237
Pediatric perspective (Singsen) (Editor's column), 232
via central catheter in dermatomyositis: New method for selected pediatric patients (Anderson and Ziter) (BCLO), 240
Plasmodium malariae transfusion malaria in splenectomized patients with thalassemia major (De Virgiliis et al) (BCLO), 584
Platelet aggregation, defective, in congenital agammaglobulinemia (Kim et al) (BCLO), 780
anti-, antibodies in idiopathic thrombocytopenic purpura—persistence of (Özsoylu) (Letter) 671; (Brodeur and Wilimas) (Reply), 672
Pleural effusion and interstitial pneumonitis in a one-year-old child with abdominal tumor (Platzker et al), 497
Pneumococcal bacteremia, simultaneous occult, in identical twins (Singer and Berger) (BCLO), 250; Commentary (Smith), 251
infection, systemic—clue to diagnosis of? Pneumococcuria (Teele et al) (BCLO), 70
vaccine—antibody response to group B streptococcus type III and AB blood group antigens induced by (Boyer et al), 374
Pneumococcuria: Clue to diagnosis of systemic pneumococcal infection? (Teele et al) (BCLO), 70
Pneumonitis, interstitial, and pleural effusion in a one-year-old child with abdominal tumor (Platzker et al), 497
Pneumoperitoneum in ventilated neonate: Respiratory or gastrointestinal origin? (Knight and Abdenour) (BCLO), 972
Po_2 during apnea of prematurity, continuous monitoring of (Hiatt et al), 288
Poisoning, iron: In vitro comparison of bicarbonate and phosphate lavage solutions (Czajka et al) (BCLO), 491
Polybrominated biphenyl—effect on infants and young children (Weil et al), 47
Polydactly, preaxial, of foot associated with early amnion rupture: Evidence for mechanical teratogenesis? (Graham et al) (BCLO), 943
Polymorphonuclear leukocyte(s), neonatal—normal function in antibody-dependent cellular-cytotoxicity to herpes simplex virus-infected cells (Kohl et al) (BCLO), 783
transfusion for treatment of sepsis in newborn infant (Laurenti et al), 118
Prednisone, identification of patients with minimal change nephrotic syndrome from initial response to. Primary nephrotic syndrome (International Study of Kidney Disease), 561
Preleukemia (Blank and Lange), 565
Prematurity, apnea of—functional residual capacity and oxygen tension in (Marshall and Kattwinkel) (BCLO), 479
continuous monitoring of Po_2 during apnea of (Hiatt et al), 288
Profundus (lupus panniculitis) (Koransky and Esterly) (BCLO), 241
Proof revisited (Merrill) (Editor's column), 412
Propranolol therapy—complete atrioventricular block associated with (Zeis et al) (BCLO), 326
Prostaglandin E_2, glucocorticoids alter sensitivity of lamb ductus arteriosus to (Clyman et al) (BCLO), 126
Protein A, staphylococcal, in diagnosis of congenital infections (Felice and Remington) (Letter), 853; (Powell and Tuomanen) (Reply), 854
vegetable—role in human nutrition (Graham and MacLean) (Letter), 666; (Finberg) (Reply), 666
Prune belly syndrome with splenic torsion (Teramoto et al) (BCLO), 91

Prune belly—Cont'd
ultrasonic detection of fetal ascites and bladder dilation with resulting (Smythe) (BCLO), 978
Pterygium colli, dominantly inherited (Graham and Smith) (Letter), 664
Pulmonary excretion of carbon monoxide as index of bilirubin production. IIa. Evidence for possible delayed clearance of bilirubin in infants of diabetic mothers (Stevenson et al) (BCLO), 822
hypertension in Down syndrome, sleep apnea as possible cause of (Loughlin et al) (BCLO), 435
persistent—independent effects of hyperventilation, tolazoline, and dopamine on infants with (Drummond et al), 603
structural basis in newborn infant (Murphy et al), 962
hypoplasia, congenital, in neonatal myasthenia gravis (Moessinger and Blanc) (Letter), 336; (Holmes et al) (Reply), 336
with phrenic nerve agenesis (Wigglesworth) (Letter), 667; (Goldstein and Reid) (Reply), 667
infections with cystic fibrosis—pathogenesis and treatment of (Marks), 173
Pulsed Doppler echocardiographic determination of time of ductal closure in normal newborn infants (Gentile et al), 443
Purpura, idiopathic thrombocytopenic—persistence of antiplatelet antibodies in (Özsoylu) (Letter), 671; (Brodeur and Wilimas) (Reply), 672
Pyogenic infections, severe—increased susceptibility with inherited deficiency of second component of complement (Hyatt et al) (BCLO), 417
Pyopneumothorax in 14-year-old boy (Spinola et al), 328
Pyridoxine, methionine, folinic acid, and vitamin B_{12} therapy—case in infant responding to: Homocystinuria caused by 5,10-methylene tetrahydrofolate reductase deficiency (Harpey et al) (BCLO), 275

R

Reflux, gastroesophageal (Herbst), 859
—delayed gastric emptying in infants with (Hillemeier et al), 190
—mechanisms of (Euler) (Letter), 339; (Werlin et al) (Reply), 339
Renal failure—hyperphosphatemia with insufficient parathyroid response in (Nash et al) (BCLO), 247
function—recovery after treatment with antihypertensive medications and hemodialysis: Malignant hypertension (Adelman and Russo) (BCLO), 766
syndrome, proximal tubular-possible cause of: Valproic acid (Lenoir et al) (Letter), 503
transplants, varicella with (Feldhoff et al), 25
tubular acidosis—copper deficiency associated with alkali therapy in patient with (Nishi et al) (BCLO), 81
function, proximal—hereditary nephritis with associated defects in (Passwell et al) (BCLO), 85
Renin-aldosterone system in cystic fibrosis (Rapaport et al) (BCLO), 768
Research on children, assessment of risk in (Janofsky and Starfield), 842
Research—Cont'd
risks in children (Lascari) (Editor's column), 759
Respiratory distress syndrome and bronchopulmonary dysplasia, classification during: Newborn tracheal aspirate cytology (Merritt et al), 949
development of bronchopulmonary dysplasia, a factor in predicting recovery from—maximum diuresis (Spitzer et al) (BCLO), 476
diuretic phase of, and its relationship to oxygenation (Langman et al), 462
thyroid function studies in cord blood from premature infants with and without (Klein et al) (BCLO), 818
infections in infants on mechanical ventilation: Immune response as diagnostic aid (Giacoia et al), 691
or gastrointestinal origin? Pneumoperitoneum in ventilated neonate (Knight and Abdenour) (BCLO), 972
symptoms and rotavirus infection (Lewis et al) (Letter), 511
syncytial virus infection for infants from low-income families in relationship to age, sex, ethnic group, and maternal antibody level—risk of (Glezen et al), 708
time, long, and slow rate vs rapid rate and short inspiratory time: Prospective clinical comparison of two methods for mechanical ventilation of neonates (Heicher et al), 957
Retarded child, mentally—use of CT scan in medical evaluation of (Moeschler et al) (BCLO), 63
Retinopathy of prematurity/idiopathic fibroplasia (Duc) (Letter), 662
Reye syndrome, amino acid pattern in: Comparison with clinically similar entities (Romshe et al) (BCLO), 788
complicated by a generalized herpes simplex type I infection (Chalhub et al) (BCLO), 73
Rheumatoid arthritis, juvenile—delay in motor development as presentation of (Hollister) (BCLO), 581
plasma exchange in selected patients with (Brewer et al), 194
Rickets in low-birth-weight infants (Özsoylu) (Letter), 672: (Finberg) (Reply), 673; (Cifuentes et al) (Reply), 673
of very low-birth-weight infants, etiologic factors in (Callenbach et al), 800
Rifampin chemoprophylaxis for household contacts of patients with invasive infections due to *H. influenzae* type B (Daum et al), 485
Roentgen findings in acites (Lorenzo) (Letter), 333
Rotavirus, enterotoxigenic *E. coli*, and *V. cholerae*—stool electrolyte content and purging rates in diarrhea caused by (Molla et al), 835
infection and respiratory symptoms (Lewis et al) (Letter), 511
Rubella immunization post partum (Preblud and Orenstein) (Letter), 1030
neonatal, following maternal immunization (Lerman) (Letter), 668; (Bass and Landes) (Reply), 668
Rupture, early amnion—compression-related defects from: Evidence for mechanical teratogenesis (Miller et al), 292

S

Saliva phenobarbital and phenytoin concentrations in epileptic adolescents (Friedman et al) (BCLO), 645

Salmonella cholera-suis: Distinctive bacterial pathogen (Weissbluth et al) (BCLO), 423
Salt-losing hormones in salt wasting, role of—plasma 17α-hydroxyprogesterone and aldosterone concentrations with congenital adrenal hyperplasia (Holcombe et al) (BCLO), 573
Sarcoidosis, elevated serum 1,25-dihydroxyvitamin D concentrations in hypercalcemia of: Correction by glucocorticoid therapy (Chesney et al) (BCLO), 919
Schwartz-Jampel syndrome—immunologic abnormalities in (Pavone et al) (Letter), 512
Scintigraphy for detection of gastroesophageal reflux (Gelfand and Thomas) (Letter), 172
Screening, cord blood, for sickle hemoglobin: Evidence against a female preponderance of hemoglobin S (Foster et al) (BCLO), 79
for iron deficiency anemia in one-year-old infants: Hemoglobin and mean corpuscular volume as predictors of response to iron treatment (Reeves et al), 894
programs, newborn, for phenylketonuria—accuracy of (Koch and Friedman) (BCLO), 267
technique, neonatal sepsis—decreased use of antibiotics using (Philip), 795
test, simple, for reduced glutathione in filter paper spots of blood (Garrick et al) (BCLO), 265
Self-image of adolescents with acute anorexia nervosa (Casper et al), 656
Sepsis, experimental and clinical neonatal—leukocyte left shift in (Christensen et al), 101
in newborn infant—polymorphonuclear leukocyte transfusion for treatment of (Laurenti et al), 118
screening technique, neonatal—decreased use of antibiotics using (Philip), 795
suspected—evaluation of *Limulus* test for endotoxemia in neonates with (Scheifele et al), 899
Serologic evidence of chlamydial infection (Black et al) (BCLO), 65
Serum concentration, elevated, of secondary bile acid in presence of hepatobiliary disease: Pathologic vs physiologic cholestasis (Balistreri et al), 399
Sex, age, ethnic group, and maternal antibody level—risk of respiratory syncytial virus infection for infants from low-income families in relationship to (Glezen et al), 708
Shigella flexneri—splenic abscess and hepatic dysfunction caused by (Squires et al) (BCLO), 429
Shunting, patent ductus arteriosus—Doppler ultrasonography in evaluation of (Lees et al) (Letter), 852; (Serwer et al) (Reply), 853
Siblings, three—malabsorption and defective utilization of iron in (Buchanan and Sheehan), 723
Sibship, recurrence of postaxial acrofacial dysostosis syndrome in: Implications for genetic counseling (Fineman) (BCLO), 87
Sickle cell disease, homozygous, in early childhood—fetal hemoglobin and clinical severity of (Stevens et al), 37
zinc and growth in patients with (Daeschner et al), (BCLO), 778
hemoglobin, cord blood screening for: Evidence against a female preponderance of hemoglobin S (Foster et al) (BCLO), 79
SIDS (sudden infant death syndrome) and vagus nerve: Morphometric study (Sachis et al) (BCLO), 278
Sjögren syndrome, spectrum of (Chudwin et al), 213
Sleep apnea as possible cause of pulmonary hypertension in Down syndrome (Loughlin et al) (BCLO), 435
Smith, David W.—legacy of (Nelson), (Editor's column), 909
Sodium and chloride values: Sweat test (Shwachman et al) (BCLO), 576
Sorbitol, intractable diarrhea associated with use of (Charney and Bodurtha) (BCLO), 157
Splenectomized patients with thalassemia major, *Plasmodium malariae* transfusion malaria in (De Virgiliis et al) (BCLO), 584
Splenic abscess and hepatic dysfunction caused by *Shigella flexneri* (Squires et al) (BCLO), 429
torsion with prune belly syndrome (Teramoto et al) (BCLO), 91
Staphylococcal bacteremia, oxacillin-tolerant (Kim) (Letter), 170
protein A in diagnosis of congenital infections (Filice and Remington) (Letter), 853; (Powell and Tuomanen) (Reply), 854
Stature, adult—condensed table for predicting (Post and Richman) (BCLO), 440
Stenosis, aortic, predictor of severity of—exercise blood pressure response (Alpert et al) (BCLO), 763
Streptococcal infection, early-onset group B—decreasing mortality in neonates with: Reality or artifact (Pyati et al) (BCLO), 625
pharyngitis, management of (Weissbluth) (Letter), 509; (Evans) (Letter), 509; (Kaplan) (Reply), 510
post-, crescenteric glomerulonephritis: Comparison of quintuple therapy vs supportive care (Roy et al), 403
Streptococcus type III, group B, and AB blood group antigens induced by pneumococcal vaccine—antibody response to (Boyer et al), 374
Stress and sugar control in insulin-dependent diabetes mellitus (Chase and Jackson) (BCLO), 1011
Suckling ketosis, absence of: Plasma ketones in newborn infants (Anday et al) (BCLO), 628
Sudden infant death syndrome and vagus nerve: Morphometric study (Sachis et al) (BCLO), 278
Sugar control and stress with insulin-dependent diabetes mellitus (Chase and Jackson) (BCLO), 1011
Supraventricular tachycardia: Clinical features, response to treatment, and long-term follow-up in 217 patients (Garson et al), 875
Sweat test: Sodium and chloride values (Shwachman et al) (BCLO), 576
Syncytial virus infection, respiratory, for infants from low-income families in relationship to age, sex, ethnic group, and maternal antibody level—risk of (Glezen et al), 708
Syndrome *see* specific syndrome

T

T lymphocytes and monocytes in newborn infant, modulation of immunoglobulin M and G synthesis by (Ferguson and Cheung), 385

Tachycardia, paroxysmal supraventricular—verapamil in treatment of (Shahar et al) (BCLO), 323
supraventricular: Clinical features, response to treatment, and long-term follow-up in 217 patients (Garson et al), 875
Temperament, measuring infant (Henretig) (Letter), 337; (Vaughn et al) (Reply), 338
Teratogenesis, mechanical—evidence for: Compression-related defects from early amnion rupture (Miller et al), 292
Preaxial polydactly of foot associated with early amnion rupture (Graham et al) (BCLO), 943
Teratogenicity, possible, of valproic acid (Gomez) (Letter), 508; (Dalens) (Reply), 509
Test, bladder washout—localization of site of urinary tract infections with (Hellerstein et al), 201
IgM enzyme-linked immunosorbent assay, for diagnosis of congenital *Toxoplasma* infection (Naot et al), 32
Limulus, for endotoxemia in neonates with suspected sepsis, evaluation of (Scheifele et al), 899
negative antinuclear antibody, with systemic lupus erythematosus (Gillespie et al) (BCLO), 578
7-hour water deprivation—DDAVP used to terminate: Differential diagnosis of diabetes insipidus (Hendricks et al) (BCLO), 244
simple screening, for reduced glutathione in filter paper spots of blood (Garrick et al) (BCLO), 265
sweat: Sodium and chloride values (Shwachman et al) (BCLO), 576
Thalassemia major, *Plasmodium malariae* transfusion malaria in splenectomized patients with (De Virgiliis et al) (BCLO), 584
Theophylline capsules, sustained release, administered in applesauce—absorption characteristics of (Green et al) (BCLO), 832
disposition in infancy (Nassif et al) (BCLO), 158
in preterm infants, metabolic effects of (Srinivasan et al) (BCLO), 815
therapy in asthma, risks of (Sher et al) (Letter), 678; (Weinberger) (Letter) 678; (Canavan et al) (Reply), 679
Thoracostomy tube, partial aortic obstruction produced by (Gooding et al) (BCLO), 471
Thrombi, intracardiac, complicating total parenteral nutrition—echocardiographic diagnosis of (Mahony et al) (BCLO), 469
Thrombocytopenia, immune, in severe neonatal infections (Tate et al), 449
Thrombocytopenic purpura, idiopathic—persistence of antiplatelet antibodies in (Özsoylu) (Letter), 671; (Brodeur and Wilimas) (Reply), 672
Thrombosis, aortic, presenting as congestive heart failure: Umbilical artery catheter complication (Henry et al) (BCLO), 820
Thyroid function, neonatal—effects of exchange transfusion on (Daneman et al) (BCLO), 482
studies in cord blood from premature infants with and without RDS (Klein et al) (BCLO), 818
gland function and pituitary TSH reserve with cystic fibrosis (Segall-Blank et al), 218
stimulating hormone dynamics, abnormal, in congenital hypothyroidism (Redmond and Soyka) (BCLO), 83
Tissue carnitine concentrations, decreased, in newborn infants receiving total parenteral nutrition (Penn et al) (BCLO), 976
α-Tocopherol (vitamin E) content of lung, liver, and blood in newborn rat and human infant: Influence of hyperoxia (Bucher and Roberts), 806
Tolazoline, hyperventilation, and dopamine—independent effects on infants with persistent pulmonary hypertension (Drummond et al), 603
Tomographic scan, computed, used in medical evaluation of mentally retarded child (Moeschler et al) (BCLO), 63
Torsion, splenic, with prune belly syndrome (Teramoto et al) (BCLO), 91
Torticollis and plagiocephaly. Etiology, natural history, and helmet treatment (Clarren) (BCLO), 92
Toxin, clostridial, and clostridia colonization in neonatal necrotizing enterocolitis (Cashore et al) (BCLO), 308
Toxoplasma infection, congenital—IgM enzyme-linked immunosorbent assay test for diagnosis of (Naot et al), 32
Tracheal aspirate cytology, newborn: Classification during respiratory distress syndrome and bronchopulmonary dysplasia (Merritt et al), 949
Transcephalic impedance in neonate: Indicator of intracranial hemorrhage, asphyxia, and delayed maturation (Ellison and Evers), 968
Transcutaneous bilirubinometry. I. Correlations in term infants (Hegyi et al), 454
Transfusion acquired cytomegalovirus infections in newborn infants, prevention of (Yaeger et al), 281
exchange, as treatment for hyperleukocytosis, anemia, and metabolic abnormalities in patients with leukemia (Shende et al) (Letter), 851
effects on neonatal thyroid function (Daneman et al) (BCLO), 482
for hyperleukocytosis, anemia, and metabolic abnormalities in leukemia (Warrier et al) (Letter), 338
gentamicin elimination during (Green) (Letter), 507; (Kliegman and Bertino) (Reply), 508
malaria, *Plasmodium malariae*, in splenectomized patients with thalassemia major (De Virgiliis et al) (BCLO), 584
phagocyte—ultimate therapy of neonatal disease? (Hill) (Editor's column), 59
polymorphonuclear leukocyte, for treatment of sepsis in newborn infant (Laurenti et al), 118
Transplantation, pediatric bone marrow—role of child advocate in selection of donors for (Serota et al), 847
Transplants, renal—varicella with (Feldhoff et al), 25
Trichopoliodystrophy, metabolic consequences of (Loyola and Dodson) (BCLO), 588
TSH pituitary reserve and thyroid gland function with cystic fibrosis (Segall-Blank et al), 218
secretory, dynamics, abnormal, in congenital hypothyroidism (Redmond and Soyka) (BCLO), 83
Tuberculous, non-, mycobacterial infection presenting as mediastinal mass (Kelsey et al), (BCLO), 431
Tubular acidosis, renal—copper deficiency associated with alkali therapy in patient with (Nishi et al) (BCLO), 81
function, proximal renal—hereditary nephritis with associated defects in (Passwell et al) (BCLO), 85

Tubular–Cont'd
renal syndrome, proximal–possible cause of: Valproic acid (Lenoir et al) (Letter), 503
Tubulointerstitial nephritis, acute–carbamazepine-induced (Hogg et al) (BCLO), 830
Tumor, abdominal–interstitial pneumonitis and pleural effusion in a one-year-old child with (Platzker et al), 497
Wilms-aniridia association (Kousseff and Agatucci) (Letter), 676; (Yunis) (Reply), 677
Twins, identical–simultaneous occult pneumococcal bacteremia (Singer and Berger) (BCLO), 250

U

Ultrasonic detection of fetal ascites and bladder dilation with resulting prune belly (Smythe) (BCLO), 978
Ultrasonography, Doppler, in evaluation of PDA shunting (Lees et al) (Letter), 852; (Serwer et al) (Reply), 853
Umbilical artery catheter(s) below the diaphragm, evaluation of graphs for insertion of (Rosenfeld et al) (BCLO), 627
complication: Aortic thrombosis presenting as congestive heart failure (Henry et al) (BCLO), 820
hernia: What happens after age 5 years? (Hall et al) (BCLO), 415
Uric acid in essential hypertension (Prebis et al), 702
Urinary tract infections with the bladder washout text, localization of site of (Hellerstein et al), 201
Uterine, extra-, life–normal structural and functional adaptation to (Haworth and Hislop) (Editor's column), 915
intra-, infection–failure to maintain virus latency following: Zoster in infancy (Brunell and Kotchmar) (BCLO), 71
interruption of omphalomesenteric artery: Vascular pathogenesis of gastroschisis (Hoyme et al), 228

V

Vaccine(s), meningococcal–immune response to (Gold) (Letter), 854; (Pabst) (Reply), 855
pneumococcal–antibody response to group B streptococcus type III and AB blood group antigens induced by (Boyer et al), 374
Vaginitis, neonatal gonococcal (Barton and Shuja) (Letter), 171
Vagus nerve and sudden infant death syndrome: Morphometric study (Sachis et al) (BCLO), 278
Valproic acid: Possible cause of proximal tubular renal syndrome (Lenoir et al) (Letter), 503
teratogenicity of (Gomez) (Letter), 508; (Dalens) (Reply), 509
Varicella, prophylaxis of, in high-risk children: Dose-response effect of zoster immune globulin (Orenstein et al), 368
with renal transplants (Feldhoff et al), 25
Vascular pathogenesis of gastroschisis (Van Allen and Smith) (Letter), 662
Intrauterine interruption of omphalomesenteric artery (Hoyme et al), 228
Vasculitis, hepatitis B–associated (Reznik et al) (BCLO), 252
Vasopressin, arginine, with bacterial meningitis–cerebrospinal fluid concentration of (Garcia et al) (BCLO), 67
Ventilated neonate, pneumoperitoneum in: Respiratory or gastrointestinal origin? (Knight and Abdenour) (BCLO), 972
Ventilation, hyper-, dopamine, and tolazoline–independent effects on infants with persistent pulmonary hypertension (Drummond et al), 603
mechanical–high-frequency vs low-frequency (Silverman) (Letter), 1032
of neonates–prospective clinical comparison of two methods for: Rapid rate and short inspiratory time vs slow rate and long respiratory time (Heicher et al), 957
outcome for survivors weighing less than 1,250 gm at birth (Rothberg et al), 106
respiratory infections in infants on: Immune response as diagnostic aid (Giacoia et al), 691
Verapamil in treatment of paroxysmal supraventricular tachycardia (Shahar et al) (BCLO), 323
Vibrio cholerae, enterotocigenic *E. coli*, and rotavirus–stool electrolyte content and purging rates in diarrhea caused by (Molla et al), 835
meningitis in neonate (Rubin et al) (BCLO), 940
Virus-associated hemophagocytic syndrome, fatal Epstein-Barr (Wilson et al) (BCLO), 260
infected cells, herpes simplex–normal function of neonatal polymorphonuclear leukocytes in antibody-dependent cellular-cytotoxicity to (Kohl et al) (BCLO), 783
infections, Epstein-Barr–intrafamilial transmission of (Fleisher et al), 16
respiratory syncytial, for infants from low-income families in relationship to age, sex, ethnic group, and maternal antibody level–risk of (Glezen et al), 708
latency following intrauterine infection, failure to maintain: Zoster in infancy (Brunell and Kotchmar) (BCLO), 71
Visual function in term newborn infants and preterm neonates (at the same conceptional age) (Nalin et al) (Letter), 858
Vitamin A, copper, and zinc in pediatric dialysis (Casey et al) (BCLO), 434
B_{12}, pyridoxine, methionine, and folinic acid therapy–case in infant responding to: Homocystinuria caused by 5, 10-methylenetetrahydrofolate reductase deficiency (Harpey et al) (BCLO), 275
D, supplemental–bone mineral content and serum 25-hydroxyvitamin D concentration in breast-fed infants with and without (Greer et al), 696
E (α-tocopherol) content of lung, liver, and blood in newborn rat and human infant: Influence of hyperoxia (Bucher and Roberts), 806

W

Water deprivation test, 7-hour–DDAVP used to terminate: Differential diagnosis of diabetes insipidus (Hendricks et al) (BCLO), 244

Weight, very low-birth-, infants—postheparin lipolytic activity and Intralipid clearance in (Dhanireddy et al), 617
Wheezing, bad, vs good journalism (David) (Letter), 1030; (Merril) (Reply), 1030
Wilms tumor–aniridia association (Kousseff and Agatucci) (Letter), 676; (Yunis) (Reply), 677

X

X-linked syndrome lethal: Abnormal facies, cleft palate, and generalized dysostosis (André et al), 747

Y

Yersinia—a Canadian organism? (Weissfeld and Sonnenwirth) (Letter), 504; (Marks and Pai) (Reply), 505

Z

Zinc and growth in patients with sickle cell disease (Daeschner et al) (BCLO), 778
copper, and vitamin A in pediatric dialysis (Casey et al) (BCLO), 434
Zoster immune globulin, dose-respose effect of: Prophylaxis of varicella in high-risk children (Orenstein et al), 368
in infancy: Failure to maintain virus latency following intrauterine infection (Brunell and Kotchmar) (BCLO), 71

THE JOURNAL OF PEDIATRICS

EDITOR
JOSEPH M. GARFUNKEL
Springfield, Illinois

CONSULTING EDITOR
WALDO E. NELSON
Philadelphia

ASSOCIATE EDITORS
ROBERT E. MERRILL
Springfield, Illinois
DAVID S. SMITH
Philadelphia

EDITORIAL BOARD

MARY ELLEN AVERY
Boston

ROBERT L. BAEHNER
Indianapolis

RICHARD E. BEHRMAN
Editor, Fetal and neonatal medicine
Cleveland

JAY BERNSTEIN
Editor, Clinical-pathological conference
Royal Oak, Michigan

REBECCA H. BUCKLEY
Durham

VICTOR CHERNICK
Winnipeg

HARVEY R. COLTEN
Boston

GEORGE D. COMERCI
Tucson

W.A. DANIEL, Jr.
Editor, Adolescent medicine
Birmingham, Alabama

ANGELO M. DiGEORGE
Philadelphia

ALLAN DRASH
Pittsburgh

M. JOYCELYN ELDERS
Little Rock

LAURENCE FINBERG
New York

MARVIN A. FISHMAN
Houston

WILLIAM C. HEIRD
New York

RICHARD HONG
Madison, Wisconsin

MICHAEL M. KABACK
Torrance, California

DAVID T. KARZON
Nashville

DIANE M. KOMP
New Haven

BARBARA M. KORSCH
Los Angeles

ANDRÉ LASCARI
Assistant to the Editor
Editor, Book reviews
Springfield, Illinois

MARTIN H. LEES
Portland, Oregon

PAUL S. LIETMAN
Editor, Pharmacology and therapeutics
Baltimore

MILTON MARKOWITZ
Farmington, Connecticut

MELVIN I. MARKS
Oklahoma City

GEORGE H. McCRACKEN, Jr.
Dallas

GRANT MORROW III
Columbus, Ohio

MARK C. ROGERS
Baltimore

JANE SCHALLER
Seattle

JEROME L. SCHULMAN
Chicago

ROBERT L. VERNIER
Minneapolis

VOLUME 99
COPYRIGHT © 1981 BY
THE C.V. MOSBY COMPANY

All rights reserved
Printed in the United States of America

INDEX TO VOLUME 91

*Author index**

A

Abernathy RS, 68
Abramson JS, 887
Adams MA, 644
Adelman RD, 832
Aida M, 167
Åkerblom HK, 103
Alagille D, 370, 704
Aldrich TK, 667
Alexson C, 281
Alison M, 827
Allen RJ, 317
Allen RW Jr, 629
Alpert BS, 334, 556
Alroy G, 810
Altmiller DH, 968
Alvarado R, 403
Alvarez F, 370
Alyward GP, 444
Ambani LM, 432
Anast C, 16
Anderson GH, 115, 617
Anderson J, 503
Anderson TE, 664
Anderson TL, 829
Andiman WA, 880
Andrew M, 695
Aravind MK, 963, 975
Arbeter AM, 413
Arcasoy A, 671
Ash KO, 1003
Ashby S, 777, 937
Asnes RS, 267
Atkinson SA, 617
Auconi P, 691
Audino G, 667
Aur RJA, 46
Aylward GP, 444

B

Bahr JP, 455
Baker CJ, 450, 540, 593, 918
Baker H, 418, 421, 546
Bale JF, 273
Balfour HH Jr, 340
Ballard RA, 625
Barzilay Z, 502
Bassuk A, 435
Batshaw ML, 159
Bauman WA, 588
Baumgart S, 948
Baumgarten A, 525
Beatty DW, 139
Becker DJ, 355, 847
Beckerman R, 254
Beiko P, 725
Bell EF, 668
Bellati U, 691
Ben-Aryeh H, 810
Benawra R, 435, 791
Benevenga NJ, 467
Benjamin DR, 332
Bergman AB 664
Bergstein JM, 561
Berkelhamer JE, 231
Berlow S, 467, 546
Berman MM, 750
Bernard O, 370, 704
Bernstein B, 94
Bernstein DI, 752
Bessman SP, 159
Bhat R, 1002
Biller BJ, 802
Bishop MJ, 325
Bitzos EI, 57
Black DD, 445
Blin MC, 984
Boettrich C, 782
Booker DL, 556
Boon AW, 635
Booth C, 435
Borgna-Pignatti C, 243
Borregaard N, 264
Borum PR, 551
Bosco J, 700
Bowman WP, 46
Boxall LBH, 73
Boyle JT, 35
Brady MT, 924
Breed AL, 664
Brewer ED, 141
Briand P, 279
Britton SB, 937
Broadus AE, 16
Brook I, 332
Brooks JG, 782
Broughton RA, 450
Brouhard BH, 716
Brown AL, 934
Brown M, 334
Bruce DA, 413
Brunelle F, 370
Bryan AC, 287
Bryan MH, 115, 287, 617
Bucci G, 337
Buchanan GR, 382
Buchanan N, 163, 506
Buchanec J, 833
Buckley JA, 963, 975
Buckley RH, 389
Burckart GJ, 1003
Burgess D, 995
Burghen GA, 46
Burr IM, 551, 602
Burton BK, 729
Butler AB, 531
Butt KMH, 535

C

Cacciarelli A, 822
Cahill J, 797
Canitta BM, 480
Campanella V, 281
Campos JM, 413
Cao A, 105
Carithers HA, 820
Carlsson B, 600
Carson G, 409
Carter R, 812
Casper RC, 830
Cassorla FG, 742
Casta A, 502
Castillo R, 583
Castro JV, 63
Catanzaro A, 268
Cathelineau L, 279
Cavdar AO, 671
Chacon MA, 758
Chai H, 153
Chan GM, 192
Chan L, 403
Chao RK, 746
Chaplin ER, 500
Charpentier C, 279
Chaudhary S, 656
Chaussain J-L, 577
Chen H, 828
Cherian G, 245
Cherry JD, 752
Chessex P, 761
Chiba K, 170, 314
Ch'ien LT, 827
Chipman JJ, 382
Chipps BE, 307
Chirico G, 833
Chusid JA, 326
Chusid MJ, 326
Chyo H, 570
Chytil F, 302, 661
Ciccimarra F, 665
Ciszek TA, 121
Clark CE, 625
Clark DA, 797
Clay SA, 828
Cleary KR, 739
Cleary TG, 654, 739
Clyman RI, 625
Coen R, 772
Coffman JA, 327
Cohen A, 689, 828
Cohen S, 35
Cole FS, 91
Collins G, 169
Colman N, 828
Conley SB, 141
Connelly JP, 664
Cooper RW, 336
Copper RW Jr, 174
Corey ML, 416
Corless J, 757
Cormier D, 880
Corrall CJ, 365
Correia J, 476
Corrigan JJ Jr, 254
Cottrill CM, 436
Cotumaccio R, 691
Couchard M, 984
Couchells SM, 812
Coude FX, 279
Coulter DL, 317
Covitz W, 334

*July, pp. 1-174; August, pp. 175-340; September, pp. 341-506; October, pp. 507-672; November, pp. 673-834; December, pp. 835-1004.

Cowan M, 421
Crips DE, 273
Crisco JJ, 480
Crumrine PK, 355
Cruse RP, 250
Cruz JR, 600
Cutz E, 245

D

Dajani AS, 963, 975
Dalal SJ, 432
Dallman PR, 376
Dan M, 743
Daneman D, 355, 847
Danks DM, 272
D'Antonio F, 665
Darnall RA Jr, 330, 794
Daughaday WH, 382
Daum RS, 671
David L, 640
David RJ, 389
Davis DR, 956
DeBenedetti C, 108
Deckelbaum RJ, 235
De Curtis M, 665
De Gamarra E, 984
de Glanville H, 664
Dekel S, 500
Delage G, 745
deLemos RA, 259
Dellinger KT, 833
Delvin EE, 26, 640
DePasse BM, 920
D'Ercole AJ, 735
Desai ID, 298
Desai MP, 432
De Saint Basile G, 261
De Stefano P, 243
Detwiler DA, 401, 444
Devos EA, 441
Dillon HC Jr, 907
Dimler M, 504
Dinno ND, 325
DiSessa TG, 772
Dodson D, 233
Dodson WE, 169
Dolan TF Jr, 585
Donn SM, 459
Doshi U, 1002
Douglas RG Jr, 100
Dover EV, 556
Drash AL, 355, 847
Dreyfus-Brisac C, 984
Driggers DA, 376
Drummond WH, 670
Duck SC, 423
DuPont HL, 51
Dubowitz LMS, 127
Dubowitz V, 127
Dudgeon DL, 202
Duffty P, 287
Duncan WJ, 276
DuPont HL, 739
Durandy A, 261
Dussault JH, 165
Dwyer JM, 519, 525
Dyson AE, 944

E

Eckhardt K, 583
Edwards MS, 540
Egerer R, 822
Ekert H, 700
Elliott GT, 171
Ellison PH, 455
El-Malih GS, 739
Elsas LJ, 934
Engle WD, 948
English D, 913
Ennis CE, 247
Ericsson CD, 654
Esterly NB, 73
Eubig C, 334
Evans DG, 51
Evans DJ Jr, 51
Evans HE, 992

F

Fagman E, 650
Faix RG, 389
Falk H, 409
Falterman CG, 168
Fan LL, 595, 833
Fandal AW, 995
Farrell MK, 197
Feigin RD, 591
Feldhoff CM, 340
Feldman S, 654
Fernhoff PM, 934
Ferro R, 337
Finberg L, 84, 228, 577
Finley JP, 334
Fischer A, 261
Fishaut M, 186
Fishman LS, 168
Fitz CR, 777
Fitzhardinge PM, 777, 937
Flanigan D, 1002
Flodmark O, 777
Flouvat B, 984
Folland D, 192
Fox WW, 948
Francis MJO, 500
Frand M, 502
Frank AL, 591
Frankenburg WK, 995
Friedman AD, 413
Friedman SB, 664
Friedman WF, 772
Froese AB, 287
Fryer A, 403
Fukushima Y, 565
Funabashi T, 929
Fuquay D, 473

G

Galanda V, 833
Galanello R, 105
Gall DG, 245
García B, 600
Gardner TH, 644
Garfunkel JM, 326, 400, 628, 664, 911
Garovoy MR, 250
Garry PJ, 237
Gartner LM, 503, 505
Gatti C, 243
Geffner M, 403
Geffner ME, 326
Gendrel D, 577
Genel M, 519
Gertner J, 16
Ghishan FK, 913
Giardina P, 695
Gigliotti FT, 832
Gilbert BA, 237
Gilday DL, 416
Githens JH, 598
Given G, 486
Givner LB, 411, 502
Gladtke E, 240
Glazer JP, 463
Gleason PA, 916
Glew RH, 136
Globe MP, 671
Glorieux FH, 26, 640
Gluck L, 772
Goldbarg H, 336
Golden CJ, 327
Golden SM, 742
Goldfarb JD, 575
Goldmann D, 671
Goncalves AL, 298
Goodman SI, 546
Gordon EF, 341
Gordon RC, 341
Gouyon JB, 827
Graham JM Jr, 223
Gravel R, 835
Gray M, 409
Graziano JH, 695
Green OC, 157
Greene H, 360
Greene HL, 551, 602, 913
Greenwood RS, 1000
Greer FR, 233, 293
Grief Z, 810
Griffith RA, 670
Griscelli C, 79, 261
Gross SJ, 389
Grossman M, 831
Gryboski J, 670
Guignard S-P, 926
Gujral VV, 496
Gurwitz D, 1002
Gusmano R, 429
Gustafson B, 300
Gutman D, 810

H

Hadchouel M, 370, 577, 704
Hadjigeorgiou E, 324
Hageman J, 644
Haláková E, 833
Hall CB, 100
Halsted CC, 335
Hamilton BL, 382
Hamilton JR, 245, 416
Hampton R, 230
Hansen EJ, 406
Hanson LÅ, 600
Hanson V, 94
Harris DJ, 835
Harris JP, 281
Harrison HE, 84
Hartigan P, 525
Hata A, 570
Haugh R, 436
Hayashi R, 929
Hayden FG, 832
Hayden GF, 980
Hayek A, 868
Haynes V, 403
Hendley JO, 832
Heim T, 761
Hein H, 503
Heinisch H-M, 240
Helgason H, 750
Helin I, 932
Hen J Jr, 585
Hendeles L, 145
Henry C, 832
Henry CG, 754
Herbert V, 828
Hercz A, 416
Herlin T, 264
Herman JH, 667
Herman JJ, 73
Heroman WM, 742
Herrera AJ, 757
Hilgartner M, 695
Hilgartner MW, 672
Hill A, 133, 767
Hill HR, 873
Hill R, 245
Hill RE, 416
Hillemeier C, 504, 669
Hillman RE, 754
Hilty MD, 463
Hintz RL, 252
Hirose T, 394
Ho M, 233, 293

Hodder SL, 312
Hodes BL, 250
Holmes GL, 167
Holmes LB, 394
Holmes W, 325
Holzman IR, 136
Hong R, 546
Honke K, 929
Hooper EM, 237
Hopkin IE, 635, 787
Hori M, 314
Horowitz SP, 546
Horstmann DM, 880
Hosoya M, 929
Howrie DL, 666
Hsia YE, 835
Hsu Y-P, 215
Hug G, 293
Hughes WT, 96, 365
Hurley JK, 340
Hurley LS, 328
Hyams JS, 750, 916
Hyatt AC, 307

I

Ihongbe JC, 136
Ing R, 409
Irwin CE Jr, 799
Isacchi G, 337
Ishii T, 339
Ishizaka A, 339
Ishizaki T, 170, 314

J

Jackson R, 192
Jacob J, 169
James FD, 854
Jankovic M, 98
Jean G, 98
Jerkins G, 712
Jhaveri A, 302
Jodal U, 932
Johnson C, 525
Johnson GL, 436
Johnson SB, 812
Johnsonbaugh RE, 742
Jordon C, 831
Jorge SM, 298
Joshi NC, 432
Joye NR, 167, 335
Jung AL, 629

K

Kaizer H, 439
Kajii T, 565
Kalia A, 716
Kalpoyannis N, 324
Kaplan BS, 211
Kaplan MR, 174
Kaplan SL, 591, 924
Karayalcin G, 605
Karpatkin M, 695
Kashima H, 614
Kasper DL, 918
Kasselberg AG, 551
Kauffman RE, 172, 963, 975
Kaul A, 650
Keating JP, 754
Keenan WJ, 197
Kelso GF, 335
Kelter A, 409
Kendig EL Jr, 68
Kerzner B, 338
Kesler RW, 980
Kessler DB, 114, 230
Khan AJ, 992
Kien CL, 546
King K, 94
Kjellman B, 300
Kleiman MB, 651
Kleinhaus S, 575
Klujber L, 829
Knip M, 103
Koch KL, 250
Kocoshis SA, 436
Koe SL, 700
Kohler E, 546
Kohrman A, 320
Kordy MI, 739
Kornreich H, 94
Korones SD, 445
Koup J, 473
Kousseff BG, 820
Krafka R, 450
Kragballe K, 264
Kramer M, 197
Krause PJ, 916
Kravath RE, 575
Krieger I, 329
Krivit W, 425
Krivoy N, 810
Kropp KA, 110
Krupin T, 41
Kumar K, 992
Kumor KM, 307
Kurnetz R, 822
Kuroki Y, 570
Kuzuya T, 334

L

Lacouture PG, 89
Lacroix J, 745
Laferriere CI, 968
LaForce CF, 153
Lagrue A, 261
Lampe RM, 531, 593
Landon C, 252, 583
Lane B, 625
Lane BP, 605
Langdon DR, 854
Lanzkowsky P, 605
Largent JA, 455
Lascari AD, 820
Laurenti F, 337
Laverda AM, 667
Lax E, 235
Lebenthal E, 338
Leblanc A, 370, 577
Lee HS, 805
Lee K, 956
Lee K-S, 503, 505
Lee PC, 338
Leedom JM, 403
Leggiadro RJ, 96
Lehman TJA, 94
Leitner M, 772
Lemen RA, 409
Lemen RJ, 108
Lenes BA, 337
Leroy JG, 441
Lester PD, 629
Levander O, 583
Levene MI, 127
Leventhal BG, 439, 614
Levin DL, 73
Levin RM, 831
Levine AS, 614
Levine LS, 672
Levine RS, 499
Levison H, 476, 895
Levy HB, 614
Lewiston N, 252, 583
Lewiston NJ, 215
Lezotte DC, 350
Liberfarb RM, 394
Lietman P, 905
Lietman PS, 307, 651
Lilien LD, 331
Litt IF, 484
Liyamasawad S, 782
Lloyd-Still JD, 580
Lo EYT, 376
Locasciulli A, 98
Lohr JA, 980
Lolacono N, 695
Longe AC, 136
Lönnerdal B, 328
Loriaux DL, 742
Loughlin GM, 108
Lovejoy FH Jr, 89
Lovinger RD, 720
Lucas M, 197
Luddy RE, 411
Lukens JN, 425, 913

M

McAllister DC, 389
McCarthy P, 880
McClain CJ, 339
McCorquodale MM, 428
McCracken GH Jr, 406
McCurnin DC, 259
McDonagh AF, 909
McEwen C, 934
McIntosh K, 186, 746
Maclaren NK, 350
MacLeod S, 476, 525
MacLeod SM, 658
McVie R, 828
McWilliams BC, 595
Malagnino F, 337
Malamitsi-Puchner A, 324
Malan AF, 139
Malone JT, 862
Maloney MJ, 328
Mandell F, 664
Mandelli F, 337
Mangurten HM, 435, 791
Mann M, 506
Manning J, 281
Marchak BE, 287
Marie PJ, 26
Marinelli PV, 168
Markenson A, 672
Markowitz RI, 880
Marks MI, 968
Martin AM, 556
Martin M, 689
Martinez FE, 298
Masera G, 98
Massi G, 691
Matalon R, 501
Mather F, 671
Matsen JM, 647
Matsui I, 570
Matsuo M, 167
Matsuura N, 565
Matwynshyn J, 331
Mauer SM, 340
Mazur A, 16
Mehls O, 926
Melhem RE, 900
Melis MA, 105
Melish ME, 268
Mellits ED, 307
Melnick CR, 501
Meloff K, 327
Menolascino FJ, 327
Merrill RE, 230, 664
Merritt RJ, 247
Merritt TA, 281, 664, 782
Mervis R, 486
Mestyan J, 829
Meyer S, 235
Michals KK, 501
Mikati MA, 900
Miller F, 605
Miller MF, 153
Miller WL, 1
Mills EL, 887
Millstein SG, 799
Milner AD, 635, 787

Milner J, 934
Mindorff C, 1002
Minkoff DI, 268
Minnefor AB, 174, 336
Mirro J Jr, 439
Mitchell G, 745
Mitchell W, 1000
Miyaki T, 287
Modanlou HD, 121
Moel DI, 535
Moeschler J, 327
Mohieldin MS, 739
Monroe B, 830
Morante A, 127
Morgan E, 807
Moriette G, 984
Morissette J, 165
Moroz SP, 725
Morris V, 583
Moss RB, 215
Moxon ER, 365
Muelenaer AA Jr, 531
Mulhern RK, 480
Muller N, 895
Murat I, 984
Murphy D, 186, 746
Murphy SA, 595
Murphy TV, 406
Myhre SA, 160

N

Nagashima R, 252
Nahata MC, 463
Naidu S, 791
Najarian JS, 340
Najjar SS, 900
Narayanan I, 496
Narisawa K, 334
Nathan DG, 676
Nathan L, 700
Neerhout RC, 611
Neifert M, 186
Nelson JD, 206, 887
Nelson P, 121
Nelson PE, 257
New MI, 672
Newth C, 476
Nicolopoulos D, 324
Niikawa N, 565
Nivelson J-L, 827
Noe HN, 712
Noia G, 691
Noonan JA, 436
Nora JJ, 499
Norton PM, 63
Nyhan WL, 835

O

O'Connor WN, 436
Odièvre M, 370, 577, 704
Ogier H, 279
Ogra PL, 186
Oh W, 958
Ohsawa T, 565
Oleggini R, 429
Oleske JM, 174, 336
Olowe SA, 489
Omene JA, 136
Oppermann HC, 926
Orenstein WA, 403
Orr I, 746
Orsini G, 691
Orzali A, 667
Overturf GD, 403
Owen GM, 237
Owings D, 121

P

Packman S, 418, 421
Pagon RA, 223
Pajno D, 243
Palermo D, 337
Palmer P, 127
Paludetto R, 665
Panero A, 337
Paneth N, 503, 505
Papadakis D, 324
Parker P, 360, 913
Parker PH, 602
Passal DB, 341
Pasternak JF, 644
Pathak D, 237
Peake GT, 868
Pearlman M, 503, 505
Pechet M, 16
Pelsor DA, 157
Pepple JM, 365
Perfumo F, 429
Perlman JM, 767
Pettifor JM, 26
Philip AGS, 644
Pickering LK, 51, 654
Pildes RS, 331, 336
Piomelli S, 695
Poland RL, 86
Polin RA, 948
Pollack LD, 173
Poncher J, 486
Poncz M, 828
Portnoy B, 403
Post KD, 802
Postellon DC, 170
Powell DA, 463
Powell KR, 968
Prakash K, 496
Preis O, 57
Prieur A-M, 79
Prince AM, 174
Pui C-H, 46
Puppala BL, 435, 791
Putet G, 761

Q

Quie PG, 887
Quinn SL, 171

R

Radde IC, 658
Rajchgot P, 658
Rao S, 1002
Rappaport R, 577
Rasmussen H, 16
Rayburn C, 192
Read SE, 944
Reale MM, 57
Recchia M, 98
Reddy JC, 650
Reed SP, 729
Reeves JD, 376
Regelmann WR, 887
Reichman BL, 761
Reinhart MA, 167
Reisman L, 174
Reiter EO, 507, 720
Relier JP, 984
Remy WT, 729
Rettig K, 507
Rettig PJ, 206
Richards GE, 141
Richardson CJ, 168
Ridgway D, 611
Riley WJ, 350
Ritz E, 926
Robbe NS, 441
Roberts CC, 192
Robertson EF, 171
Robertson J, 743
Robinson MG, 428
Rochefort F, 1001
Rodriguez GE, 68
Rogers JG, 272
Roghmann K, 281
Rogin N, 810
Roloff DW, 173
Roloff JS, 425, 913
Romano G, 665
Rondini G, 833
Root AW, 507, 862
Rorke LB, 413
Rose V, 276
Rosenberg M, 486
Rosenbloom AL, 320, 350
Rosenfeld R, 1001
Rosenfeld RG, 252
Rosenfeld W, 173
Rosenstein BJ, 307
Rossi MR, 98
Rote NS, 873
Roth B, 240
Roth RS, 625
Rowe RD, 276
Roy S III, 712
Rubaltelli FF, 667
Rubecz I, 829
Rudolf MCJ, 519
Rudolph N, 57
Ruedisueli GS, 665
Ruggeri R, 105

S

Sacher RA, 337
Sack CM, 968
Sadeghi-Nejad A, 802
Saenger P, 672
Saheki T, 929
Sahn DJ, 175
Saldana LR, 141
Salisbury B, 797
Sallan SE, 676
Salle BL, 640
Sander JE, 500
Sansaricq C, 63
Santiago JV, 41
Santos JI, 873
Sarn J, 409
Saryan JA, 91
Sassaman E, 501
Saudubray JM, 279
Savignoni PG, 337
Sawyer MK, 887
Scarpato N, 665
Schaffer MS, 276
Schettini F, 326
Schiff DW, 598
Schiller M, 235
Schlossman S, 261
Schott SF, 752
Schreiner RL, 651
Schultenover SJ, 259
Schwab J, 486
Schwab JA, 531
Schwartz AD, 411
Schwartz E, 689, 828
Schwartz RH, 665
Schydlower M, 531
Sciarillo W, 995
Scott JP, 598
Scott PH, 476
Scott RM, 531
Scotto J, 704
Seaman C, 695
Senior B, 802
Sepkowitz S, 504
Septimus EJ, 593
Schackelford GD, 133
Shafer MAB, 799
Shah KN, 432
Shahar E, 502
Shannon KM, 920
Shapera RM, 647
Shapiro DL, 281
Shapiro ED, 670, 989
Shapiro R, 139

Sharp HL, 339
Shenai JP, 302, 661
Sherins RJ, 742
Sheth PN, 432
Shigeoka AO, 873
Shin BC, 68
Shirazi P, 791
Shore NA, 168
Shoukry I, 739
Shukry S, 739
Shulman ST, 502
Siegel JD, 920
Siegler RL, 273, 1003
Simmons RL, 340
Sinatra FR, 247
Sinniah D, 700
Siva Subramanian KN, 337
Skelton I, 272
Sloan HR, 338
Slonim AE, 551, 602
Smiley S, 611
Smith AL, 91, 473, 968
Smith GF, 650
Smith JM, 761
Smith TF, 1001
Smolin LA, 467
Sniderman SH, 625
Snyderman SE, 63
Sobel RA, 1000
Sondheimer JM, 202
Sperling M, 320
Sperling MA, 854
Spigelblatt L, 1001
Spillar RP, 350
Stahlman MT, 302, 661
Stanley CA, 551
Stapleton FB, 712
Starc T, 403
Statz A, 240
Steichen JJ, 293
Steinerman PR, 484
Stemke GW, 743
Stern RC, 312
Stevens DC, 651
Stoddard RA, 259
Strauss AW, 754, 832
Strong WB, 556
Stroop S, 360
Stuck KJ, 459
Suganuma T, 314
Suttle EA, 445
Suzuki Y, 570, 929
Sweetman L, 418, 421, 835
Swyer PR, 761

T

Tabachnik E, 476, 895
Taber LH, 591, 924
Tada K, 334
Takemine H, 167
Tamborlane WV Jr, 519
Tanaka K, 551
Taniguchi N, 929
Taussig LM, 108, 254
Temple AR, 89
Thelle T, 264
Thestrup-Pedersen K, 264
Thirumoorthi MC, 963, 975
Thomas D, 163
Thomas DW, 247
Thompson JA, 273
Thompson JE, 797
Thompson WK, 287
Ti CC, 772
Ticknor W, 831
Tildon JT, 758
Tipton JR, 752
Todd JK, 746
Tomasi G, 243
Toye B, 895
Tramontana MG, 327
Travis LB, 716
Tsalikian E, 355
Tsang RC, 233, 293
Tsuchica F, 339
Tuomanen EI, 968
Turner RB, 656
Tyrrell DLJ, 743

U

Uderzo C, 98
Urrutia JJ, 600

V

Valdes-Cruz LM, 668
Valdes-Dapena MA, 664
Valle D, 159
Vanden Bulcke LJ, 441
Varga P, 829
Vargas A, 507
Verellen GJE, 761
Virelizier JL, 261
Visňovský P, 833
Vitullo B, 211
Voeller KKS, 110
Vollet JJ III, 51
Volpe JJ, 133, 767
Vyas H, 635, 787

W

Wagener JS, 108, 254
Wakil SS, 389
Wald ER, 989
Walfish PG, 164
Walker D, 812
Wall S, 418
Wallace DK, 89
Wallace RW Jr, 593
Walsh JK, 197
Waltman SR, 41
Wang FM, 164
Warwick WJ, 647
Waskerwitz S, 231
Wason S, 89
Watkins JB, 35
Watt RG, 739
Webb BJ, 918
Weil WB Jr, 737
Weinberger M, 145
Weinberger MH, 561
Weinstein HJ, 676
Weissbluth M, 486, 502, 817
Weisskopf B, 325
Weinstein MR, 958
Weldon VV, 608
Weyrauch KF, 669
Wharam MD, 439
White L, 168
White NH, 41
Whitington GL, 445
Whitington PF, 445, 1003
Whyte MP, 608
Wiggelinkhuizen J, 506
Wilkening G, 327
Wilkinson JD, 202
Wilkinson RG, 272
Williams R, 160
Williams WT, 832
Wilson G, 276
Winkelstein JA, 96
Winter RJ, 157
Wisotsky DH, 267
Woerner S, 1000
Wolf B, 835
Wolfsdorf JI, 802
Wolfson DH, 847
Wong L, 145
Wong SL, 57
Wood B, 281
Wood MM, 164
Woods DL, 139
Woods WG, 425
Woodward WE, 739
Wright JE, 259

Y

Yacoub U, 325
Yalow RS, 588
Yamada T, 167
Yang SS, 822
Yeary RA, 956
Yeh TF, 331, 336
Yip R, 257
Yokoi T, 929
Yong S-L, 223
Yoshino M, 421
Young RSK, 250

Z

Zartler AS, 501
Zinkham W, 439
Zlotkin SH, 115
Zonana J, 223
Zuberbuhler P, 276
Zweighaft TC, 406

*Subject index**

A

ABO hemolytic disease, unrecognized, in newborn infant (Matsuo et al) (Letter), 167; (Falterman and Richardson) (Reply), 168

Abscess, fatal recurrent *Curvularia* brain (Friedman et al) (BCLO), 413

Abuse, child—cupping lesions simulating (Asnes and Wisotsky) (BCLO), 267

Parenteral insulin admistration (Bauman and Yalow) (BCLO), 588

sexual, and pseudoseizures (Reinhart and Joye) (Letter), 167; (Holmes) (Reply), 167

Accidents, prevention by eliminating agent of injury (Kravath et al) (BCLO), 575; Commentary (Finberg) (BCLO), 577

Accretion, in utero nitrogen, in prematurely born human infants—intravenous nitrogen and energy intakes required to duplicate (Zlotkin et al), 115

Achalasia, successful treatment by pneumatic dilatation (Boyle et al), 35

Acidemia, hyperpipecoli: Clinical and biochemical observations in two male siblings (Burton et al), 729

methylmalonic—occurrence of hyperammonemia in course of 17 cases of (Cathelineau et al) (BCLO), 279

propionic: Clinical update (Wolf et al), 835

Acidosis, lactic, in pediatric patients with cancer receiving total parenteral nutrition (Merritt et al) (BCLO), 247

tertiary lactic (Rogers et al) (BCLO), 272

Adolescents and children—classification and diagnosis of diabetes mellitus in (Rosenbloom et al), 320

appointment-keeping behavior in (Irwin et al), 799

—compliance with automotive safety devices among (Litt and Steinerman) (BCLO), 484

with improved metabolic control—reversal of neuropathic and gastrointestinal complications related to diabetes mellitus in (White et al), 41

Adrenal hyperplasia, congenital, associated with malignancy (Duck) (BCLO), 423

Adrenergic bronchodilators, oral and aerosol—comparison in asthma (Lee) (BCLO), 805

Adsorption measurements, D-xylose, in children suspected of having small intestinal disease, evaluation of (Hill et al) (BCLO), 245

Aerosol and oral adrenergic bronchodilators in asthma, comparison of (Lee) (BCLO), 805

African population at sea level—standards of intrauterine growth for (Olowe), 489

Age—effect on pharmacokinetics of salicylate (Buchanec et al) (Letter), 833

postnatal, energy intake, and weight gain—influence on energy metabolism in the very LBW infant (Chessex et al), 761

Airway pressure calculations, mean (Marinelli) (Letter), 168; (Jacob) (Reply), 169

mean—significance during mechanical ventilation in neonates (Ciszek et al), 121

Alae nasi, situs inversus, and severe hypoproteinemia—syndrome of congenital hypoplasia in two siblings (Helin and Jodal) (BCLO), 932

Albumin—effect of prostaglandin E_1 on reserve bilirubin-binding capacity of (Burckart and Whitington) (Letter), 1003; (Siegler and Ash) (Reply), 1003

Alimentation solution, parenteral—vitamin A delivery from (Shenai et al) (BCLO), 661

Alpha$_1$-antitrypsin, fecal clearance of: Reliable measure of enteric protein loss (Hill et al) (BCLO), 416

in amniotic fluid—evidence for maternal origin of (Massi et al) (BCLO), 691

Alpha-hemolytic streptococci, non-group D: New neonatal pathogens (Broughton et al), 450

Amenorrhea, primary—hyperprolactinemia causing (Sadeghi-Nejad et al) (BCLO), 802

Amino acid concentrations, plasma and cerebrospinal fluid, in phenylketonuria during newborn period (Snyderman et al), 63

Amniotic fluid—evidence for maternal origin of alpha$_1$-antitrypsin in (Massi et al) (BCLO), 691

Amoxicillin, single-dose, treatment of urinary tract infections (Shapiro and Wald) (BCLO), 989

Anemia, autoimmune hemolytic, with severe giant cell hepatitis (Bernard et al), 704

refracotry sideroblastic, with vacuolization of marrow precursors and exocrine pancreatic dysfunction presenting in neonate—syndrome of (Stoddard et al) (BCLO), 259

Angiomatous lymphoid hamartoma: Inhibitory effects on erythropoiesis, growth, and primary hemostasis (Buchanan et al), 382

Angiotensin-converting enzyme, serum, activity in normal children and in those with sarcoidosis (Rodriguez et al), 68

Anomalies, multiple, with coloboma, congenital heart disease, and choanal atresia: CHARGE association (Pagon et al), 223

skeletal, long palpebral fissures, large ears, and depressed nasal tip associated with postnatal dwarfism and mental retardation—new malformation syndrome (Kuroki et al), 570

*July, pp. 1-174; August, pp. 175-340; September, pp. 341-506; October, pp. 507-672; November, pp. 673-834; December, pp. 835-1004.

Anorexia nervosa, family relationships in (Monroe) (Letter), 830; (Casper) (Reply), 830
Antibiotic(s), non-,-associated enterocolitis, caused by *Clostridium difficile* in infant (Hyams et al) (BCLO), 750
—safety of long-duration intravenous heparin-lock needles for administration cystic fibrosis patients (Hodder and Stern) (BCLO), 312
Antibodies, food, in milk from Guatemalan women (Cruz et al) (BCLO), 600
isohemagglutinin—lack of stimulation by immunization with group B streptococcal (Type III) vaccine (Webb et al) (BCLO), 918
specific, and ^{125}I-Clq-binding as indicators of pulmonary disease activity in cystic fibrosis (Moss et al), 215
Anticonvulsants, teratogenic effects of (Thomas and Buchanan) (Letter), 163
Antimicrobial therapy, three-day, or urinary tract infection (Khan et al) (BCLO), 992
Aortic thrombosis, management of (Adelman) (Letter), 832; (Henry and Strauss) (Reply), 832
neonatal (Doshi et al) (Letter), 1002
Apnea, recurrent idiopathic, in premature infants—efficacy of caffeine in treatment of (Murat et al), 984
relation to: Gastroesophageal reflux (Walsh et al), 197
Appointment-keeping behavior in adolescents (Irwin et al), 799
Arterial oxygenation after pancuronium paralysis (Bishop) (Letter), 325
Arteriohepatic dysplasia, variant? Congenital heart disease, butterfly vertebrae, and extrahepatic biliary atresia (Kocoshis et al) (BCLO), 436
Arteriosus, patent ductus—early closure in very low-birth-weight infants: Controlled trial (Merritt et al), 281
Artery(ies), anterior cerebral—effect on patent ductus arteriosus on flow velocity in: Ductal steal in premature newborn infant (Perlman et al), 767
catheters, umbilical—calculating length of (Pollack and Roloff) (Letter), 173; (Rosenfeld) (Reply), 173
thrombosis, peripheral, in neonate—Doppler flow and radionuclide scan studies in evaluation and management of (Puppala et al) (BCLO), 791
Arthritis, juvenile rheumatoid—pulmonary function in (Wagener et al) (BCLO), 108
with diabetes mellitus (Rudolf et al), 519
Arthropathy with rash, chronic meningitis, eye lesions, and mental retardation (Prieur and Griscelli), 79
Asbestos exposure, community, in Globe, Ariz. (Ing et al) (BCLO), 409
L-Asparaginase and prednisone—risk factors for hyperglycemia in children with leukemia receiving (Pui et al), 46
neurotoxicity of, and strokes (White et al) (Letter), 168
Asphyxial, post-, encephalopathy—prognostic value of computed tomography as adjunct to assessment of term infant with (Fitzhardinge et al), 777
Asphyxiated neonate, severely—cardiovascular effects of dopamine in (DiSessa et al), 772
newborn infants—physiologic responses to prolonged and slow-rise inflation in resuscitation of (Vyas et al), 635
Aspirin—upper respiratory symptoms relieved by (Ruedisueli) (Letter), 665
Asthma, chronic—relationship of formulation and dosing interval to fluctuation of serum theophylline concentration in children with (Weinberger et al), 145
Asthma—Cont'd
comparison or oral and aerosol adrenergic bronchodilators in (Lee) (BCLO), 805
sustained-release theophylline for: Evidence for circadian variation of theophylline pharmacokinetics (Scott et al) (BCLO), 476
Asthmatic patients—effect of erythromycin on theophylline clearance in (LaForce et al), 153
Atresia, biliary—trimethoprim-sulfamethoxazole for cholangitis following hepatic portoenterostomy (Chaudhary and Turner) (BCLO), 656
choanal, coloboma, and congenital heart disease with multiple anomalies: CHARGE association (Pagon et al), 223
congenital colonic—familial occurrence of (Benawra et al) (BCLO), 435
extrahepatic biliary, congenital heart disease, and butterfly vertebrae: Variant of arteriohepatic dysplasia? (Kocoshis et al) (BCLO), 436
Autoerythrocyte sensitization syndrome as primary manifestation of systemic lupus erythematosus (Scott et al) (BCLO), 598
Autoimmune hemolytic anemia with severe giant cell hepatitis (Bernard et al), 704
Autoimmunity, thyroid, in insulin-dependent diabetes mellitus: Case for routine screening (Riley et al), 350
Automotive safety devices—compliance among adolescents (Litt and Steinerman) (BCLO), 484
Autosomal dominant inheritiance—cerebro-costo-mandibular syndrome with (Leroy et al) (BCLO), 441

B

Bacteremia, outpatient: Clinical findings in children under 2 years with initial temperatures of 39.5°C or higher (Waskerwitz and Berkelhamer) (BCLO), 231
pneumococcal, in twins (Schwartz) (Letter), 665
Bacterial illness, additional systemic—risk in infants with systemic *Streptococcus pneumoniae* disease (Cole et al) (BCLO), 91
meningitis—diffusion of moxalactam into cerebrospinal fluid in children with (Thirumoorthi et al), 975
neonatal—ventriculitis with: Identification by real-time ultrasound (Hill et al) (BCLO), 133
suspected—CSF lactate in (Brook) (Letter), 332; (Benjamin) (Reply),
BCG infection, disseminated (Catanzaro et al) (BCLO), 268
Behavior, appointment-keeping, in adolescents (Irwin et al), 799
Behavioral and environmental characteristics of treated and untreated enuretic children and matched nonenuretic controls (Couchells et al), 812
basic, and clinical aspects: Zinc metabolism (Gordon et al), 341
Betaine used in treatment of homocystinuria (Smolin et al), 467
Bicarbonate, cholestyramine, and phototherapy—combined treatment of neonatal jaundice with (Malamitsi-Puchner et al) (Letter), 324
Bilateral diaphragmatic paralysis (Rubatelli et al) (Letter), 667; (Aldrich and Herman) (Reply), 667
Bile duct-ligated rat—failure of phototherapy to reduce plasma bilirubin levels in (Davis et al) (BCLO), 956

Biliary atresia, extrahepatic, congenital heart disease, and butterfly vertebrae: Variant of arteriohepatic dysplasia? (Kocoshis et al) (BCLO), 436
–trimethoprim-sulfamethoxazole for cholangitis following hepatic portoenterostomy (Chaudhary and Turner) (BCLO), 656
Bilirubin-binding capacity, reserve, of albumin–effect of prostaglandin E_1 on (Burckart and Whitington) (Letter), 1003; (Siegler and Ash) (Reply), 1003
levels, plasma, in bile duct–ligated rat–failure of phototherapy to reduce (Davis et al) (BCLO), 956
new twist to: Phototherapy (McDonagh) (Editor's column), 909
Bioavailability, relative, of intravenous chloramphenicol succinate and oral chlorampenicol palmitate (Kauffman et al), 963
Biotin-responsive in vivo carboxylase deficiency in two siblings with secretory diarrhea receiving total parenteral nutrition (Kien et al), 546
multiple carboxylase deficiency, neonatal form of (Packman et al) (BCLO), 418
of infantile onset (Packman et al) (BCLO), 421
Bismuth and salicylate–absorption from bismuth subsalicylate-containing compound (Pepto-Bismol) (Pickering et al) (BCLO), 654
Black vs white–blood pressure response to dynamic exercise in healthy children (Alpert et al), 556
Blood cell indices, red, hemoglobin A_2, and hemoglobin F in infants heterozygous for β-thalassemia, prospective study of (Galanello et al) (BCLO), 105
gas measurements, neonatal–potential errors in (Chirico and Rondini) (Letter), 833; (Fan and Dellinger) (Reply), 833
placental, vitamin E in, and its interrelationship to maternal and newborn levels of vitamin E (Martinez et al) (BCLO), 298
pressure, normal, hypokalemia, and hyperreninemia with hypoaldosteronism (Bergstein and Weinberger), 561
response to dynamic exercise in healthy children–black vs white (Alpert et al), 556
transfusions: Effect of speed of infusion and needle gauge on hemolysis (Herrera and Corless) (BCLO), 757
Bone mineralization, adequate, in breast-fed infants (Roberts et al), 192
Book reviews
Advances in pediatrics, Vo. 27 (Merrill), 230
Counseling in medical genetics (Kousseff), 820
Defining child abuse (Kessler), 114
Mom's house, dad's house: Making shared custody work (Aylward), 444
Pediatrics update: Reviews for physicians 1980 edition (Lascari), 820
Traumatic abuse and neglect of children at home (Kessler and Hampton), 230
The undescended testis (Carithers), 820
Working with parents and infants: An interactional approach (Detwiler), 444
Brain abscess, fatal recurrent *Curvularia* (Friedman et al) (BCLO), 413
Breast-fed, exclusively the first five months–iron nutriture of infants (Owen et al) (BCLO), 237
infants–adequate bone mineralization in (Roberts et al), 192
Breast–Cont'd
-milk jaundice (Poland) (Editor's column), 86
Bromide partition test, radioactive, in diagnosis of tuberculous meningitis (Buchanan) (Letter), 506; (Wiggelinkuizen and Mann) (Reply), 506
Brompton mixture for pain relief (Howrie) (Letter), 666
Bronchiolitis, long-term significance of (Smith) (Letter), 1001; (Gurwitz and Mindorff) (Reply), 1002
Bronchodilators, oral and aerosol adrenergic–comparison in asthma (Lee) (BCLO), 805
Bronchomammary axis in immune response to respiratory syncytial virus (Fishaut et al), 186
Bronchopulmonary dysplasia–oxygen consumption in infants with (Weinstein and Oh) (BCLO), 958
Burned infant–*Mycoplasma hominis* septicemia in (Dan et al) (BCLO), 743

C

Caffeine–efficacy in treatment of recurrent idiopathic apnea in premature infants (Murat et al), 984
Calcitriol levels, serum, during first 5 days of life: Vitamin D metabolism in preterm infants (Glorieux et al), 640
replacement therapy with: Vitamin D dependency (Delvin et al), 26
Calculus formation, renal, with hypercalciuria–hematuria preceding (Roy et al), 712
Canalicular function, hepatic–prospective randomized study demonstrating alteration of: Effect of short-term total parenteral nutrition on hepatic function in the human neonate (Black et al), 445
Cancer–with lactic acidosis in pediatric patients receiving total parenteral nutrition (Merritt et al) (BCLO), 247
Carbohydrate, fat, and protein balance in first 2 weeks of life: Human milk feeding in premature infants (Atkinson et al), 617
Carboxylase deficiency, biotin-responsive in vivo, in two siblings with secretory diarrhea receiving total parenteral nutrition (Kien et al), 546
multiple–neonatal form of (Packman et al) (BCLO), 418
multiple, of infantile onset (Packman et al) (BCLO), 421
Cardiomyopathy, catecholamine: Unusual presentation of pheochromocytoma (Schaffer et al) (BCLO), 276
congestive, associated with β-ketothiolase deficiency (Henry et al) (BCLO), 754
Cardiovascular effects of dopamine in severely asphyxiated neonate (DiSessa et al), 772
Carnitine concentrations, plasma, and dyslipidemia in children on maintenance hemodialysis (Gusmano et al) (BCLO), 429
deficiency, dietary dependent, as cause of nonketotic hypoglycemia in infant (Slonim et al), 551
Care, intensive–is it justified for infants weighting less than 801 gm at birth? (Britton et al), 937
Catecholamine cardiomyopathy: Unusual presentation of pheochromocytoma (Schaffer et al) (BCLO), 276
Catheters, umbilical artery–calculating length of (Pollack and Roloff) (Letter), 173; (Rosenfeld) (Reply), 173
Cell hepatitis, severe giant, with autoimmune hemolytic anemia (Bernard et al), 704

Cell—Cont'd
locomotion, abnormal phagocytic, and oxidative response during particle phagocytosis—recurrent infections and delayed separation of umbilical cord in infant with (Abramson et al), 887
trait, sickle—hemoglobin concentration with (Yip and Nelson) (BCLO), 257
Cerebellar hematomas in neonates, conservative management of (Gouyon et al) (Letter), 827
Cerebral arteries, anterior—effect of patent ductus arteriosus on flow velocity in: Ductal steal in premature newborn infant (Perlman et al), 767
infarction, hemorrhagic, in hemolytic-uremic syndrome (Crisp et al) (BCLO), 273
Cerebro-costo-mandibular syndrome with autosomal dominant inheritance (Leroy et al) (BCLO), 441
Cerebrospinal fluid and plasma amino acid concentrations in phenylketonuria during newborn period (Snyderman et al), 63
in children with bacterial meningitis—diffusion of moxalactam into (Thirumoorthi et al), 975
Ceruloplasmin concentrations, decreased umbilical cord serum, in infants with hyaline membrane disease (Omene et al) (BCLO), 136
Cervicofacial nocardiosis (Lampe et al) (BCLO), 593
Cesearean section and by vaginal delivery—intrathoracic pressure and volume changes during spontaneous onset of respiration in babies born by (Vyas et al), 787
CHARGE association: Coloboma, congenital heart disease, and choanal atresia with multiple anomalies (Pagon et al), 223
Chelation therapy in β-thalassemia major. III. Role of splenectomy in achieving iron balance (Graziano et al), 695
Chest tube evacuation of pneumothorax in neonates—effectiveness of (Allen et al), 629
Chlamydia trachomatis in prepubertal children—genital tract infection with (Rettig and Nelson), 206
Chloramphenicol—effect of intravenous flow rate and injection site on in vitro delivery and in vivo kinetics of (Nahata et al), 463
oral, in treatment of *H. influenzae* meningitis (Tuomanen et al), 968
succinate, intravenous, and oral chloramphenicol palmitate—relative bioavailability of (Kauffman et al), 963
therapy, oral (Leitman) (Editor's column), 905
toxicity, acute, in exchange transfusion (Stevens et al) (BCLO), 651
Chloride diarrhea, acquired (Kaplan and Vitullo), 211
Choanal atresia, coloboma, and congenital heart disease with multiple anomalies: CHARGE association (Pagon et al), 223
Cholangitis following hepatic portoenterostomy for biliary atresia—trimethoprim-sulfamethoxazole for (Chaudhary and Turner) (BCLO), 656
Cholelithiasis with thalassemia major: Ultrasonographic study (Borgna-Pignatti et al) (BCLO), 243
Cholestasis, familial, with elevated sweat electrolyte concentration (Lloyd-Still) (BCLO), 580
neonatal, and hypoglycemia: Possible role of cortisol deficiency (Leblanc et al) (BCLO), 577
Cholestyramine, phototherapy, and bicarbonate—combined treatment of neonatal jaundice with (Malamitsi-Puchner et al) (Letter), 324
Chylothorax, postoperative—transient T-cell depression in (McWilliams et al) (BCLO), 595
Clindamycin therapy of staphylococcal pulmonary infections in patients with cystic fibrosis (Shapera et al) (BCLO), 647
Clostridium difficile in infant—nonantibiotic-associated enterocolitis cause by (Hyams et al) (BCLO), 750
CO_2 measurement, skin-surface, in sick preterm and term infants (Merritt et al), 782
Coagulant acitivity, prothrombin (Factor II) and immunoreactive protein: Detection of vitamin K deficiency and liver disease in patients with cystic fibrosis (Corrigan et al) (BCLO), 254
Coagulation factors in neonates (Schettini) (Letter), 326
inhibitor, circulating, and intracranial hemorrhage in β-thalassemia major (Sinniah et al), 700
Coccidioidomycosis in neonate: Maternal-infant transmission (Bernstein et al) (BCLO), 752
Coloboma, congenital heart disease, and choanal atresia with multiple anomalies: CHARGE association (Pagon et al), 223
Colonic atresia, congenital—familial occurrence of (Benawra et al) (BCLO), 435
Communication among pediatric patients with leukemia, the parents, and physicians, patterns of: Prognostic disagreements and misunderstandings (Mulhern et al), 480
Complement and immunoglobulin values, serum, in small-for-gestational-age infants (Shapiro et al) (BCLO), 139
Computed tomography—prognostic value as adjunct to assessment of term infant with postasphyxial encephalopathy (Fitzhardinge et al), 777
Congenital adrenal hyperplasia associated with malignancy (Duck) (BCLO), 423
clasped thumb and Moro reflex (Anderson and Breed) (Letter), 664
colonic atresia, familial occurrence of (Benawra et al) (BCLO), 435
folate malabsorption (Poncz et al) (Letter), 828
heart disease, butterfly vertebrae and extrahepatic biliary atresia: Variant of arteriohepatic dysplasia? (Kocoshis et al) (BCLO), 436
coloboma, and choanal atresia with multiple anomalies: CHARGE association (Pagon et al), 223
hepatic fibrosis (Alvarez et al), 370
hypoplasia of alae nasi, situs inversus, and severe hypoproteinemia—syndrome in two siblings (Helin and Jodal) (BCLO), 932
hypothyroidism—cut-off for supplementary TSH testing in a T_4 screening program for (Walfish and Wood) (Letter), 164; (Morissette and Dussault) (Reply), 165
—racial differences in incidence of (Brown et al) (BCLO), 934
screening for (Postellon) (Letter), 170; (Robertson) (Reply), 171
Conjunctivitis, etiology of (Levin et al) (Letter), 831; (Hendley et al) (Reply), 832
Coronary risk (Levine) (Letter), 499; (Nora) (Reply), 499
Cortical hyperostosis after administration of prostaglandin E (Dekel and Francis) (Letter), 500
Cortisol deficiency, possible role of: Neonatal cholestasis and hypoglycemia (Leblanc et al) (BCLO), 577

Costo-cerebro-mandibular syndrome with autosomal dominant inheritance (Leroy et al) (BCLO), 441
C-peptide and insulin, plasma (Knip and Åkerblom) (BCLO), 103
Cranial, intra-, hemorrhage and circulating coagulation inhibitor in β-thalassemia major (Sinniah et al), 700
C-reactive protein in spinal fluid with meningitis (Corrall et al), 365
Crohn disease and orbital pseudotumor (Young et al) (BCLO), 250
Cryptorchidism in meningomyelocele (Kropp and Voeller) (BCLO), 110
CSF lactate in suspected bacterial meningitis (Brook) (Letter), 332; (Benjamin) (Reply), 332
CT scan in mentally retarded children (Golden et al) (Letter), 327; (Moeschler) (Reply), 327
Cupping lesions simulating child abuse (Asnes and Wisotsky) (BCLO), 267
Curvularia brain abscess, fatal recurrent (Friedman et al) (BCLO), 413
Cystic fibrosis—clindamycin therapy of staphylococcal pulmonary infections in patients with (Shapera et al) (BCLO), 647
—demonstration of normal plasma somatomedin concentrations in (Rosenfeld et al) (BCLO), 252
—detection of vitamin K deficiency and liver disease in patients with: Factor II (prothrombin) coagulant activity and immunoreactive protein (Corrigan et al) (BCLO), 254
—double-blind controlled trial of anti-*Pseudomonas* chemotherapy of acute respiratory exacerbations in patients with (Hyatt et al), 307
—^{125}I-Clq-binding and specific antibodies as indicators of pulmonary disease activity in (Moss et al), 215
patients—safety of long-duration intravenous heparin-lock needles for administration of administration of antibiotics to (Hodder and Stern) (BCLO), 312
pulsus paradoxus in (Hen and Dolan), (BCLO), 585
selenium and vitamin E status in (Castillo et al) (BCLO), 583
Cytomegalovirus and proencephaly in surviving monozygotic twin (Sander and Chaplin) (Letter), 500
Cytotoxicity, monocyte, sustained depression of—in boy with disseminated nontuberculous myobacteriosis (Herlin et al) (BCLO), 264

D

Death syndrome, sudden infant—elevated values of tri-iodothyronine in victims of (Chacon and Tildon) (BCLO), 758
Deferoxamine therapy, long-term—response in thalassemia (Cohen et al), 689
Deficiency *see* specific deficiency
Denial, positive function of (Detwiler) (Editor's column), 401
Denver Developmental Screening Test—newly abbreviated and revised (Frankenburg et al), 995
Developmental Screening Test, Denver—newly abbreviated and revised (Frankenburg et al), 995
Dexamethasone administration and pneumococcal meningitis—association between persistence of (Brady et al) (BCLO), 924
Diabetes, insulin-dependent—factors affecting glycosylated hemoglobin values with (Daneman et al), 847
mellitus—classification and diagnosis in children and adolescents (Rosenbloom et al), 320
in adolescents with improved metabolic control—reversal of neuropathic and gastrointestinal complications related to (White et al), 41
insulin-dependent—electroencephalographic changes in diabetic ketosis in children with newly and previously diagnosed (Tsalikian et al), 355
thryoid autoimmunity in: Case for routine screening (Riley et al), 350
juvenile—management of (Garfunkel) (Editor's column), 911
rheumatoid arthritis with (Rudolf et al), 519
keystone to effective management of: Plasma free insulin concentrations (Malone and Root), 862
Diaphragmatic paralysis, bilateral (Rubatelli et al) (Letter), 667; (Aldrich and Herman) (Reply), 667
Diarrhea, acquired chloride (Kaplan and Vitullo), 211
caused by *Shigella*, rotavirus, and *Giardia* in day-care centers: Prospective study (Pickering et al), 51
induced by sorbitol (Chusid and Chusid) (Letter), 326
infantile—relationship of oral rehydration solution to hypernatremia in (Cleary et al) (BCLO), 739
secretory, receiving total parenteral nutrition—biotin-responsive in vivo carboxylase deficiency in two siblings with (Kien et al), 546
Dietary-dependent carnitine deficiency as cause of nonketotic hypoglycemia in infant (Slonim et al), 551
Digoxin concentration—relationship between serum and saliva in infants (Krivoy et al) (BCLO), 810
1,25-Dihyroxyvitamin D and 25-hydroxyvitamin D in human milk, lack of (Greer et al) (BCLO), 233
concentrations, elevated serum, in rickets of very low-birth-weight infants (Steichen et al), 293
Disaccharidase values in iron-deficient infants (Lanzkowsky et al) (BCLO), 605
Discrimination in classroom, possible marker for: HB_sAg (Kelso et al) (Letter), 335; (Oleske et al) (Reply), 336
DNA, recombination, and pediatrician (Miller), 1
Dopamine in severely asphyxiated neonate—cardiovascular effects of (DiSessa et al), 772
Doppler flow and radionuclide scan studies in evaluation and management of peripheral artery thrombosis in neonate (Puppala et al) (BCLO), 791
Dosing interval and formulation—relationship to fluctuation of serum theophylline concentration in children with chronic asthma (Weinberger et al), 145
Drug delivery, intravenous—influence of specific gravity on (Rajchgot et al) (BCLO), 658
Dumping syndrome, infant, after gastroesophageal reflux surgery (Meyer et al) (BCLO), 235
Dwarfed children—growth and somatomedin-C responses to growth hormone in (Hayek and Peake), 868
Dwarfism, postnatal, and mental retardation—new malformation syndrome of long palpebral fissures, large ears, depressed nasal tip, and skeletal anomalies associated with (Kuroki et al), 570
Dyslipidemia and plasma carnitine concentrations in children on maintenance hemodialysis (Gusmano et al) (BCLO), 429

Dysplasia, arteriohepatic–variant? Congenital heart disease, butterfly vertebrae, and extrahepatic biliary atresia (Kocoshis et al) (BCLO), 436
bronchopulmonary–oxygen consumption in infants with (Weinstein and Oh) (BCLO), 958

E

Ears, large and protruding, unusual facies, mental retardation, and postnatal growth deficiency–Kabuki make-up syndrome (Niikawa et al), 565
long palpebral fissures, depressed nasal tip, and skeletal anomalies associated with postnatal dwarfism and mental retardation–new malformation syndrome (Kuroki et al), 570
Echocardiography, contrast, in diagnosis of PDA (Bell) (Letter), 668; (Valdes-Cruz) (Reply), 668
real-time two-dimensional (Sahn), 175
Electroencephalographic changes in diabetic ketosis in children with newly and previously diagnosed insulin-dependent diabetes mellitus (Tsalikian et al), 355
findings in leukemia (Ch'ien) (Letter), 827
Electrolyte concentrations, sweat–familial cholestasis with (Lloyd-Still) (BCLO), 580
Emulsions, intravenous lipid, and human neutrophil function (English et al) (BCLO), 913
Encephalopathy, postasphyxial–prognostic value of computed tomography as adjunct to assessment of term infant with (Fitzhardinge et al), 777
Energy and intravenous nitrogen intakes required to duplicate in utero nitrogen accretion in prematurely born human infants (Zlotkin et al), 115
balance in low-birth-weight infants (Weil) (Editor's column), 737
intake, postnatal age, and weight gain–influence on energy metabolism in the very LBW infant (Chessex et al), 761
Enterocolitis, necrotizing, and defect of phagocytosis–transfusion of polymorphonuclear leukocytes in infants with (De Curtis et al) (Letter), 665
nonantibiotic-associated, caused by *Clostridium difficile* in infant (Hyams et al) (BCLO), 750
Enuretic children, treated and untreated, and matched nonenuretic controls–environmental and behavorial characteristics of (Couchells et al), 812
Environmental and behavioral characteristics of treated and untreated enuretic children and matched nonenuretic controls (Couchells et al), 812
hazards and pediatrician (Garfunkel) (Editor's column), 400
Enzyme, serum angiotensin-converting, activity in normal children and in those with sarcoidosis (Rodriguez et al), 68
Epstein-Barr virus infection in association with childhood pneumonia–clinical, virologic, and serologic evidence of (Andiman et al), 880
Erysipeloid in infant (Lacroix et al) (BCLO), 745
Erythromycin–effect on theophylline clearance in asthmatic patients (LaForce et al), 153
Erythropoiesis, growth, and primary hemostasis–inhibitory effects on: Angiomatous lymphoid hamartoma (Buchanan et al), 382
Esophageal sphincter pressure, lower, and serum gastrin concentration in newborn infant–relationship between (Moroz and Beiko), 725
Evaporative and convective heat losses and radiant heat transfer in premature infant–effect of heat shielding on (Baumgart et al), 948
Exchange transfusion in acute chloramphenicol toxicity (Stevens et al) (BCLO), 651
neonatal myasthenia (Pasternak et al) (BCLO), 644
Exercise, dynamic in healthy children, blood pressure response to–black vs white (Alpert et al), 556
Exocrine pancreatic dysfunction presenting in neonate–syndrome of refractory sideroblastic anemia with vascuolization of marrow precursors (Stoddard et al) (BCLO), 259
Eye lesions, rash, chronic meningitis, and mental retardation–arthropathy with (Prieur and Griscelli), 79

F

Facies, unusual, mental retardation, large and protruding ears, and postnatal growth deficiency–Kabuki make-up syndrome (Niikawa et al), 565
Factor II (prothrombin) coagulant activity and immunoreactive protein: Detection of vitamin K deficiency and liver disease in patients with cystic fibrosis (Corrigan et al) (BCLO), 254
Familial cholestasis with elevated sweat electrolyte concentrations (Lloyd-Still) (BCLO), 580
hypophosphatemic rickets–long-term treatment with oral phosphate and 1α-hydroxy-vitamin D_3 (Rasmussen et al), 16
occurrence of congenital colonic atresia (Benawra et al) (BCLO), 435
Family(ies) relationships in anorexia nervosa (Monroe) (Letter), 830; (Casper) (Reply), 830
study of 22: Wagner-Stickler syndrome (Liberfarb et al), 394
Fat, protein, and carbohydrate balance in first 2 weeks of life: Human milk feeding in premature infants (Atkinson et al), 617
Fecal clearance of α_1-antitrypsin: Reliable measure of enteric protein loss in children (Hill et al) (BCLO), 416
Feeding, continuous nocturnal–resolution of need in patient with severe type I glycogen storage disease (Greene et al) (BCLO), 602
versus intermittent–controlled comparison in treatment of infants with intestinal disease (Parker et al), 360
human milk, and vitamin D supplementation–1981 (Finberg) (Editor's column), 228
in premature infants: Protein, fat, and carbohydrate balance in the first two weeks of life (Atkinson et al), 617
transpyloric tube, using nonpasteurized human milk (Gustafson and Kjellman) (BCLO), 300
Femoral head necrosis in uremic children without steroid treatment or transplantation (Mehls et al) (BCLO), 926
Fibrosis, congenital hepatic (Alvarez et al), 370
Fissures, long palpebral, large ears, depressed nasal tip, and skeletal anomalies associated with postnatal dwarfism and mental retardation–new malformation syndrome (Kuroki et al), 570

Flow velocity in anterior cerebral arteries—effect of patent ductus arteriosus on: Ductal steal in premature newborn infant (Perlman et al), 767
Folate malabsorption, congenital (Poncz et al) (Letter), 828
Food antibodies in milk from Guatemalan women (Cruz et al) (BCLO), 600
Footprinting newborn infant: Not cost effective (Thompson et al) (BCLO), 797
Forelock (white), pigmentary disorder of irides and long segment Hirschsprung disease: Possible variant of Waardenburg syndrome (Shah et al) (BCLO), 432

G

Gas measurements, neonatal blood—potential errors in (Chirico and Rondini) (Letter), 833; (Fan and Dellinger) (Reply), 833
Gastric emptying, delayed, and gastroesophageal reflux (Dimler) (Letter), 504; (Hillemeier) (Reply), 504
with gastroesophageal reflux (Weyrauch) (Letter), 669; (Hillemeier) (Reply), 669
Gastrin concentration, serum, and lower esophageal sphincter pressure in newborn infant—relationship between (Moroz and Bieko), 725
Gastroesophageal reflux and delayed gastric emptying (Dimler) (Letter), 504; (Hillemeier) (Reply), 504
in severely retarded children—comparison of medical and surgical treatment (Wilkinson et al), 202
Relation to apnea (Walsh et al), 197
surgery—infant dumping syndrome after (Meyer et al) (BCLO), 235
with delayed gastric emptying (Weyrauch) (Letter), 669; (Hillemeier) (Reply), 669
Gastrointestinal and neuropathic complications, reversal of, related to diabetes mellitus in adolescents with improved metabolic control (White et al), 41
Genital tract infection with *Chlamydia* trachomatis in prepubertal children (Rettig and Nelson), 206
Gentamicin, overdosage, neonatal—management of (Fuquay et al) (BCLO), 473
Germinal matrix hemorrhage, neonatal: Evidence of a progressive lesion (Donn and Stuck) (BCLO), 459
Gestational-age, small-for-, infants—serum complement and immunoglobulin values in (Shapiro et al) (BCLO), 193
Giant cell hepatitis, severe, with autoimmune hemolytic anemia (Bernard et al), 704
Giardia, rotavirus, and *Shigella* in day-care centers, diarrhea caused by: Prospective study (Pickering et al), 51
Globulin, modified immune serum, in experimental group B streptococcal infection—protective efficacy of (Santos et al) (BCLO), 873
Glucomylase activity, mucosal (Kerzner and Sloan) (Letter), 338; (Lebenthal and Lee) (Reply), 338
Glycogen storage disease, severe type I—resolution of need for continuous nocturnal feeding in patient with (Greene et al) (BCLO), 602
type IB—neutropenia in (Narisawa and Tada) (Letter), 334
Glycosylated hemoglobin values with insulin-dependent diabetes—factors affecting (Daneman et al), 847
Gowns and masks used to control respiratory illness in pediatric hospital personnel (Murphy et al) (BCLO), 746
Granulocyte transfusions for neonatal sepsis (Sacher et al) (Letter), 337; (Laurenti et al) (Reply), 337
Gravity, specific—influence on intravenous drug delivery (Rajchgot et al) (BCLO), 658
Growth and somatomedin-C responses to growth hormone in dwarfed children (Hayek and Peake), 868
deficiency, postnatal, mental retardation, unusual facies, large and protruding ears: Kabuki make-up syndrome (Niikawa et al), 565
disorders of—use of commercially available somatomedin-C radioimmunoassay with (Reiter and Lovinger), 720
erythropoiesis, and primary hemostasis—inhibitory effects on: Angiomatous lymphoid hamartoma (Buchanan et al), 382
hormone testing, propranolol-induced hypoglycemia during (Pelsor et al) (BCLO), 157
intrauterine—standards for African population at sea level (Olowe), 489
retardation in β-thalassemia (Arcasoy and Cavdar) (Letter), 671; (Saenger et al) (Reply), 672

H

Haemophilus infections, rifampin prophylaxis for (Shapiro) (Letter), 670; (Daum et al) (Reply), 671
influenzae meningitis, oral chloramphenicol in treatment of (Tuomanen et al), 968
studies of moxalactam for gram-negative and; Apprasial (Dillon) (Editor's column), 907
rifampin-resistant—emergence after prophylaxis (Murphy et al) (BCLO), 406
type B meningitis—nasopharyngeal viral isolates with (Kaplan et al) (BCLO), 591
Hamartoma, angiomatous lymphoid: Inhibitory effects on erythropoiesis, growth, and primary hemostasis (Buchanan et al), 382
HB_sAg: Possible marker for discrimination in classroom (Kelso et al) (Letter), 335; (Oleske et al) (Reply), 336
Heart disease, congenital, butterfly vertebrae, and extrahepatic biliary atresia: Variant of arteriohepatic dysplasia? (Kocoshis et al) (BCLO), 436
coloboma, and choanal atresia with multiple anomalies: CHARGE association (Pagon et al), 223
Heat shielding—effect on convective and evaporative heat losses and radiant heat transfer in premature infant (Baumgart et al), 948
Hematologic and selenium status of LBW infants fed formulas with and without iron (Rudolph et al), 57
Hematomas, cerebellar, in neonates—conservative management of (Gouyon et al) (Letter), 827
Hematuria, asymptomatic gross, associated with idiopathic hypercalciuria (Kalia et al), 716
preceding renal calculus formation with hypercalciuria (Roy et al), 712
Hemodialysis, maintenance—plasma carnitine concentrations and dyslipidemia in children on (Gusmano et al) (BCLO), 429

Hemoglobin(s) A_2 and F and red blood cell indices in infants heterozygous for β-thalassemia—prospective study of (Galanello et al) (BCLO), 105
concentration with sickle cell trait (Yip and Nelson) (BCLO), 257
values, glycosylated, with insulin-dependent diabetes—factors affecting (Daneman et al), 847
Hemoglobinopathies, major sickle—etiology of osteomyelitis with (Givner et al) (BCLO), 411
Hemolysis—effect of speed of infusion and of needle gauge on: Blood transfusions (Herrera and Corless) (BCLO), 757
Hemolytic anemia, autoimmune, with severe giant cell hepatitis (Bernard et al), 704
disease, unrecognized ABO, in newborn infant (Matsuo et al) (Letter), 167; (Falterman and Richardson) (Reply), 168
streptococci, non-group D alpha-: New neonatal pathogens (Broughton et al), 450
-uremic syndrome—hemorrhagic cerebral infarction in (Crisp et al) (BCLO), 273
Hemorrhage, intracranial, and circulating coagulation inhibitor in β-thalassemia major (Sinniah et al), 700
intraventricular, in LBW infants—risk factor analysis of (Clark et al), 625; Commentary (Garfunkel), 628
neonatal germinal matrix: Evidence of a progressive lesion (Donn and Stuck) (BCLO), 459
intraventricular—neurologic signs in: Correlation with real-time ultrasound (Dubowitz et al), 127
Hemorrhagic cerebral infarction in hemolytic-uremic syndrome (Crisp et al) (BCLO), 273
Hemostasis, primary, growth, and erythropoiesis—inhibitory effects on: Angiomatous lymphoid hamartoma (Buchanan et al), 382
Heparin-lock needles, long-duration intravenous—safety for administration of antibiotics to cystic fibrosis patients (Hodder and Stern) (BCLO), 312
Hepatic, extra-, biliary atresia, congenital heart disease, and butterfly vertebrae: Variant of arteriohepatic dysplasia? (Kocoshis et al) (BCLO), 436
fibrosis, congenital (Alvarez et al), 370
function in human neonate, effect of short-term total parenteral nutrition on: Prospective randomized study demonstrating alteration of hepatic canalicular function (Black et al), 445
portoenterostomy for biliary atresia—trimethoprim-sulfamethoxazole for cholangitis following (Chaudhary and Turner) (BCLO), 656
Hepatitis associated with use of sulindac (Kaul et al) (BCLO), 650
B and acute lymphoblastic leukemia (Masera et al) (BCLO), 98
transmitted in classroom setting (Reisman et al) (Letter), 174; (Oleske et al) (Reply), 174
severe giant cell, with autoimmune hemolytic anemia (Bernard et al), 704
Hirschsprung disease, long segment, white forelock, and pigmentary disorder of irides: Possible variant of Waardenburg syndrome (Shah et al) (BCLO), 432
Hodgkin, non-, lymphoma—prognostic value of presenting serum of LDH in (Ridgway et al) (BCLO), 611
Homocystinuria, use of betaine for treatment of (Smolin et al), 467
Hormone, growth, in dwarfed children—growth and somatomedin-C responses to (Hayek and Peake), 868
testing, growth—propranolol-induced hypoglycemia during (Pelsor et al) (BCLO), 157
Human milk feeding in premature infants: Protein, fat, and carbohydrate balance in first 2 weeks of life (Atkinson et al), 617
—value in prevention of infection in high-risk LBW infant (Narayanan et al), 496
Hyaline membrane disease—decreased umbilical cord serum ceruloplasmin concentrations with (Omene et al) (BCLO), 136
lα-Hydroxyvitamin D_3 and oral phosphate—long-term treatment of familial hypophosphatemic rickets with (Rasmussen et al), 16
25-Hydroxyvitamin D and 1,25-dihyroxyvitamin D in human milk, lack of (Greer et al) (BCLO), 233
Hyperammonemia—occurrence in course of 17 cases of methylmalonic acidemia (Cathelineau et al) (BCLO), 279
with valproic acid therapy (Coulter and Allen) (BCLO), 317
Hypercalciuria—hematuria preceding renal calculus formation (Roy et al), 712
idiopathic, associated with asymptomatic gross hematuria (Kalia et al), 716
Hyperglycemia—risk factors in children with leukemia receiving L-asparaginase and prednisone (Pui et al), 46
Hypernatremia in infantile diarrhea—relationship of oral rehydration solution to (Cleary et al) (BCLO), 739
Hyperostosis and hyperphosphatemia, syndrome of (Mikati et al), 900
cortical, after administration of prostaglandin E (Dekel and Francis) (Letter), 500
Hyperphosphatemia and hyperostosis, syndrome of (Mikati et al), 900
Hyperpipecolic acidemia: Clinical and biochemical observations in two male siblings (Burton et al), 729
Hyperplasia, congenital adrenal, associated with malignancy (Duck) (BCLO), 423
of alae nasi, situs inversus, and severe hypoproteinemia—syndrome in two siblings (Helin and Jodal) (BCLO), 932
Hyperprolactinemia causing primary amenorrhea (Sadeghi-Nejad et al) (BCLO), 802
Hyperreninemia, hypokalemia, and normal blood pressure with hypoaldosteronism (Bergstein and Weinberger), 561
Hypertension, pulmonary—effect of transfusion of RBC in (Griffith) (Letter), 670; (Drummond) (Reply), 670
Hypertrophic pyloric stenosis and icteropyloric syndrome—elimination of indocyanine green by liver of infants with (Roth et al) (BCLO), 240
Hypoaldosteronism—hypokalemia, normal blood pressure, and hyperreninemia with (Bergstein and Weinberger), 561
Hypoglycemia and neonatal cholestasis: Possible role of cortisol deficiency (Leblanc et al) (BCLO), 577
nonketotic, in infant—dietary dependent carnitine deficiency as cause of (Slonim et al), 551
propranolol-induced, during growth hormone testing (Pelsor et al) (BCLO), 157

Hypokalemia, normal blood pressure, and hyperreninemia with hypoaldosteronism (Bergstein and Weinberger), 561
Hypoparathyroidism and hypothyroidism, combined, in infant after maternal ^{131}I administration (Richards et al) (BCLO), 141
idiopathic, presenting with seizures during infancy: X-linked recessive inheritance in large Missouri kindred (Whyte and Weldon) (BCLO), 608
Hypophosphatemic primary, and vitamin D–dependent varieties: Rickets (Harrison and Finberg) (Editor's column), 84
rickets, familial—long-term treatment with oral phosphate and lα-hydroxy-vitamin D_3 (Rasmussen et al), 16
Hypoproteinemia, severe, situs inversus, and alae nasi—syndrome of congenital hypoplasia in two siblings (Helin and Jodal) (BCLO), 932
Hypothyroidism and hypoparathyroidism, combined, in infant after maternal ^{131}I administration (Richards et al) (BCLO), 141
congenital—cut-off for supplementary TSH testing in T_4 screening program for (Walfish and Wood) (Letter), 164; (Morissette and Dussault) (Reply), 165
racial differences in incidence of (Brown et al) (BCLO), 934
—screening for (Postellon) (Letter), 170: (Robertson) (Reply), 171
Hysterical conversion reactions (Meloff) (Letter), 327; (Maloney) (Reply), 328

I

^{125}I-Clq–binding and specific antibodies as indicators of pulmonary disease activity in cystic fibrosis (Moss et al), 215
Icteropyloric syndrome and hypertrophic pyloric stenosis—elimination of indocyanine by liver of infants with (Roth et al) (BCLO), 240
IgA concentration, elevated, in milk produced by mothers delivering preterm (Gross et al), 389
Immune response to respiratory syncytial virus—bronchomammary axis in (Fishaut et al), 186
serum globulin, modified, in experimental group B streptococcal infection—protective efficacy of (Santos et al) (BCLO), 873
Immunization, re-, with rubella vaccine—immunoglobulin response to (Butler et al), 531
with group B streptococcal (Type III) vaccine—lack of stimulation by isohemagglutinin antibodies (Webb et al) (BCLO), 918
Immunodeficiency, severe combined—prevalence of *Pneumocystis carinii* pneumonitis in (Leggiadro et al) (BCLO), 96
with quantitatively normal but abnormally differentiated T lymphocytes (Fischer et al) (BCLO), 261
Immunoglobulin A concentration, elevated, in milk produced by mothers delivering preterm (Gross et al), 389
and complement values, serum, in small-for-gestational-age infants (Shapiro et al) (BCLO), 139
response to reimmunization with rubella vaccine (Butler et al), 531
Immunoreactive protein and Factor II (prothrombin) coagulant activity: Detection of vitamin K deficiency and liver disease in patients with cystic fibrosis (Corrigan et al) (BCLO), 254
Immunoregulatory abnormalities with thrombocytopenic purpura (McIntosh et al), 525
Incubators, single- vs double-walled (Darnall) (Letter), 330; (Yet et al) (Reply), 331
Indocyanine green eliminated by liver of infants with hypertrophic pyloric stenosis and icteropyloric syndrome (Roth et al) (BCLO), 240
Indomethacin, follow-up of premature infants treated with (Yeh et al) (Letter), 336
Indulin-dependent diabetes mellitus—electroencephalographic changes in diabetic ketosis in children with newly and previously diagnosed (Tsalikian et al), 355
Infarction, hemorrhagic cerebral, in hemolytic-uremic syndrome (Crisp et al) (BCLO), 273
Infection *see* specific infection
Inflation, prolonged and slow-rise, in resuscitation of asphyxiated newborn infant—physiologic responses to (Vyas et al), 635
Infusion, speed of, and of needle gauge—effect on hemolysis: Blood transfusions (Herrera and Corless) (BCLO), 757
Inheritance, autosomal dominant—cerebro-costo-mandibular syndrome with (Leroy et al) (BCLO), 441
X-linked recessive, in large Missouri kindred: Idiopathic hypoparathyroidism presenting with seizures during infancy (Whyte and Weldon) (BCLO), 608
Inhibitor, circulating coagulation, and intracranial hemorrhage in β-thalassemia major (Sinniah et al), 700
Injection site and intravenous flow rate—effect on in vitro delivery and in vivo kinetics of chloramphenicol (Nahata et al), 463
Insensible weight loss measurements in newborn infants: Possible overestimation with Potter baby scale (Darnall) (BCLO), 794
Insulin and plasma C-peptide (Knip and Åkerblom) (BCLO), 103
concentrations, plasma free: Keystone to effective management of diabetes mellitus (Malone and Root), 862
dependent diabetes—factors affecting glycosylated hemoglobin values with (Daneman et al), 847
mellitus, thyroid autoimmunity in: Case for routine screening (Riley et al), 350
parenteral, administration: Child abuse (Bauman and Yalow) (BCLO), 588
regimens, single- and split-dose—comparison with 24-hour monitoring (Langdon et al), 854
Intensive care—is it justified for infants weighing less than 801 gm at birth? (Britton et al), 937
Interferon inducer (poly ICLC), artificial—treatment of recurrent laryngeal papillomatosis with (Leventhal et al) (BCLO), 614
Interstitial pneumonitis, nonspecific—decreased incidence with acute lymphocytic leukemia treated prophylactically with trimethoprim-sulfamethoxazole (Morgan) (BCLO), 807
Intestinal disease—controlled comparison of continuous versus intermittent feeding in treatment of infants with (Parker et al), 360

Intestinal disease–Cont'd
small–evaluation of D-xylose absorption measurements in children suspected of having (Hill et al) (BCLO), 245
Intravenous drug delivery, influence of specific gravity on (Rajchgot et al) (BCLO), 658
flow rate and injection site–effect on in vitro delivery and in vivo kinetics of chloramphenicol (Nahata et al), 463
lipid emulsions and human neutrophil function (English et al) (BCLO), 913
Intraventricular hemorrhage in LBW infants–risk factor analysis of (Clark et al) 625; Commentary (Garfunkel), 628
(neonatal), neurologic signs in: Correlation with real-time ultrasound (Dubowitz et al), 127
Iodine 131 administration, maternal–combined hypothyroidism and hypoparathyroidism in infant after (Richards et al) (BCLO), 141
Irides, pigmentary disorder of, white forelock, and long segment Hirschsprung disease: Possible variant of Waardenburg syndrome (Shah et al) (BCLO), 432
Iron balance, role of splenectomy in achieving: Chelation therapy in β-thalassemia major (Graziano et al), 695
deficiency, diagnosis of: Limitations of laboratory tests in predicting response to iron treatment in 1-year-old infants (Dallman et al), 376
deficient infants–disaccharidase values in (Lanzkowsky et al) (BCLO), 605
formulas with and without–hematologic and selenium status of LBW infants fed (Rudolph et al), 57
nutriture of infants exclusively breast-fed the first five months (Owen et al) (BCLO), 237
overdose–emergency assessment of severity by clinical and laboratory methods (Lacouture et al) (BCLO), 89
Isohemagglutinin antibodies–lack of stimulation by immunization with group B streptococcal (Type III) vaccine (Webb et al) (BCLO), 918

J

Jaundice, breast-milk (Poland) (Editor's column), 86
neonatal, treated with phototherapy, cholestyramine, and bicarbonate (Malamitsi-Puchner et al) (Letter), 324
Juvenile diabetes mellitus, management of (Garfunkel) (Editor's column), 911
rheumatoid arthritis with diabetes mellitus (Rudolf et al), 519

K

Kabuki make-up syndrome: Syndrome of mental retardation, unusual facies, large and protruding ears, and postnatal growth deficiency (Niikawa et al), 565
Ketosis, diabetic, in children with newly and previously diagnosed insulin-dependent diabetes mellitus–electroencephalographic changes in (Tsalikian et al), 355
β-Ketothiolase deficiency–congestive cardiomyopathy associated with (Henry et al) (BCLO), 754
Ketotic, non-, hypoglycemia in infant–dietary dependent carnitine deficiency as cause of (Slonim et al), 551
Kidney transplantation, varicella after (Hurley) (Letter), 340; (Feldhoff et al) (Reply), 340
Kinetics, in vivo, of chloramphenicol–effect of intravenous flow rate and injection site on in vitro delivery and (Nahata et al), 463

L

Lactate, CSF, in suspected bacterial meningitis (Brook) (Letter), 332; (Benjamin) (Reply), 332
dehydrogenase, presenting serum, in non-Hodgkin lymphoma–prognostic value of (Ridgway et al) (BCLO), 611
Lactic acidosis in pediatric patients with cancer receiving total parenteral nutrition (Merritt et al) (BCLO), 247
tertiary (Rogers et al) (BCLO), 272
Lactose malabsorption following rotavirus infection (Hyams et al) (BCLO), 916
Language–defence of the mother tongue (de Glanville) (Letter), 664; (Garfunkel and Merrill) (Reply), 664
Laryngeal papillomatosis, recurrent, treated with artificial interferon inducer (poly ICLC) (Leventhal et al) (BCLO), 614
Legionella infection, frequency of, prospectively determined in children hospitalized with pneumonia (Orenstein et al) (BCLO), 403
Leukemia(s), acute lymphoblastic, and hepatitis B (Masera et al) (BCLO), 98
lymphocytic, treated prophylactically with trimethoprim-sulfamethoxazole–decreased incidence of nonspecific interstitial pneumonitis with (Morgan) (BCLO), 807
childhood (Sallan et al), 676
EEG findings in (Ch'ien) (Letter), 827
in children receiving L-asparaginase and prednisone risk factors for hyperglycemia with (Pui et al), 46
in patients with Shwachman syndrome, occurrence of (Woods et al) (BCLO), 425
pediatric patients with, parents, and physicians–patterns of communications among: Prognostic disagreements and misunderstandings (Mulhern et al), 480
Leukemic relapse, testicular: Rate of regression and persistent disease after radiation therapy (Mirro et al) (BCLO), 439
Leukocytes, polymorphonuctlear, transfusion in infants with necrotizing enterocolitis and defect of phagocytosis (De Curtis et al) (Letter), 665
Linguistic development in PKU (Zartler and Sassaman) (Letter), 501; (Melnick et al) (Reply), 501
Lipid emulsions, intravenous, and human neutrophil function (English et al) (BCLO), 913
Liver disease and vitamin K deficiency detected in patients with cystic fibrosis: Factor II (prothrombin) coagulant activity and immunoreactive protein (Corrigan et al) (BCLO), 254
of infants with hypertrophic pyloric stenosis and icteropyloric syndrome–elimination of indocyanine green by (Roth et al) (BCLO), 240
Lupus erythematosus, systemic–autoerythrocyte sensitization syndrome as primary manifestation of (Scott et al) (BCLO), 598

Lupus erythematosus, systemic—Cont'd
meningococcal infection complication (Lehman et al) (BCLO), 94
Lymphoblastic leukemia, acute, and hepatitis B (Masera et al) (BCLO), 98
Lymphocytes, T—severe combined immunodeficiency with quantitatively normal but abnormally differentiated (Fischer et al) (BCLO), 216
Lymphocytic leukemia, acute, treated prophylactically with trimethoprim-sulfamethoxazole—decreased incidence of nonspecific interstitial pneumonitis with (Morgan) (BCLO), 807
Lymphoma, non-Hodgkin—prognostic value of presenting serum of LDH in (Ridgway et al) (BCLO), 611
Lymphoid hamartoma, angiomatous: Inhibitory effects on erythropoiesis, growth, and primary hemostasis (Buchanan et al), 382

M

Macrocrystals, nitrofurantoin—3-day therapy of lower urinary tract infections with: Randomized clinical trial (Lohr et al), 980
Malabsorption, congenital folate (Poncz et al) (Letter), 828
lactose, following rotavirus infection (Hyams et al) (BCLO), 916
Malformation syndrome, new, of long palpebral fissures, large ears, depressed nasal tip, and skeletal anomalies associated with postnatal dwarfism and mental retardation (Kuroki et al), 570
Malignancy associated with congenital adrenal hyperplasia (Duck) (BCLO), 423
Mandibular-costo-cerebro syndrome with autosomal dominant inheritance (Leroy et al) (BCLO), 441
Marrow precursors, vacuolization of, and exocrine pancreatic dysfunction presenting in neonate—syndrome of refractory sideroblastic anemia with (Stoddard et al) (BCLO), 259
Masks and gowns used to control respiratory illness in pediatric hospital personnel (Murphy et al) (BCLO), 746
Measurements, insensible weight loss, in newborn infants: Possible overestimation with the Potter baby scale (Darnall) (BCLO), 794
neonatal blood gas—potential errors in (Chirico and Rondini) (Letter), 833; (Fan and Dellinger) (Reply), 833
Mechanical ventilation in neonates, significance during—mean airway pressure (Ciszek et al), 121
Meningitis, bacterial—the diffusion of moxalactam into cerebrospinal fluid in children with (Thirumoorthi et al), 975
chronic, rash, eye lesions, and mental retardation—arthropathy with (Prieur and Griscelli), 79
C-reactive protein in spinal fluid with (Corrall et al), 365
H. influenzae—oral chloramphenicol in treatment of (Tuomanen et al), 968
type B—nasopharyngeal viral isolates with (Kaplan et al) (BCLO), 591
neonatal bacterial—ventriculitis with: Identification by real-time ultrasound (Hill et al) (BCLO), 133
Meningitis—Cont'd
pneumococcal, and dexamethasone administration, association between persistence of (Brady et al) (BCLO), 924
tuberculous—radioactive bromide partition test in diagnosis of (Buchanan) (Letter), 506; (Wiggelinkuizen and Mann) (Reply), 506
Meningococcal infection(s) complicating systemic lupus erythematosus (Lehman et al) (BCLO), 94
complications and sequelae of (Edwards and Baker), 540
Meningomyelocele, cryptorchidism in (Kropp and Voeller) (BCLO), 110
Menke, pseudo-, syndrome (Dinno et al) (Letter), 325
Mental retardation and postnatal dwarfism—new malformation syndrome of long palpebral fissures, large ears, depressed nasal tip, and skeletal anomalies associated with (Kuroki et al), 570
rash, chronic meningitis, and eye lesions—arthropathy with (Prieur and Griscelli), 79
unusual facies, large and protruding ears, and postnatal growth deficiency—Kabuki make-up syndrome (Niikawa et al), 565
Mentally retarded children—CT scan in (Golden et al) (Letter), 327; (Moeschler) (Reply), 327
Metabolic control, improved—reversal of neuropathic and gastrointestional complications related to diabetes mellitus in adolescents with (White et al), 41
Metabolism, energy, in very LBW infant—influence of postnatal age, energy intake, and weight gain on (Chessex et al), 761
vitamin D, in preterm infants: Serum calcitriol levels during first 5 days of life (Glorieux et al), 640
zinc: Behavioral, basic, and clinical aspects (Gordon et al), 341
Methylmalonic acidemia—occurrence of hyperammonemia in course of 17 cases of (Cathelineau et al) (BCLO), 279
Milk, breast-, jaundice (Poland) (Editor's column), 86
feeding, human, and vitamin D supplementation—1981 (Finberg) (Editor's column), 228
from Guatemalan women—food antibodies in, (Cruz et al) (BCLO), 600
human, feeding in premature infants: Protein, fat, and carbohydrate balance in first 2 weeks of life (Atkinson et al), 617
—lack of 25-hydroxyvitamin D and 1,25-dihyroxyvitamin D in human milk (Greer et al) (BCLO), 233
—sulfisoxazole in (Elliott and Quinn) (Letter), 171; (Kauffman) (Reply), 172
—value in prevention of infection in high-risk LBW infant (Narayanan et al), 496
nonpasteurized human—use of transpyloric tube feeding with (Gustafson and Kjellman) (BCLO), 300
produced by mothers delivering preterm, elevated IgA concentration in (Gross et al), 389
Mineralization, adequate bone, in breast-fed infants (Roberts et al), 192
Monocyte cytotoxicity, sustained depression of, in boy with disseminated nontubercuous myobacteriosis (Herlin et al) (BCLO), 264
Monozygotic twin, surviving—proencephaly and cytomegalovirus in (Sander and Chaplin) (Letter), 500

Moro reflex and congenital clasped thumb (Anderson and Breed) (Letter), 664
Mortality rate(s), neonatal—analysis of (Paneth et al) (Letter), 503
influence of race on (Sepkowitz) (Letter), 504; (Paneth et al) (Reply), 505
Moxalactam diffused into cerebrospinal fluid in children with bacterial meningitis (Thirumoorthi et al), 975
studies for gram-negative and *Haemophilus influenzae* meningitis: Appraisal (Dillon) (Editor's column), 907
Mucosal glucomylase activity (Kerzner and Sloan) (Letter), 338; (Lebenthal and Lee) (Reply), 338
Myasthenia, neonatal—exchange transfusion in (Pasternak et al) (BCLO), 644
Mycoplasma hominis septicemia in burned infant (Dan et al) (BCLO), 743
Myocobacteriosis, disseminated nontuberculous—sustained depression of monocyte cytotoxicity in boy with (Herlin et al) (BCLO), 264

N

Nasal tip, depressed, large ears, long palpebral fissures, and skeletal anomalies associated with postnatal dwarfism and mental retardation—new malformation syndrome (Kuroki et al), 570
Nasopharyngeal rhabdomyosarcoma and Rubinstein-Taybi syndrome (Sobel and Woerner) (Letter), 1000
viral isolates in children with *H. influenzae* type B meningitis (Kaplan et al) (BCLO), 591
Necrosis, femoral head, in uremic children without steroid treatment or transplantation (Mehls et al) (BCLO), 926
Necrotizing enterocolitis and defect of phagocytosis—transfusions of polymorphonuclear leukocytes in infants with (De Curtis et al) (Letter), 665
Needle gauge and speed of infusion—effect on hemolysis: Blood transfusions (Herrera and Corless) (BCLO), 757
Neonatal infection (Kurnetz et al), 822
Neoplasia, neurogenic, and trisomy 18 (Robinson and McCorquodale) (BCLO), 428
Neurogenic neoplasia and trisomy 18 (Robinson and McCorquodale) (BCLO), 428
Neurologic signs in neonatal intraventricular hemorrhage: Correlation with real-time ultrasound (Dubowitz et al), 127
Neuropathic and gastrointestinal complications, reversal of, related to diabetes mellitus in adolescents with improved metabolic control (White et al), 41
Neurotoxicity of L-asparaginase and strokes (White et al) (Letter), 168
Neutropenia in type IB glycogen storage disease (Narisawa and Tada) (Letter), 334
Neutrophil function, human, and intravenous lipid emulsions (English et al) (BCLO), 913
New books received, 144, 306, 462, 738, 912
Nitrofurantoin macrocrystals—3-day therapy of lower urinary tract infections with: Randomized clinical trial (Lohr et al), 980
Nitrogen balance during parenteral nutrition (Anderson) (Letter), 829; (Rubecz et al) (Reply), 829
Nitrogen—Cont'd
intravenous, and energy intakes required to duplicate in utero nitrogen accretion in prematurely born human infants (Zlotkin et al), 115
Nocardiosis, cervicofacial (Lampe et al) (BCLO), 593
Nocturnal feeding, continuous—resolution of need in patient with severe type I glycogen storage disease (Greene et al) (BCLO), 602
Nutrition, parenteral—nitrogen balance during (Anderson) (Letter), 829; (Rubecz et al) (Reply), 829
short-term total parenteral—effect on hepatic function in human neonate: Prospective randomized study demonstrating alteration of hepatic canalicular function (Black et al), 445
total parenteral—biotin-responsive in vivo carboxylase deficiency in two siblings with secretory diarrhea receiving (Kien et al), 546
lactic acidosis in pediatric patients with cancer receiving (Merritt et al) (BCLO), 247
zinc-supplemented parenteral—clinical zinc deficiency during (Ishizaka et al) (Letter), 339; (McClain and Shapr) (Reply), 339
Nutriture, iron, of infants exclusively breast-fed the first five months (Owen et al) (BCLO), 237

O

Oral rehydration solution to hypernatremia in infantile diarrhea, relationship of (Cleary et al) (BCLO), 739
Orbital pseudotumor and Crohn disease (Young et al) (BCLO) 250
Ornithine transcarbamylase deficiency, partial, simulating Reye syndrome (Yokoi et al) (BCLO), 929
Oscillatory ventilation, high-frequcney—treatment of RDS by: Preliminary report (Marchak et al), 287
Osteomyelitis with major sickle hemoglobinopathies, etiology of (Givner et al) (BCLO), 411
Oxidative response and phagocytic cell locomotion during particle phagocytosis—recurrent infections and delayed separation of umbilical cord in infant with (Abramson et al), 887
Oxygen consumption in infants with bronchopulmonary dysplasia (Weinstein and Oh) (BCLO), 958
Oxygenation, arterial, after pancuronium paralysis (Bishop) (Letter), 325

P

Pain relief, Brompton mixture for (Howrie) (Letter), 666
Palpebral fissures, long, large ears, depressed nasal tip, and skeletal anomalies associated with postnatal dwarfism and mental retardation—new malformation syndrome (Kuroki et al), 570
Pancreatic dysfunction, exocrine, presenting in neonate—syndrome of refractory sideroblastic a anemia with vacuolizations of marrow precursors (Stoddard et al) (BCLO), 259
Pancuronium paralysis and arterial oxygenation (Bishop) (Letter), 325

Papillomatosis, recurrent laryngeal, treated with artificial interferon inducer (poly ICLC) (Leventhal et al) (BCLO), 614
Paradoxus, pulsus, in cystic fibrosis (Hen and Dolan) (BCLO), 585
Paralysis, bilateral diaphragmatic (Rubaltelli et al) (Letter), 667; (Aldrich and Herman) (Reply), 667
pancuronium, and arterial oxygenation (Bishop) (Letter), 325
Parathyroidism, hypo-, and hypothyroidism, combined, in infant after maternal ^{131}I administration (Richards et al) (BCLO), 141
idiopathic—presenting with seizures during infancy: X-linked recessive inheritance in large Missouri kindred (Whyte and Weldon) (BCLO), 608
Parenteral alimentation solution, vitamin A delivery from (Shenai et al) (BCLO), 661
insulin administration: Child abuse (Bauman and Yalow) (BCLO), 588
nutrition, nitrogen balance during (Anderson) (letter), 829; (Rubecz et al) (Reply), 829
short-term total—effect on hepatic function in human neonate: Prospective randomized study demonstrating alteration of hepatic canalicular function (Black et al), 445
total—biotin-responsvive in vivo carboxylase deficiency in two siblings with secretory diarrhea receiving (Kien et al), 546
lactic acidosis in pediatric patients with cancer receiving (Merritt et al) (BCLO), 247
zinc-supplemented—clinical zinc deficiency during (Ishizaka et al) (Letter), 339; (McClain and Sharp) (Reply), 339
Paroxysmal supraventricular tachycardia with Wolff-Parkinson-White syndrome—verapamil for (Casta) (Letter), 502; (Shahar et al) (Reply), 502
Particle phagocytosis—recurrent infections and delayed separation of umbilical cord in infant with phagocytic cell locomotion and oxidative response during (Abramson et al), 887
Pasteurized, non-, human milk—use of transpyloric tube feeding with (Gustafson and Kjellman) (BCLO), 300
Patent ductus arteriosus—contrast echocardiography in diagnosis of (Bell) (Letter), 668; (Valdes-Cruz) (Reply), 668
early closure in very low-birth-weight infants: Controlled trial (Merritt et al), 281
effect on flow velocity in anterior cerebral arteries: Ductal steal in premature newborn infant (Perlman et al), 767
Penicillin-tolerant group B streptococci, recurrent infection associated with: Report of two cases (Siegel et al) (BCLO), 920
Peptide, C-(plasma), and insulin (Knip and Åkerblom) (BCLO), 103
Pepto-Bismol (bismuth subsalicylate-containing compound)—absorption of salicylate and bismuth from (Pickering et al) (BCLO), 654
Phagocytic cell locomotion, abnormal, and oxidative response during particle phagocytosis—recurrent infections and delayed separation of umbilical cord in infant with (Abramson et al), 887
Phagocytosis, defect of, necrotizing enterocolitis—transfusion of polymorphonuclear leukocytes in infants with (De Curtis et al) (Letter), 665
Phagocytosis—Cont'd
particle—recurrent infections and delayed separation of umbilical cord in an infant with phagocytic cell locomotion and with oxidative response during (Abramson et al), 887
Pharmacokinetics of salicylate, effect of age on (Buchanec et al) (Letter), 833
theophylline—evidence for circadian variation of: Sustained-release theophylline for asthma (Scott et al) (BCLO), 476
Phenobarbital plasma concentration/dosage rations—effect of concurrent administration of valproate sodium on (Suganuma et al) (BCLO), 314
Phenylketonuria during newborn period—plasma and cerebrospinal fluid amino acid concentrations in (Snyderman et al), 63
Phenylketonuria, linguistic developement in (Zartler and Sassaman) (Letter), 501; (Melnick et al) (Reply), 501
unsuccessfully treated with tyrosine (Batshaw et al) (BCLO) 159
Phenytoin concentrations, salivary (Mitchell and Greenwood) (Letter), 1000
estimating dosage of (Dodson and Collins) (Letter), 169; (Chiba and Ishizaki) (Reply), 170
Pheochromocytoma, unusual presentation of: Catecholamine cardiomyopathy (Schaffer et al) (BCLO), 276
Phosphate, oral, and 1α-hydroxyvitamin D_3—long-term treatment of familial hypophosphatemic rickets with (Rasmussen et al), 16
Phototherapy, cholestyramine, and bicarbonate—combined treatment of neonatal jaundice with (Malamitsi-Puchner et al) (Letter), 324
—failure to reduce plasma bilirubin levels in bile duct-ligated rat (Davis et al) (BCLO), 956
New twist to bilirubin (McDonagh) (Editor's column), 909
Physiologic responses to prolonged and slow-rise inflation in resuscitation of asphyxiated newborn infant (Vyas et al), 635
Pigmentary disorder of irides, white forelock, and long segment Hirschsprung disease: Possible variant of Waardenburg syndrome (Shah et al) (BCLO), 432
Placental blood, vitamin E in, and its interrelationship to maternal and newborn levels of vitamin E (Martinez et al) (BCLO), 298
Plagiocephaly and torticollis (Wang) (Letter), 164
Plasma and cerebrospinal fluid amino acid concentrations in phenylketonuria during newborn period (Snyderman et al), 63
carnitine concentrations and dyslipidemia in children on maintenance hemodialysis (Gusmano et al) (BCLO), 429
C-peptide and insulin (Knip and Åkerblom) (BCLO), 103
free insulin concentrations: Keystone to effective management of diabetes mellitus (Malone and Root), 862
somatomedin concentrations, normal, demonstrated in cystic fibrosis (Rosenfeld et al) (BCLO), 252
Plethysmograph, respiratory inductive—measurement of ventilation using (Tabachnik et al), 895
Pneumatic dilatation, successful treatment of achalasia by (Boyle et al), 35
Pneumococcal bacteremia in twins (Schwartz) (Letter), 665
meningitis and dexamethasone administration, association between persistence of (Brady et al) (BCLO), 924

Pneumocystis carinii pneumonitis—prevalence in severe combined immunodeficiency (Leggiadro et al) (BCLO), 96
Pneumonia—clinical, virologic, and serologic evidence of Epstein-Barr virus infection in association with (Andiman et al), 880
frequency of *Legionella* infection prospectively determined in children hospitalized with (Orenstein et al) (BCLO), 403
Pneumonitis, nonspecific interstitial—decreased incidence with acute lymphocytic leukemia treated prophylactically with trimethoprim-sulfamethoxazole (Morgan) (BCLO) 807
Pneumocystis carinii—prevalance in severe combined immunodeficiency (Leggiadro et al) (BCLO), 96
Pneumothorax in neonates—effectiveness of chest tube evacuation of (Allen et al), 629
Poly ICLC (artificial interferon inducer)—treatment of recurrent laryngeal papillomatosis with (Leventhal et al) (BCLO), 614
Polymorphonuclear leukocytes, transfusion of, in infants with necrotizing enterocolitis and defect of phagocytosis (De Curtis et al) (Letter), 665
Porencephaly and cytomegalovirus in surviving monozygotic twin (Sander and Chaplin) (Letter), 500
Portoenterostomy, hepatic, for biliary atresia—trimethoprim-sulfamethoxazole for cholangitis following (Chaudhary and Turner) (BCLO), 656
Potter baby scale, possible overestimation with: Insensible weight loss measurements in newborn infants (Darnall) (BCLO), 794
Prednisone and L-asparaginase—risk factors for hyperglycemia in children with leukemia receiving (Pui et al), 46
Primidone therapy, maternal—teratogenic effects associated with (Myhre and Williams) (BCLO), 160
Prolactinemia, hyper-, causing primary amenorrhea (Sadeghi-Nejad et al) (BCLO), 802
Propionic acidemia: Clinical update (Wolf et al), 835
Propranolol-induced hypoglycemia during growth hormone testing (Pelsor et al) (BCLO), 157
Prostaglandin E, cortical hyperostosis after administration of (Dekel and Francis) (Letter), 500
E_1—effect on reserve bilirubin-binding capacity of albumin (Burckart and Whitington) (Letter), 1003; (Siegler and Ash) (Reply), 1003
Protein, C-reactive, in spinal fluid with meningitis (Corrall et al), 365
fat, and carbohydrate balance in first 2 weeks of life: Human milk feeding in premature infants (Atkinson et al), 617
immunoreactive, and Factor II (prothrombin) coagulant activity: Detection of vitamin K deficiency and liver disease in patients with cystic fibrosis (Corrigan et al) (BCLO), 254
loss, enteric—reliable measure of: Fecal clearance of α_1-antitrypsin (Hill et al) (BCLO), 416
retinol-binding, and plasma vitamin A in premature and term neonates (Shenai et al) (BCLO), 302
Prothrombin (Factor II) coagulant activity and immunoreactive protein: Detection of vitamin K deficiency and liver disease in patients with cystic fibrosis (Corrigan et al) (BCLO), 254
Pseudo-Menke syndrome (Dinno et al) (Letter), 325
Pseudomonas, anti-, chemotherapy of acute respiratory exacerbations in patients with cystic fibrosis—double-blind controlled trial of (Hyatt et al), 307
Pseudoseizures and sexual abuse (Reinhart and Joye) (Letter), 167; (Holmes) (Reply), 167
Pseudotumor, orbital, and Crohn disease (Young et al) (BCLO), 250
Pubertal, pre-, children—genital tract infection with *Chlamydia* trachomatis in (Rettig and Nelson), 206
Pulmonary disease activity in cystic fibrosis—^{125}I-Clq-binding and specific antibodies as indicators of (Moss et al), 215
function in juvenile rheumatoid arthritis (Wagener et al) (BCLO), 108
hypertension, effect of transfusion of RBC in (Griffith) (Letter), 670; (Drummond) (Reply), 670
infections, staphylococcal, in patients with cystic fibrosis—clindamycin therapy of (Shapera et al) (BCLO), 647
Pulsus paradoxus in cystic fibrosis (Hen and Dolan) (BCLO), 585
Purpura, thrombocytopenic—immunoregulatory abnormalities with (McIntosh et al), 525
Pyloric stenosis, hypertrophic, and icteropyloric syndrome—elimination of indocyanine green by liver of infants with (Roth et al) (BCLO), 240

R

Race, influence on neonatal mortality rate (Sepkowitz) (Letter), 504; (Paneth et al) (Reply), 505
Racial differences in incidence of congenital hypothyroidism (Brown et al) (BCLO), 934
Radiation therapy, rate of regression and persistent disease after: Testicular leukemic relapse (Mirro et al) (BCLO), 439
Radioactive bromide partition test in diagnosis of tuberculous meningitis (Buchanan) (Letter), 506; (Wiggelinkhuizen and Mann) (Reply), 506
Radioimmunoassay, commercially available somatomedin-C, used with disorders of growth (Reiter and Lovinger) 720
used for somatomedin-C estimation: Commentary (D'Ercole) (Editor's column), 735
Radionuclide scan and Doppler flow studies in evaluation and management of peripheral artery thrombosis in neonate (Puppala et al) (BCLO), 791
Rash, chronic meningitis, eye lesions, and mental retardation—arthropathy with (Prieur and Griscelli), 79
RBC in pulmonary hypertension—effect of transfusion of (Griffith) (Letter), 670; (Drummond) (Reply), 670
Reflex, Moro, and congenital clasped thumb (Anderson and Breed) (Letter), 664
Reflux, gastroesophageal, and delayed gastric emptying (Dimler) (Letter), 504; (Hillemeier) (Reply), 504
Reflux, gastroesophageal—delayed gastric emptying with (Weyrauch) (Letter), 669; (Hillemeier and Gryboski) (Reply), 669
in severely retarded children—comparison of medical and surgical treatment of (Wilkinson et al), 202
Relation to apnea (Walsh et al), 197
surgery, gastroesophageal—infant dumping syndrome after (Meyer et al) (BCLO), 235

Rehydration solution, oral, to hypernatremia in infantile diarrhea—relationship of (Cleary et al) (BCLO), 739
Relationships, family, in anorexia nervosa (Monroe) (Letter), 830; (Casper) (Reply), 830
Renal calculus formation with hypercalciuria—hematuria preceding (Roy et al), 712
transplantation in children less than 2 years of age (Moel and Butt), 535
Respiration, spontaneous onset of, in babies born by cesarean section and by vaginal delivery—intrathoracic pressure and volume changes during (Vyas et al), 787
Respiratory distress syndrome treated by high-frequency oscillatory ventilation: Preliminary report (Marchak et al), 287
exacerbations, acute, in patients with cystic fibrosis—double-blind controlled trial of anti-*Pseudomonas* chemotherapy of (Hyatt et al), 307
illness in pediatric hospital personnel—use of gowns and masks to control (Murphy et al) (BCLO), 746
inductive plethysmograph—measurement of ventilation using (Tabachnik et al), 895
symptoms, upper—relief by aspirin (Ruedisueli) (Letter), 665
syncytial virus—bronchomammary axis in immune response to (Fishaut et al), 186
modes of transmission of (Hall and Douglas) (BCLO), 100
Resuscitation of asphyxiated newborn infant—physiologic responses to prolonged and slow-rise inflation in (Vyas et al), 635
Retardation, growth, in β-thalassemia (Arcasoy and Cavdar) (Letter), 671; (Saenger et al) (Reply), 672
mental, and postnatal dwarfism—new malformation syndrome of long palpebral fissures, large ears, depressed nasal tip, and skeletal anomalies associated with (Kuroki et al), 570
rash, chronic meningitis, and eye lesions—arthropathy with (Prieur and Griscelli), 79
unusual facies, large and protruding ears, and postnatal growth deficiency—Kabuki make-up syndrome (Niikawa et al), 565
Retarded children mentally,—CT scan in (Golden et al) (Letter), 327; (Moeschler) (Reply), 327
severely—comparison of medical and surgical treatment of gastroesophageal reflux in (Wilkinson et al), 202
Retinol-binding protein and plasma vitamin A in premature and term neonates (Shenai et al) (BCLO), 302
Reye syndrome simulating partial ornithine transcarbamylase deficiency (Yokoi et al) (BCLO), 929
Rhabdomyosarcoma, nasopharyngeal, and Rubinstein-Taybi syndrome (Sobel and Woerner) (Letter), 1000
Rheumatoid arthritis, juvenile—pulmonary function in (Wagener et al) (BCLO), 108
with diabetes mellitus (Rudolf et al), 519
Rickets, familial hypophosphatemic—long term treatment with oral phosphate and 1α-hydroxy-vitamin D_3 (Rasmussen et al), 16
of very low-birth-weight infants—elevated serum 1,25 dihydroxyvitamin D concentrations in (Steichen et al), 293
Primary hypophosphatemic and vitamin D–dependent varieties (Harrison and Finberg) (Editor's column), 84
Rifampin prophylaxis for *Haemophilus* infections (Shapiro) (Letter), 670; (Daum et al) (Reply), 671
Rifampin—Cont'd
resistant *Haemophilus influenzae* after prophylaxis, emergence of (Murphy et al) (BCLO), 406
Rotavirus infection—lactose malabsorption following (Hyams et al) (BCLO), 916
Shigella, and *Giardia* in day-care center, diarrhea caused by: Prospective study (Pickering et al), 51
Rubella vaccine—immunoglobulin response to reimmunization with (Butler et al), 531
Rubinstein-Taybi syndrome and nasopharyngeal rhabdomyosarcoma (Sobel and Woerner) (Letter), 1000

S

Salicylate and bismuth—absorption from a bismuth subsalicylate–containing compound (Pepto-Bismol) (Pickering et al) (BCLO), 654
pharmacokinetics of—effect of age on (Buchanec et al) (Letter), 833
Saliva and serum in infants—relationship between digoxin concentration in (Krivoy et al) (BCLO), 810
Salivary phenytoin concentrations (Mitchell and Greenwood) (Letter), 1000
Salmonella Cholera-suis, infections caused by (Givner) (Letter), 502; (Shulman and Weissbluth) (Reply), 502
Sarcoidosis—serum angiotensin-converting enzyme activity in normal children and in those with (Rodriguez et al), 68
Scan, false-positive thallium (Alpert et al) (Letter), 334; (Reply) (Finley), 334
Scoring system to predict outcome following neonatal seizures (Ellison et al), 455
Screening for congenital hypothyroidism (Postellon) (Letter), 170; (Robertson) (Reply), 171
program, T_4, for congenital hypothyroidism—cut-off for supplementary TSH testing in (Walfish and Wood) (Letter), 164; (Morissette and Dussault) (Reply), 165
routine—case for: Thyroid autoimmunity in insulin-dependent diabetes mellitus (Riley et al), 350
Test, Denver Developmental—newly abbreviated and revised (Frankenburg et al), 995
Seizures during infancy, idiopathic hypoparathyroidism presenting with: X-linked recessive inheritance in large Missouri kindred (Whyte and Weldon) (BCLO), 608
neonatal—scoring system to predict outcome following (Ellison et al), 455
Selenium and hematologic status of LBW infants fed formulas with and without iron (Rudolph et al), 57
vitamin E status in cystic fibrosis (Castillo et al) (BCLO), 583
Sensitization syndrome, autoerythrocyte, as primary manifestation of systemic lupus erythematosus (Scott et al) (BCLO), 598
Sepsis and group G streptococcal colonization in neonates (Dyson and Read), 944
neonatal—granulocyte transfusions for (Sacher et al) (Letter), 337; (Laurenti et al) (Reply), 337
Septicemia, *Mycoplasma hominis*, in burned infant (Dan et al) (BCLO), 743
Serologic, clinical, and virologic evidence of Epstein-Barr virus infection in association with pneumonia (Andiman et al), 880

Serum LDH, presenting, in non-Hodgkin lymphoma–prognostic value of (Ridgway et al) (BCLO), 611
Sexual abuse and pseudoseizures (Reinhart and Joye) (Letter), 167; (Holmes) (Reply), 167
Shigella, rotavirus, and *Giardia* in day-care centers, diarrhea caused by: Prospective study (Pickering et al), 51
Shwachman syndrome–occurrence of leukemia in patients with (Woods et al) (BCLO), 425
Siblings, two–biotin-responsive in vivo carboxylase deficiency with secretory diarrhea receiving total parenteral nutrition (Kien et al), 546
male–clinical and biochemical observations in: Hyperpipecolic acidemia (Burton et al), 729
syndrome of congenital hypoplasia of alae nasi, situs inversus, and severe hypoproteinemia in (Helin and Jodal) (BCLO), 932
Sickle cell trait–hemoglobin concentration with (Yip and Nelson) (BCLO), 257
hemoglobinopathies, major–etiology of osteomyelitis with (Givner et al) (BCLO), 411
Sideroblastic anemia, refractory, with vacuolization of marrow precursors and exocrine pancreatic dysfunction presenting in neonate–syndrome of (Stoddard et al) (BCLO), 259
SIDS–elevated levels of tri-iodothyroinine in victims of (Chacon and Tildon) (BCLO), 758
Foundation, National–statement on terminology from (Friedman et al) (Letter), 664
Situs inversus, alae nasi, and severe hypoproteinemia–syndrome of congenital hypoplasia in two siblings (Helin and Jodal) (BCLO), 932
Skeletal anomalies, long palpebral fissures, large ears, and depressed nasal tip associated with postnatal dwarfism and mental retardation–new malformation syndrome (Kuroki et al), 570
Skin-surface CO_2 measurement in sick preterm and term infants (Merritt et al), 782
Sleep duration and infant temperament (Weissbluth) (BCLO), 817
television viewing (Weissbluth et al), 486
Somatodmedin concentrations, normal plasma, demonstrated in cystic fibrosis (Rosenfeld et al) (BCLO), 252
and growth responses to growth hormone in dwarfed children (Hayek and Peake), 868
estimation, use of radioimmunoassay for: Commentary (D'Ercole) (Editor's column), 735
radioimmunoassay, commercially available, used with disorders of growth (Reiter and Lovinger), 720
Sorbitol–diarrhea induced by (Chusid and Chusid) (Letter), 326
Sphincter pressure, lower esophageal, and serum gastrin concentration in newborn infant–relationship between (Moroz and Beiko), 725
Spinal fluid with meningitis, C-reactive protein in (Corrall et al), 365
Splenectomy in achieving iron balance, role of: Chelation therapy in β-thalassemia major (Graziano et al), 695
Staphylococcal pulmonary infections in patients with cystic fibrosis–clindamycin therapy of (Shapera et al) (BCLO), 647
Stenosis, hypertrophic pyloric, and icteropyloric syndrome–elimination of indocyanine by liver of infants with (Roth et al) (BCLO), 240
Steroid treatment or transplantation–femoral head necrosis in uremic children without (Mehls et al) (BCLO), 926
Streptococcal colonization, group G, and sepsis in neonates (Dyson and Read), 944
group B (Type III) vaccine–lack of stimulation by isohemagglutinin antibodies by immunization with (Webb et al) (BCLO), 918
infection, experimental group B–protective efficacy of modified immune serum globulin in (Santos et al) (BCLO), 873
Streptococci, group B–recurrent infection associated with penicillin-tolerant: Report of two cases (Spiegel et al) (BCLO), 920
non-group D alpha-hemolytic: New neonatal pathogens (Broughton et al), 450
Streptococcus pneumoniae disease, systemic–risk of additional systems bacterial illness in infants with (Cole et al) (BCLO), 91
Strickler-Wagner syndrome: Study of 22 families (Liberfarb et al), 394
Strokes and neurotoxicity of L-asparaginase (White et al) (Letter), 168
Sulfamethoxazole-trimethoprim–decreased incidence of nonspecific interstitial pneumonitis with acute lymphocytic leukemia treated prophylactically with (Morgan) (BCLO), 807
for cholangitis following hepatic portoenterostomy for biliary atresia (Chaudhary and Turner) (BCLO), 656
Sulfisoxazole in human milk (Elliott and Quinn) (Letter), 171; (Kauffman) (Reply), 172
Sulindac, hepatitis associated with use of (Kaul et al) (BCLO), 650
Surgery, gastroesophageal reflux–infant dumping syndrome after (Meyer et al) (BCLO), 235
Sweat electrolyte concentrations–familial cholestasis with (Lloyd-Still) (BCLO), 580
tests, false-positive (Spigelblatt et al) (Letter), 1001
Sweet syndrome (Levin et al), 73
Syncytial virus, respiratory–bronchomammary axis in immune response to (Fishaut et al), 186
–modes of transmission of (Hall and Douglas) (BCLO), 100
Syndrome of refractory sideroblastic anemia with vacuolization of marrow precursors and exocrine pancreatic dysfunction presenting in neonate (Stoddard et al) (BCLO), 259
see specific infection

T

T cell depression, transient, in postoperative chylothorax (McWilliams et al) (BCLO), 595
lymphocytes–severe combined immunodeficiency with quantitatively normal but abnormally differentiated (Fischer et al) (BCLO), 261
T_4 screening program for congenital hypothyroidism–cut-off for supplementary TSH testing in (Walfish and Wood) (Letter), 164 (Morissette and Dussault) (Reply), 165
Tachycardia, paroxysmal supraventricular, with Wolff-Parkinson-White syndrome–verapamil for (Casta) (Letter), 502; (Shahar et al) (Reply), 502

Television viewing and sleep duration (Weissbluth et al), 486
Temperament, infant, and sleep duration (Weissbluth) (BCLO), 817
Temperatures, initial, of 39.5°C or higher—clinical findings in children under 2 years with: Outpatient bacteremia (Waskerwitz and Berkelhamer) (BCLO), 231
Teratogenic effect(s) associated with maternal primidone therapy (Myhre and Williams) (BCLO), 160
of anticonvulsants (Thomas and Buchanan) (Letter), 163
possible, of valproic acid (Clay et al) (Letter), 828
Terminology—statement from National SIDS Foundation (Friedman et al) (Letter), 664
Test(s), Denver Developmental Screening—newly abbreviated and revised (Frankenburg et al), 995
false-positive sweat (Spigelblatt et al) (Letter), 1001
laboratory, limitations in predicting response to iron treatment in 1-year-old infants: Diagnosis of iron deficiency (Dallman et al), 376
radioactive bromide partition, in diagnosis of tuberculous meningitis (Buchanan) (Letter), 506; (Wiggelinkuizen and Mann) (Reply), 506
thyroid function—understanding (Geffner) (Letter), 326; (Garfunkel) (Reply), 326
Testicular leukemic relapse: Rate of regression and persistent disease after radiation therapy (Mirro et al) (BCLO), 439
volume during early infancy (Cassorla et al) (BCLO), 742
Testing, growth hormone—propranolol-induced hypoglycemia during (Pelsor et al) (BCLO), 157
β-Thalassemia, growth retardation in (Arcasoy and Cavdar) (Letter), 671; (Saenger et al) (Reply), 672
major, chelation therapy in. III. Role of splenectomy in achieving iron balance (Graziano et al), 695
intracranial hemorrhage and circulating coagulation inhibitor in (Sinniah et al), 700
—prospective study of red blood cell indices, hemoglobin A_2, and hemoglobin F in infants heterozygous for (Galanello et al) (BCLO), 105
cholelithiasis with: Ultrasonographic study (Borgna-Pignatti et al) (BCLO), 243
response to long-term deferoxamine therapy in (Cohen et al), 689
Thallium scan, false-positive (Alpert et al) (Letter), 334; (Reply) (Finley), 334
Theophylline clearance in asthmatic patients—effect of erythromycin on (LaForce et al), 153
concentration, serum, in children with chronic asthma—relationship of formulation and dosing interval to fluctuation of (Weinberger et al), 145
sustained-release, for childhood asthma: Evidence for circadian variation of theophylline pharmacokinetics (Scott et al) (BCLO), 476
Thoracic, intra-, pressure and volume changes during the spontaneous onset of respiration in babies born by cesarean section and by vaginal delivery (Vyas et al), 787
Thrombocytopenic purpura, immunoregulatory abnormalities with (McIntosh et al), 525
Thromobosis, aortic—management of (Adelman) (Letter), 832; (Henry and Strauss) (Reply), 832
neonatal aortic (Doshi et al) (Reply), 1002
peripheral artery, in neonate—Doppler flow and radionuclide scan studies in evaluation and management of (Puppala et al) (BCLO), 791
Thumb, congenital clasped, and Moro reflex (Anderson and Breed) (Letter), 664
Thyroid autoimmunity in insulin-dependent diabetes mellitus: Case for routine screening (Riley et al), 350
function tests, understanding (Geffner) (Letter), 326; (Garfunkel) (Reply), 326
Thyroidism, hypo-, and hypoparathyroidism, combined, in infant after maternal ^{131}I administration (Richards et al) (BCLO), 141
Thyromegaly, childhood: Recent developments (Reiter et al), 507
Tomographic scan, computed, in mentally retarded children (Golden et al) (Letter), 327; (Moeschler) (Reply), 327
Tomography, computed—prognostic value as adjunct to assessment of term infant with postasphyxial encephalopathy (Fitzhardinge et al), 777
Torticollis and plagiocephaly (Wang) (Letter), 164
Toxicity, acute chloramphenicol, in exchange transfusion (Stevens et al) (BCLO), 651
Transcarbamylase deficiency, partial ornithine, simulating Reye syndrome (Yokoi et al) (BCLO), 929
Transfusion(s), blood: Effect of speed of infusion and of needle gauge on hemolysis (Herrera and Corless) (BCLO), 757
exchange, in acute chloramphenicol toxicity (Stevens et al) (BCLO), 651
neonatal myastenia (Pasternak et al) (BCLO), 644
granulocyte, for neonatal sepsis (Sacher et al) (Letter), 337; (Laurenti et al) (Reply), 337
of polymorphonuclear leukocytes in infants with necrotizing enterocolitis and defect of phagocytosis (De Curtis et al) (Letter), 665
RBC in pulmonary hypertension, effect of (Griffith) (Letter), 670; (Drummond) (Reply), 670
Transmission, maternal-infant: Coccidioidomycosis in neonate (Bernstein et al) (BCLO), 752
Transplantation, kidney—varicella after (Hurley) (Letter), 340; (Feldhoff et al) (Reply), 340
or steroid treatment—femoral head necrosis in uremic children without (Mehls et al) (BCLO), 926
renal, in children less than 2 years of age (Moel and Butt), 535
Transpyloric tube feeding with nonpasteurized human milk (Gustafson and Kjellman) (BCLO), 300
Tri-iodothyronine, elevated levels of, in victims of SIDS (Chacon and Tildon) (BCLO), 758
Trimethoprim-sulfamethoxazole—decreased incidence of nonspecific interstitial pneumonitis with acute lymphocytic leukemia treated prophylactically with (Morgan) (BCLO), 807
for cholangitis following hepatic portoenterostomy for biliary atresia (Chaudhary and Turner) (BCLO), 656
Trisomy 18 and neurogenic neoplasia (Robinson and McCorquodale) (BCLO), 428
TSH testing, supplementary—cut-off in thyroxine screening program for congenital hypothyroidism (Walfish and Wood) (Letter), 164; (Morissette and Dussault) (Reply), 165
Tube evacuation, chest, of pneumothorax in neonates—effectiveness of (Allen et al), 629
feeding, transpyloric, using nonpasteurized human milk (Gustafson and Kjellman) (BCLO), 300

Tuberculous meningitis—radioactive bromide partition test in diagnosis of (Buchanan) (Letter), 506; (Wiggelinkuizen and Mann) (Reply), 506
non-, myobacteriosis, disseminated—sustained depression of monocyte cytotoxicity in boy with (Herlin et al) (BCLO), 264
Twin(s) pneumococcal bacteremia in (Schwartz) (Letter), 665
surviving monozygotic—proencephaly and cytomegalovirus in (Sander and Chaplin) (Letter), 500
Tyrosine—unsuccessful treatment of phenylketonuria with (Batshaw et al) (BCLO), 159

U

Ultrasonographic study: Cholelithiasis with thalassemia major (Borgna-Pignatti et al) (BCLO), 243
Ultrasound, real-time—correlation with: Neurologic signs in neonatal intraventricular hemorrhage (Dubowitz et al), 127
identification by: Ventriculitis with neonatal bacterial meningitis (Hill et al) (BCLO), 133
Umbilical artery catheters, calculating length of (Pollack and Roloff) (Letter), 173; (Rosenfeld) (Reply), 173
cord in infant with abnormal phagocytic cell locomotion and oxidative response during particle phagocytosis—recurrent infections and delayed separation of (Abramson et al), 887
serum ceruloplasmin concentrations, decreased, in infants with hyaline membrane disease (Omene et al) (BCLO), 136
Uremic children without steroid treatment or transplantation—femoral head necrosis in (Mehls et al) (BCLO), 926
hemolytic syndrome—hemorrhagic cerebral infarction in (Crisp et al) (BCLO), 273
Urinary tract infection(s), lower—3-day therapy with nitrofurantoin macrocrystals: Randomized clinical trial (Lohr et al), 980
single-dose amoxicillin treatment of (Shapiro and Wald) (BCLO), 989
three-day antimicrobial therapy of (Khan et al) (BCLO), 992
Uterine, intra-, growth—standards for an African population at sea level (Olowe), 489

V

Vaccine, group B streptococcal (Type III)—lack of stimulation of isohemagglutinin antibodies by immunization with (Webb et al) (BCLO), 918
rubella—immunoglobulin response to reimmunization with (Butler et al), 531
Vaginal delivery and cesearean section—intrathoracic pressure and volume changes during spontaneous onset of respiration in babies born by (Vyas et al), 787
Valproate sodium—effect of concurrent administration on phenobarbital plasma concentration/dosage ratio (Suganuma et al) (BCLO), 314
Valproic acid, possible teratogenic effect of (Clay et al) (Letter), 828
therapy, hyperammonemia with (Coulter and Allen) (BCLO), 317
Varicella after kidney transplantation (Hurley) (Letter), 340; (Feldhoff et al) (Reply), 340
Ventilation, high-frequency oscillatory—treatment of RDS by: Preliminary report (Marchak et al), 287
in children using respiratory inductive plethysmograph—measurement of (Tabachnik et al), 895
(mechanical) in neonates, significance during—mean airway pressure (Ciszek et al), 121
Ventriculitis with neonatal bacterial meningitis: Identification by real-time ultrasound (Hill et al) (BCLO), 133
Verapamil for PSVT with WPW (Casta) (Letter), 502; (Shahar et al) (Reply), 502
Vertebrae, butterfly, congenital heart disease, and extrahepatic biliary atresia: Variant of arteriohepatic dysplasia? (Kocoshis et al) (BCLO), 436
Viokase, zinc-binding ligands in, and role in zinc absorption (Hurley and Lönnerdal) (Letter), 328; (Krieger) (Reply), 329
Viral isolates, nasopharyngeal, with *H. influenzae* type B meningitis (Kaplan et al) (BCLO), 591
Virologic, clinical, and serologic evidence of Epstein-Barr virus infection in association with childhood pneumonia (Andiman et al), 880
Virus infection, Epstein-Barr, in association with childhood pneumonia—clinical, virologic, and serologic evidence of (Andiman et al), 880
respiratory syncytial—bronchomammary axis in immune response to (Fishaut et al), 186
modes of transmission of (Hall and Douglas) (BCLO), 100
Vitamin A delivery from parenteral alimentation solution (Shenai et al) (BCLO), 661
plasma, and retinol-binding protein in premature and term neonates (Shenai et al) (BCLO), 302
D metabolism in preterm infants: Serum calcitriol levels during first 5 days of life (Glorieux et al), 640
dependency: Replacement therapy with calcitriol (Delvin et al), 26
-dependent and primary hypophosphatemic varieties: Rickets (Harrison and Finberg) (Editor's column), 84
supplementation and human milk feeding—1981 (Finberg) (Editor's column), 228
E and selenium status in cystic fibrosis (Castillo et al) (BCLO), 583
in placental blood and its interrelationship to maternal and newborn levels of vitamin E (Martinez et al) (BCLO), 298
K deficiency and liver disease detected in patients with cystic fibrosis, detection of; Factor II (prothrombin) coagulant activity and immunoreactive protein (Corrigan et al) (BCLO), 254

W

Waardenburg syndrome, possible variant of: White forelock, pigmentary disorder of irides, and long segment Hirschsprung disease (Shah et al) (BCLO), 432
Wagner-Strickler syndrome: Study of 22 families (Liberfarb et al), 394
Weighing less than 801 gm at birth—is intensive care justified for infants? (Britton et al), 937

Weight gain, energy intake, and weight gain—influence on energy metabolism in the very LBW infant (Chessex et al), 761
loss, insensible, measurements in newborn infants: Possible overestimation with Potter baby scale (Darnall) (BCLO), 794
low-birth-, infants—energy balance in (Weil) (Editor's column), 737
fed formulas with and without iron—hematologic and selenium status of (Rudolph et al), 57
high-risk infant—value of human milk in prevention of infection in (Narayanan et al), 496
White vs black—blood pressure response to dynamic exercise in healthy children (Alpert et al), 556
Wolff-Parkinson-White syndrome—verapamil for paroxysmal supraventricular tachycardia with (Casta) (Letter), 502; (Shahar et al) (Reply), 502

X

X-linked recessive inheritance in large Missouri kindred: Idiopathic hypoparathyroidism presenting with seizures during infancy (Whyte and Weldon) (BCLO), 608
D-Xylose absorption measurements in children suspected of having small intestinal disease, evaluation of (Hill et al) (BCLO), 245

Z

Zinc-binding ligands in Viokase and role in zinc absorption (Hurley and Lönnerdal) (Letter), 328; (Krieger) (Reply), 329
deficiency, clinical, during zinc-supplemented parenteral nutrition (Ishizaka et al) (Letter), 339; (McClain and Sharp) (Reply), 339
metabolism: Basic, clinical, and behavioral aspects (Gordon et al), 341